

This dialog shows you all **settings**. Click the **OK-button** to save all changes and close this dialog. Click on **Cancel** to exit this dialog without saving changes. Click the help-button and choose a setting for more detailed information.

Check this box if you want to store each session in the **logfile**.

Check this box to display the **currency symbols** at the counter-window. The currency symbol and the currency format are defined by the country-settings (configuration) of windows.

Check this box to **start** Intercent together with **Windows**. You do not have to put Intercent in the startup-folder.

Enable this option if you want to **hide** Intercent in the system-tray when the program starts.

Enable this option to display Intercent on the **taskbar**. Changing this setting takes effect when Intercent has been restarted.

Check this box to disable the **crash-option**. Temporarily files, needed for this procedure, will not be created.

This is the **initial-cost** when a connection is made.

This is the **high rate**. The unit behind this rate (for example : per hour) is defined by the settings of the Advanced-tab.

This is the **low rate**. The unit behind this rate (for example : per hour) is defined by the settings of the Advanced-tab.

This is the **minimum-onlinetime** (in seconds) . If Intercent does not register the dialup-adapter but checks the usage of the COM-port you will have to select a time between 30 and 45 seconds. In this way no cost will be added if a connection could not be established.

This button can be used for **Dutch phone-rates** only.

Here you can select the **off-peak hours** and **days**. Click with the mousebutton on any day or hour to enable or to disable it. Off-peaks hours are light-red, off-peak days are light-blue.

Click this button to define **extra rates** and periods.

If you select this setting, the counter only starts running by clicking on the **connection-button**.

If you select this setting, the counter starts and stops by checking the **COM-port**. Select the COM-port to which the modem is connected. In most cases this will be COM2.

If you select this setting, the counter starts and stops by checking the status of the **dialup-adapter**.

Select if the counter should start when you start calling or when the connection is established. This option is only available if you are using the **Check dialup-adapter**-setting.

Check this box to play a soundsignal after a **certain time**. The soundsignal is a WAV-file. Type its name or click the browse button and search for it. Type or select the name of a textfile (TXT) to show a popup-dialog instead of a soundsignal.

The **soundsignal** is a WAV-file. Type its name or click the browse button and search for it. Type or select the name of a **textfile** (TXT) to show a popup-dialog instead of a soundsignal. Test the sound- or textfile with the soundbutton.

Select the online-time before the **timesignal** will be shown or played.

Check this box to play a **soundsignal** when the counter **starts**. The soundsignal is a WAV-file. Type its name or click the browse button and search for it. Type or select the name of a **textfile** (TXT) to show a popup-dialog instead of a soundsignal.

Check this box to play a soundsignal when the counter **stops**. The soundsignal is a WAV-file. Type its name or click the browse button and search for it. Type or select the name of a **textfile** (TXT) to show a popup-dialog instead of a soundsignal.

Click this button to **test** the sound- or textfile.

Click this button to **browse** for sound- or textfiles.

Cost per second. This is the default way of cost-calculation and used in the Netherlands and many other countries.

Units with a fixed time of. This way of costcalculation uses units. Type its length here (in seconds). Adapt the rate-settings to this way of costcalculation.

Units with a fixed rate of. This way of cost calculation uses only one rate (the one you type here), but allows to enter the number of units for each period. For example : 3 units for the high rate and 6 units 4 the low rate.

Change the trackbar to a slower **speed** if you have any problems with Intercent or Excel when using the option **Show in Excel**.

This is the **name** of the **logfile**. This also is the current user.

Enable this option to create a **logfile** for each **user**.

Click on the **OK**-button to save all changes and close this dialog.

Click on the **OK**-button to adapt the settings.

Click on the **CANCEL**-button if you do not want to adapt the settings.

Click on the **CANCEL**-button to exit this dialog without saving the changes.

This panel shows information about the **connection** and the current **rate**.

This panel shows information about the **current session**.

This panel shows the **totals**. Reset these values with the option **Reset** of the **Counter**-menu.

This dialog shows the logfile as a table. Empty this logfile (or a part of it) with the **Empty**-option of the **Logfile**-menu or with the **Empty logfile**-option from the popup-menu (right-click with your mouse).

You can use this information in any other application by selecting the text and copying it to the clipboard (**CTRL-C**).

This part shows the **properties** of the **connection**. This information is only available if you are using the **Check dialup-adapter-setting**.

Click the **Calculate**-button to calculate the **day-averages**. The calculations are made with the information found in the logfile.

This dialog can be used for **Dutch phone-rates** only.

Select which **parts** has to be shown in the Excel-worksheet. The location of **Excel** will be found automatically if Excel is installed on your PC. Click the **OK**-button to show the whole logfile in the worksheet.

In this dialog you are able to select a **language**. After selecting, click the **OK**-button. Intercent will ask you if you want to restart the program, because only then the changes will take effect.

Click this button to choice a rate **manually** or selected the **Auto**-option. The auto-option uses the settings-information.

Click this button to **start** or **stop** the counter.

Here you can define a few **extra rates** (rate 3-8) .

With these options you can **empty** the whole logfile or the sessions of a specific month. Also you can empty the last session.

Intercent-FAQ

The Intercent-FAQ can be found on the internet:

http://www.xs4all.nl/~finiware/i_faq.htm

New in Intercent (release 2.2)

- Now the spanish version of Intercent is available.
- The printer-error, appearing when no printer was installed, is solved.
- The I/O 103- writing error does no longer popup. Some users did have this problem.
- Changing period will be detected now when the counter is running.
- With some countrysettings the date was not shown correctly in Excel. This is fixed now.

New in Intercent 2.1

Select how to start counting : manually, by checking the COM-port (for modem-users only) or by checking the status of any dialup adapter (recommended). Now Intercent is ready for ISDN-connections as well.

The index- and searchoption of the helpfiles are added.

The crash-problem is solved now (an error message did appear in the previous version after the system had crashed when intercent was asking if the last session should be added)

The rate can be set for each session by using the rate-button.

The start- and stopbutton are replaced by one button, the connection-button.

The number of rates and periods are increased. Now 8 different periods and 9 rates can be selected. Also changing the periods has become a lot easier.

Now you can empty the logfile per month and you can delete the last registered session.

The report-dialog has been improved.

The speed of sending information to excel can be adapted now. In the previous version Intercent or/and Excel crashed on some PC's, because the information was sent to fast.

Intercent will start whenever you start Windows. You don't need to put the Intercent-icon in the startup-folder anymore.

Starting with Intercent

Intercent is a FREEWARE-program, created by [Finiware](#). Its a simple and easy to use counter-program. It shows you the cost of your surfing on the net.

In this [new release](#) of Intercent a few options are added or changed.

First you need to check or change a few settings.

[Next](#)

Starting with Intercent

1. Choose the Settings -option of the **Counter**-menu if you have not done so yet.
2. The first part of the settings-dialog allows you to change some general settings .
3. Select the Rates-tab and check if the start-,high , and low rate are correct.

[Previous](#) [Next](#)

Starting with Intercent

4. Now select the Off-peak-tab. This part shows you the low-rate-period. The first bar show the days of the week (red colored). The second shows the hours (colored blue) on the selected day. Select or deselect days and hours by clicking on its rectangle.

5. The third and fourth bar shows a low-rate period as well and can be used for the weekends for example.

[Previous](#) [Next](#)

Starting with Intercent

6. Select the Detection-tab. Here you can change the way of detection.

7. Select the Check dialup-adapter-option. If the counter doesn't work correctly with this setting then select the Check the modem on COM-port-option. If so, you need to select the COM-port to which the modem is connected, as well.

8. Select if the counter should start when you start calling or when the connection is established.

[Previous](#) [Next](#)

Starting with Intercent

9. Choose the Alarm-tab. Here you can set sound- or textfiles.
10. For example you want to play a warning-signal after 1.5 hour. Check the time-signal-box
11. Search for a sound- or textfile with the browse-button on the right side of the editbox or type a filename in the editbox.
12. Test the sound- or textfile (popup-message) with the test-button.

[Previous](#) [Next](#)

Starting with Intercent

You have just adapted the most important settings .

Click the OK-button to save all changes and return to the counter-window.

Now you can start counting .

Previous *The counter-window*

The counter-window

The counter-window exists of three parts, showing you information about the connection, the current session and the totals.

The connection-panel shows if there is any connection and which rate is used. They also are buttons. The connection- and the rate-text changes in a blue color when you are moving the mouse over it.

By clicking on the connection-button you can start- and stop the counter manually. Click on the rate-button to select a rate manually. By default the auto-option is used, which means that the off-peak-settings are used.

The menu's

Show logfile

Choose the **Show**-option of the **Logfile**-menu (or use the hotkey F5) to display the logfile-dialog. This window shows the logfile as a table.

Empy this logfile (or a part of it) with the **Empty**-option of the **Logfile**-menu or with the **Empty logfile**-option from the popup-menu (right-click with your mouse).

Empty logfile

Use the **Empty**-option of the **Logfile**-menu to empty the logfile or a part of it, like the sessions of a month or the last session.

Select an option and click the OK-button to empty the logfile.

The option **Undo** appears in the **Logfile**-menu after deleting (a part of) the logfile. You cannot use this option after adding new sessions to the logfile or when you have restarted Intercent.

Show logfile in Excel

Choose the **Show in Excel**-option from the **Logfile**-menu.

Select which **parts** has to be shown in the Excel-worksheet. The location of **Excel** will be found automatically if Excel is installed on your PC.

Click the **OK**-button to show the whole logfile in the worksheet.

If Intercent or Windows crashes while using this option then you need to change the speed the information is sent to Excel. Adapt the speed on the advanced-tab of the settings.

Printing the logfile

Choose **Print** from the **Logfile**-menu to print the logfile. If you have installed Excel you might prefer to use the Show logfile in Excel -option instead.

Report

Select the **Report**-option from the **Counter**-menu.

The first part shows the **properties** of the **connection**. This information is only available if you are using the **Check dialup-adapter**-setting.

The window below shows the counter-information. You can use this information in any other application by selecting the text and copying it to the clipboard (CTRL-C).

Click the **Calculate**-button to calculate the day-averages. The calculations are made with the information found in the logfile.

The menu's

The **Logfile**-menu can be used for showing and deleting the logfile. Also you can print the file or show the logfile in Excel for more calculations.

Use the options from the **View**-menu to change the view of the counter-window, to change the language and to hide Intercent in the system-tray.

Various options can be found in the **Counter**-menu, like resetting, starting en stopping the counter. Also a report-option and the settings are included with his menu.

Intercent 98

Version 2.2 , June 1998

Intercent is a FREEWARE-program, created by Finiware. Its a simple and easy to use counter-program. It shows you the costs of your surfing on the net.

(C) 1997-1998 , Finiware.

Please send us your response by email if you like this program or if you do not like this program at all.

You are allowed to distribute this program on the net or BBS's under the condition that Intercent is not sold or changed. Also you are not allowed to change the name of the ZIP-file. Do not distribute the file with any other name. Please use ic98_210.zip as ZIP-filename. You are not allowed to distribute Intercent 98 on CD-rom or any other medium , without written permission of Finiware.

Finiware, PO Box 84055, 3009 CB, ROTTERDAM, The Netherlands

* Excel is a product of Microsoft

FINIWARE

Visit Finiware on the internet !

<http://www.xs4all.nl/~finiware>

If you have any questions, remarks, tips etcetera about FREEWARE-programs, mail us ! Concerning to freeware-programs you can email only.

finiware@xs4all.nl

Overview of the settings-dialog

Choose the **Settings**-option of the **Counter**-menu. The settings-dialog exists of six parts, a general-tab , a rates-tab, an off-peak-tab to set the rate-periods, a detection-tab, an alarm-tab for playing soundfiles or displaying popup-messages and a advanced -tab to set the way of costcalculation.

Advanced settings

Overview

With the settings on this tab you can change the way of cost-calculation.

Enable the **Logfile for each user**-option if you want to create a logfile for each user. You can use this option only if each user has its own profile (see the security-part of the configuration-panel of windows).

Also you change the speed information is sent to Excel.

Costs per hour

This is the default calculation and is used in the Netherlands and many other countries.

Units with a fixed rate of...

This calculation is using units. Type the length of one unit (for example: 14 seconds). You will have to change the settings on the Rates-tab in costs per unit.

Units with a fixed rate of...

This calculation uses units of one minute each. Type the fixed rate (for example: 2,50) and change the settings on the Rates-tab to the number of units for the high and low rate. For example : 3 units high-rate (calling 3 minutes for 2,50) and 6 units low-rate (calling 6 minutes for 2,50)

Off-peak-settings

Overview

Here you can select the **off-peak hours** and **days**. Click with the mousebutton on any day or hour to enable or to disable it.

The first bar shows the days of the week (red colored). The second shows the hours (colored blue) on the selected day. The third and fourth bar shows a low-rate period as well and can be used for the weekends for example. By default the off-peak-hours for the Netherlands are shown, so you might need to change these periods first.

Click the **More...** button to define **extra rates** and periods. Rates and periods are set in the same way.

Any period that is not set here or on the **More rates**-dialog is assumed to be a high-rate-period.

General settings

Overview

Start Intercent with Windows

Hide when starting

Show on taskbar

Store sessions in the logfile

Show currency symbols

Disable crash-option

Rate settings

Overview

Initial costs

High rate

Low rate

Add rate after ... seconds

You don't need to use the default rates-button. This is for use in the Netherlands only.

Use the **More...**-button on the Off-peak-tab to set extra rates (and periods).

Detection settings

Overview

Start and stop manually

Check modem on COM-port

Check dialup-adapter

Start counter

Alarm settings

Overview

Use these settings for playing soundfiles or displaying popup-messages

Time signal

Play after

Online signal

Off-line-signal

You can change the name of the soundfile (WAV-format) for each signaltype. With the file-button you can browse for soundfiles.

Test the soundfile with the sound-button or double-click on the editbox. You also can show a popup-message by selecting a textfile.

