


Apple II Technical Notes



Developer Technical Support

ProDOS 8

#24: BASIC.SYSTEM Revisions

Revised by: Matt Deatherage
September 1990

Written by: Matt Deatherage July
1989

This Technical Note documents the change history of BASIC.SYSTEM through V1.4.1, which ships with Apple IIGS System Software 5.0.3 and Apple II System Software 3.2. V1.0, the initial release, is not documented in this Note, and V1.1 is described in *BASIC Programming with ProDOS*. **Changes since November 1989:** Revised to include BASIC.SYSTEM 1.4.1.

V1.1

- Fixed a bug in variable packing (used by CHAIN, STORE, and RESTORE).
- Changed the interpreter to use the ProDOS startup convention of a JMP instruction followed by two \$EE bytes and a startup pathname buffer.
- Removed a bad buffer address in the FIELD parameter of the READ routine.
- Fixed a bug in APPEND so calls to OPEN and READ from a random-access file would not cause the next call to APPEND to any file to use the record length of the random-access file.

- Added the `BYE` command to allow ProDOS `QUIT` calls from BASIC.
- Removed the limited support for run-time capabilities which had been present.

V1.2

- Changed the `CATALOG` command to ignore the number of entries in a directory when listing it so AppleShare volumes could be cataloged properly (this number can change on the fly on an AppleShare volume).
- Fixed another bug in `CATALOG` so pressing an unexpected key when a catalog listing was paused with a Control-S would no longer abort the catalog.

V1.3

- Changed `BSAVE` so it now truncates the length of the saved file when the `B` parameter is not used. To replace the first part of a file without truncation, use the `B` parameter with a value of zero. This behavior with the `B` parameter is how V1.1 and V1.2 worked without the `B` parameter.
- Fixed a bug in `CHAIN` and `STORE` where they expected one branch to go two ways at the same time.
- Added the `MTR` command for easier access to the Monitor from BASIC.
- Made internal changes to the assembly process for easier project management. These changes do not affect the code image.

V1.4

- Fixed a bug which caused a BLOAD into an address marked as used in the global page to start performing a BSAVE on the file instead of returning the NO BUFFERS AVAILABLE message. For this reason, BASIC.SYSTEM version 1.3 should **not** be used.

V1.4.1

- Fixed a bug in the mark handling routines. When using the “B” parameter to indicate a byte to use as a file mark, the third and most significant byte would never be reset before the next use of B. For example, if you used a B value of \$010000 and then used a B value of \$2345, BASIC.SYSTEM 1.4 would use \$012345 for the second B parameter value.

Further Reference

- *BASIC Programming with ProDOS*
- *ProDOS 8 Technical Reference Manual*