

A

acceptsFirstResponder 185

accessing

- data 84
- information 56

accessor method 49, 85, 86, 87, 196

- implementing 126
- retaining object 180

action 38, 41, 80, 99, 134, 186

- connecting 46
- defining 40, 43
- implementing 141
- setting programmatically 137

adding

- action 43
- application icon 75
- menu item 72
- outlet 43
- submenu 72

addObject: 163

addTimeInterval: 165

alignment 33

- of text 30

Alignment command 33

alloc 112, 214

AnalyzeAllocation command 225

animation 37

Apple events 9

application 161

- attributes 75, 126
- behavior 36
- creating 22
- design 191
- icon 75
- launch behavior 154
- multi-document 119, 142, 143
- NSApplication 172
- possibilities 37
- resources 130, 143
- standard features 36
- start-up routine 126

- application controller 120, 130, 142, 143, 203
- application controller, *See also controller object*
- Application Kit 8, 62, 153, 173, 185, 192
- application wrapper 53, 106, 126, 130
- applicationShouldTerminate:** 106, 154, 161
- architecture 53
- archiveRootObject:toFile:** 106, 151
- archiving 80, 86, 104, 106, 128, 151
- argument 210
- array 162
- arrayWithObject:** 149
- ASCII 83
- assembler 225
- assigning the class 175
- attention panel 201
- attribute,setting 176
- Attributes display 30
- autorelease

 - mechanism 88
 - pool 88, 89

- autorelease** 87, 88, 89, 90, 112
- auxiliary nib file 130, 143
- awakeFromNib** 52, 137, 168

B

background color 30

base coordinate system 27, 152

Blue Box 9

- communication with Yellow Box 9

bounds 192

box object 32, 67, 176

browser 69

Build panel 54

building a project 53, 54

- and errors 55

bundle 106, 130

- accessing resources 195
- loadable 130
- main 130

button 31, 95

- and images 71, 134
- custom 194
- state 194
- switch 65, 183
- types 65

C

C language 53

C++ 53

calendar format 137

category 135, 220

cc 53, 225

cell 41, 107

- enabling and disabling 139
- highlighting 139
- installing 199
- prototype 136
- setting state 197
- setting title 139

cellAtIndex: 92, 94

cellAtRow:column: 183

cellWithTag: 141

class 39

- adding to project 195
- and object creation 214
- assigning in Interface Builder 175
- creating 216, 217
- definition 132, 214, 218
- principal 126
- relation to object 39
- reusing 77
- specifying 38, 76
- testing membership in 127, 164

class hierarchy 216

class method 49

class object 214

Close command 150

closing a document 150

coding 104

collection classes 86

color 226

Color panel 30

column identifier 68

columns, of objects 33

compare: 97

compiler 53

compositeToPoint:operation: 193

compositing images 185, 192, 193

connecting objects 45

- direction of 41

Connections display 34, 45

containsObject: 181

content area 156, 157

content view 27, 156, 157, 181

- box 176, 177

- replacing 181

contents of nib file 25

contentView 157, 191

context-sensitive Help 56

control object 38, 41, 107

control:isValidObject: 191

controller object 20, 63

- application 120

- document 120

controlTextDidChange: 153

controlTextDidEndEditing: 163–165, 188, 189

coordinate system 27, 152, 157, 192

- flipping 192

copy 87, 89, 112

copying objects 29, 127

- and reference count 89

copyWithZone: 127

core operating system 8

core program framework 156–157, 191

coverage 193

creating

- class 38

- custom view object 185

- document 147

- form 66

- object 214

- panel 176

- currentEvent 157
- custom palette 213
- custom view 121
 - and Interface Builder 133
- customizing menus 72
- CustomView object 185

- D**
- data
 - at port 172
 - mediating 94
 - serializing 104
 - storage 84
 - synchronizing displays of 189, 190
- data encapsulation 29, 209
- data source 63, 68, 97
- DataViews palette 68, 73
- date** 136
- date and time 137, 141
 - creating object 138
 - formatting 138
- date formatter 178
- dateWithYear:month:day:hour:minute:second:timeZone:** 141
- day of the week 138
- dealloc** 89, 90, 108, 128
- deallocation 84, 85, 88–89, 90, 108, 112, 128, 217
- debugger 112
- debugging 128
- declaration 49, 146
 - method 50, 124
- deep copy 127
- defaults 225
- delegate 41, 80, 100, 106, 140, 143, 156, 157, 166, 173
 - method implemented by 68, 120, 153, 187
- delegate** 157
- delegation 63, 100, 161
- delimiter checking 93
- description** 128
- descriptionWithCalendarFormat:timeZone:locale:** 166
- design,hierarchical 218

- determining class membership 213
- dictionary 63, 106
- display** 181, 185, 192
- Display PostScript 27, 126, 193
 - framework 8
- displays, synchronizing 190
- document 119, 143
 - and nib file 143
 - closing 150
 - creating 147
 - default 154
 - icon 122
 - initial values 190
 - management 37
 - marking as edited 151, 153
 - opening 149
 - saving 150, 160, 161
 - setting type of 122
- document controller 120, 130, 142, 143, 144
- document controller, *See also controller object*
- Document menu 142
 - Interface Builder 120
- document type 122
- documentation 56
 - reference 56
- drag-and-drop 28, 37
- drawing 37, 156, 157, 185, 192–193
 - functions 193
- drawRect:** 185, 192
- duplicating object 29
- dynamic binding 49, 97, 212–213
- dynamic loading 130
- dynamic typing 40, 49, 213

- E**
- editable text 30
- Emacs key bindings 93
- enableDoubleReleaseCheck:** 112
- encapsulation 29, 209
- encodeObject:** 91
- encodeValueOfObjCType:at:** 91

`encodeWithCoder:` 86, 91, 104, 128

Enterprise Objects Framework 68

entity object 89

`enum` constant 92

EOModeler 213

event 27, 172–173, 202

 and custom `NSView` 185

 dispatching 156, 173

 handling 156, 185

 keyboard 173

 message 156

event cycle 172–173

event queue 173

extensibility 218

extension, file 122

F

fat files 53

field,formatting 191

file

 extension 122

 management 37

 opening 149

 saving 150–151

 type 149

file descriptor 172, 202

file formats 8

file package 53

File's Owner 79, 130

FileMerge application 224

finding information 56

first responder 156, 173

`firstResponder` 157

focusing 192

font 226

 setting 141

Font panel 31

Font submenu 36

form 66

formatter 37, 107

 applying in Interface Builder 73

 date 178

 number 73

 setting 191

Foundation framework 8, 84

frame 192

framework 53, 130, 224

 Foundation 84

frameworks

 core 8

function 129

G

`gdb` 112, 128, 225

generating

 instances 78

 source-code files 48, 82

generating code files 123

`gnumake` 225

Graphics APIs 8

grid, aligning on 33

grouping methods 220

grouping objects 67

H

header file 48, 50, 218

Help 37, 56, 96, 142

hierarchical data 69

hierarchy

 of classes 216

I

icon

 application 75

 document 122

icon mode (Interface Builder) 78

`id` 38, 213

identifier, column 68

image

 adding to button 134

 adding to interface 71

 compositing 193

- image view 71
 - implementation file 48, 51, 218
 - importing header files 52
 - incremental search 96
 - indentation 93
 - Info panel 142, 203
 - informal protocol 97, 135, 140
 - inheritance 39, 215, 217
 - advantage of 218
 - init** 90, 108, 128, 214
 - initialization 85, 90, 108, 128, 136, 217
 - default 90
 - initializing text 28
 - initWithCoder:** 86, 91, 104, 128
 - initWithFrame:** 136, 185
 - input source 202
 - inspector panel 26, 176
 - creating 176
 - display of 177, 178
 - managing 176
 - instance 39, 214
 - generating 44
 - instance method 49
 - instance variable 100, 123, 209, 215, 219
 - declaring 83, 123, 218
 - inheriting 215
 - scope 49
 - setting 89
 - Instantiate command 44, 78
 - interface 24
 - creating with Interface Builder 24–35
 - testing 35, 36, 75
 - Interface Builder 24, 107, 214
 - and custom `NSView` 185
 - inspector 26
 - palettes 28
 - interface file 218
 - Objective-C 50
 - internationalization 83
 - introspection 213, 217
 - invalidate** 126, 200
 - isDocumentEdited:** 160, 164
 - isEqual:** 127
 - isEqualToString:** 164
 - isKindOfClass:** 127, 164
- J**
- Java
 - packages 9
 - virtual machine 9
- K**
- key 63, 162
 - key alternative 101
 - key window 27, 173
 - keyboard event 172, 173
 - `keyWindow` 157
 - keyword 49, 90, 210
- L**
- label 30
 - library 53
 - line, creating in Interface Builder 32
 - link editor 53
 - linking 53
 - lipo** command 225
 - loadNibNamed:** 148
 - localization, and nib files 71
 - localTimeZone** 136
- M**
- Mac OS compatibility 9
 - Mach 8
 - Macintosh
 - look and feel 9
 - main bundle 130
 - main menu 142
 - main nib file 24, 126
 - main window 27, 150, 173
 - main()** 23, 126
 - mainMenu** 157

- mainWindow** 150, 157
- Makefile 53
- makeFirstResponder:** 160, 166, 173
- makeKeyAndOrderFront:** 52
- making a connection 46
- MallocDebug application 224
- matrix 136
 - and tabbing 145
- menu 27, 72
 - customizing 142
 - Document 120
- Menus palette 72, 120
- message 49, 52, 210, 219
 - action 41
 - nesting 49, 52, 210
- method 29, 49, 123, 209
 - accessor 49, 85, 86
 - class 49
 - declaring 50, 85, 124, 218
 - delegation 80, 120, 140, 153, 163, 166, 187
 - difference from function 212
 - extending 219
 - inheriting 215
 - instance 49
 - invoking the superclass 175
 - overriding 174, 196, 216, 219
 - private 197
 - syntax 218
- model object 20, 62, 162
- Model-View-Controller paradigm 20, 62, 131
- modifier key 172
- modularity 29, 210
- mouse click, simulating 150
- mouse event 172
- mouseDown:** 174, 185
- multi-document application 119, 142
 - design 143
- mutableCopy** 112
- N**
- name completion 93
- nesting messages 52
- New command 143, 147
- NeXT
 - publications 56
- next responder 156, 173
- nextKeyView** 35, 36, 74
- NEXTSTEP 8
- nib file 23, 25, 203, 214
 - and localization 71
 - auxiliary 79, 130, 143
 - creating 176
 - document 130
 - loading 126, 148
 - main 24, 126
 - sound and images 71
- nibTool** 225
- nil** 49, 90, 163
- nm** command 225
- notification 63, 100, 189, 190, 200
 - adding an observer 108
 - advantages 191
 - identifying 174
 - posting 175
- notification center 100
- notification queue 100
- NSActionCell 107
- NSApp 80, 126, 150, 157, 173
- NSApplication 27, 126, 156, 157, 173
- NSApplicationMain()** 126
- NSArchiver 104, 106
- NSArray 84, 86, 97, 127
- NSBox 176, 191
- NSBrowser 157
- NSBundle 106, 108, 130, 195
- NSButtonCell 136, 165, 194, 195
- NSDate 136
- NSCell 107
- NSCoder 104
- NSCoding protocol 104, 123
- NSCompositingOperation 193
- NSConnection 202

- NSControl 107, 131, 136, 173
 - NSCopying protocol 123, 127
 - NSCountedSet 86
 - NSData 84, 193
 - NSDate 107, 136, 195, 201
 - NSDateFormatter 107, 191
 - NSDictionary 63, 84, 86, 106, 108
 - inserting objects 167
 - NSEvent 172
 - NSEventType 172
 - NSFormatter 107
 - NSHomeDirectory()** 151
 - NSImage 193, 195
 - NSImageRep 193
 - NSImageView 71
 - NSMatrix 131, 136
 - NSMutableArray 63, 121
 - NSMutableDictionary 63
 - NSMutableString 83
 - NSNotification 100, 109, 189
 - NSNotificationCenter 100, 109, 189
 - NSNumber 84, 107
 - NSObject 38, 84, 89, 135, 217
 - NSOpenPanel 149
 - NSProcessInfo 84
 - NSResponder 131, 156, 172, 173
 - NSRunAlertPanel()** 105, 160
 - NSRunLoop 126, 202
 - NSSavePanel 151
 - NSSet 86
 - NSString 83, 84, 97
 - NSTableColumn 68
 - NSTableDataSource 97
 - NSTableView 68, 97
 - NSText 95
 - NSTextFieldCell 94
 - NSThread 84
 - NSTimeInterval
 - NSTimer 126, 200, 202
 - NSTimeZone 136
 - NSUnarchiver 104
 - NSUserDefaults 154
 - NSValue 84
 - NSView 131, 136, 152, 156, 157, 173, 192, 218
 - custom 185
 - focusing 192
 - NSWindow 27, 150, 156, 157, 172, 173
 - number formatter 73
 - numberOfRowsInTableView:** 98
- 0**
- object 39
 - aligning 33
 - allocation 84
 - analog to 209
 - and dynamic binding 213
 - and name space 212
 - archiving 86, 151, 167
 - array 121
 - attribute 176
 - box 32, 67, 176, 181
 - button 31
 - class membership 213
 - communication 201
 - comparison 127
 - connecting 40, 45, 46
 - controller 20, 63
 - copying 29, 127
 - creation 214
 - deallocation 84, 85, 90, 112, 128
 - definition 209
 - dictionary 63
 - disposal 88, 89
 - duplicating 29
 - dynamic typing 38
 - entity 89
 - form 66
 - formatter 191
 - initialization 85, 90, 108, 128
 - initializing text 28
 - inspector 176
 - interface 29, 210

- introspection 213
- matrix 121, 136, 145
- model 20, 62
- ownership policy 84, 88, 89
- placing 28
- pop-up list 183
- putting in NSDictionary 167
- relation to class 39
- resizing 28
- retaining 88, 191
- retention 89
- scroll view 68
- sizing 28
- text 67, 188
- text field 187, 188
- unarchiving 148
- value 89
- view 121, 131
- objectAtIndex:** 149, 164
- objectForKey:** 63, 168, 103
- Objective-C 53, 209, 210, 213, 215, 219, 220
 - header file 50
 - summary 49
- object-oriented program 211
 - design 20
- object-oriented programming 208
- objects
 - connecting 41, 78
 - grouping 67, 177, 178
 - making same size 29
 - sharing 180
- observer 100
- oh** command 112, 225
- Open command 143, 149
- Open panel 120, 143, 149
- opening a document 149
- openPanel** 149
- OPENSTEP
 - application 36, 37
- OpenStep 8
 - development applications 224
- OpenStep frameworks 8

- operating system
 - core 8
- origin point 152
- outlet 35, 38, 76, 79, 134
 - connecting 45
 - defining 40, 42, 43
- outline mode 78
- overriding a method 174, 194, 196, 216, 219
 - invoking superclass 175
- ownership, of objects 88

P

- palette 28, 130, 226
- panel 27
 - creating 176
 - inspector 177, 178
 - off-screen 177, 178
- pasteboard 37
- pathForResource:** 195
- performClose:** 150
- periodic event 172
- persistence 91
- placing objects 28
- plug-and-play 37
- po** command 128
- polymorphism 49, 97, 212, 219
- pop-up list 27
- posting, a notification 100
- PostScript 172, 192
 - and drawing 193
- Preferences panel 142, 204
- principal class 126
- print:** 74
- printing 37, 74
- procedural programming 208
- procedures 208
- program development
 - command-line tools 225
 - resources 226
- program,object-oriented 211

- project 22
 - adding class to 123
 - building 54
 - directory 22
- project browser 23
- Project Builder 130
 - checking delimiters 93
 - indentation 93
 - launching 22
- Project Find panel 56
- protocol 220
 - adopting 86, 123
 - informal 135
- pswrap** 185, 193, 225
- putCell:atRow:column:** 199
- R**
- radio mode 136
- receiver 52, 210
- reference documentation 56
- release 89, 90, 112
- removeFromSuperview** 191
- replaceObjectAtIndex:withObject:** 164
- representedFilename** 149
- resizing
 - view object 28
 - window 26
- resource
 - for programming 226
- resources, application 195
- responder chain 156, 173
- retain** 87, 89, 112, 180
 - and content view 181
- retaining object
 - implications of 89
- reusing object 77
- Rhapsody 8
 - and Power PC 9
 - architecture 9
 - supported platforms 9
 - user experience 9
- root class 216
- root object 84, 104, 106
- rows, of objects 33
- runModalForDirectory:file:types:** 149
- S**
- Same Size command 29
- Sampler application 224
- Save command 143, 150
- Save panel 120, 143, 151
- savePanel** 151
- saving a document 150, 160
- screen, coordinate system 152
- scroll view 68
- scrolling 192
- selectable text 30
- selectedCell** 141
- selectedRow** 101
- selectText:** 52, 94
- self** 49, 219
- sender 52
- services 37
- setAutosizesCells:** 137
- setContentView:** 181
- setDataSource:** 97
- setDocumentEdited:** 151, 153
- setFormatter:** 107, 191
- setFrameOrigin:** 192
- setFrameSize:** 192
- setImage:** 165
- setObject:forKey:** 167
- setState:** 65, 95
- setString:** 95
- setStringValue:** 94
- setTarget:** 173
- setting the font 31, 141
- setTitle:** 148, 165
- setTitleWithRepresentedFilename:** 148
- shallow copy 127
- sharedApplication** 126

- sizing objects 29
 - sortedArrayUsingSelector:** 97
 - sound 226
 - Sound Kit 224
 - source-code files
 - generating 48, 82, 123
 - specialization 217
 - standard window 27
 - startTrackingAt:inView:** 198
 - state 65
 - static typing 49
 - stopTracking:at:inView:mouseIsUp:** 198
 - string object
 - and character strings 83
 - empty 90
 - stringValue** 95
 - strip** command 225
 - subclass 39, 215, 216
 - creating 38, 174, 194, 217
 - custom view 185
 - Subclass command 76
 - subview 67, 157, 181
 - subview** 181
 - subviews** 157
 - suitcase 23
 - super** 49, 90, 136, 219
 - superclass 38, 39, 76, 131, 174, 215, 216
 - accessor method 196
 - superview 67, 157, 173
 - superview** 157
 - switch 65, 95, 183
- T
- tabbing, between fields 34
 - table view 63, 68, 97
 - configuring 69
 - tableView:objectValueForTable**
 - Column:row:** 98
 - tableView:setObjectValue:forTable**
 - Column:row:** 98
 - TabulationViews palette 68
 - tag 135, 136, 139, 181, 183
 - tag** 141
 - target 40, 46
 - setting programmatically 137
 - target/action paradigm 41, 173, 187
 - technical documentation 56
 - testing an interface 35, 75
 - text
 - aligning 30
 - color 30
 - editable 30
 - selectable 30
 - text field 187, 188
 - attributes 30
 - font of 31
 - formatting 191
 - placing and resizing 28
 - tabbing between 34
 - validation 191
 - text object 67, 188
 - Text submenu 36
 - textDidChange:** 109
 - textDidEndEditing:** 188
 - thread 202
 - tile** 101
 - time zone 137
 - time, *See date and time*
 - timer 126, 172, 200, 202
 - firing 201
 - scheduling 200
 - Title object 30
 - tools, command-line 225
 - tracking-rectangle event 172
 - transparency 193
 - typing, static and dynamic 215
- U
- unarchiveObjectWithFile:** 108, 148
 - unarchiving 86, 128, 148
 - Unicode 83

user defaults 154
userInfo dictionary 175

V

validation, of fields 191
value object 63, 89
view hierarchy 27, 156, 157
view object 27, 131

- custom 121, 185
- printing 74
- removing from superview 191

Views palette 28, 185
virtual machine (Java) 9
volume formats 8

W

window 27, 172

- attributes 26
- behavior 36
- closing 158
- depth 193
- events 173
- key 27
- locating 148
- main 27
- making first responder 160
- positioning 152
- resizing 26
- setting title 148
- status 150

window 148
Window Server 27, 172
windows 157
Windows palette 177, 178
windowShouldClose: 158

Y

Yap application 224
Yellow Box 8, 9