

#####

```
#      File:          Coaches
#
#      Contains:       Coachmark definitions for Macintosh Guide Database
#
#      Coded by:       Kay Burnett, James Miyake, Shemin Gau
#      Content by:     Jose Arcellana, Jeremy Hewes
#
#      Copyright:      ©1992-1994 by Apple Computer, Inc., all rights reserved.
#
#####
```

```
#
#      Coachmark Definitions
#
```

```
# Coach the Apple Menu / Control Panels"
```

```
<DEFINE MENU COACH>      "Menu:Front:Apple:Control Panels", FRONT, REDCIRCLE, APPLE, "Control Panels", Red, U
```

```
# Coach the tracking speed in the Mouse Control panel
```

```
<DEFINE WINDOW COACH>    "Window:MACS:Mouse:Rect:Tracking", 'MACS', REDCIRCLE, "Mouse", RECT(61,2,92,18
```

```
# Coach the Double-click speed in the Mouse Control panel
```

```
<DEFINE WINDOW COACH>    "Window:MACS:Mouse:Rect:Double-click", 'MACS', REDCIRCLE, "Mouse", RECT(119,6
```

```
# Coach the repeat rate in the Keyboard Control panel
```

```
<DEFINE WINDOW COACH>    "Wind:MACS:Keyboard:repeat rate", 'MACS', REDCIRCLE, "Keyboard", Rect(7,7,56,105), TO
```

```
# Coach the repeat delay in the Keyboard Control panel
```

```
<DEFINE WINDOW COACH>    "WIND:MACS:Keyboard:repeat delay", 'MACS', REDCIRCLE, "Keyboard", Rect(2,122,59,228
```

```
#Coach the layout in the Keyboard Control panel
```

```
<DEFINE WINDOW COACH>    "WIND:MACS:Keyboard:Layout", 'MACS', REDCIRCLE, "Keyboard", Rect(68,-1,170,229), TO
```

```
# Coach sticky keys in the Easy Access Control panel
```

```
<DEFINE WINDOW COACH>    "CoachMark: 8", 'MACS', REDCIRCLE, "Easy Access", RECT(228,-5,273,275)
```

```
# Coach sticky keys status icon in menubar
```

```
<DEFINE WINDOW COACH>    "CoachMark: 9", 'MACS', REDCIRCLE, DESKTOP, RECT(5,-15,15,-7), TOPRIGHT
```

```
#Coach slow keys in the Easy access control panel
```

```
<DEFINE WINDOW COACH>    "CoachMark: 10", 'MACS', REDCIRCLE, "Easy Access", RECT(131,-4,223,275)
```

```
# coach Current Date type-in field in Date & Time CP
```

```
<DEFINE WINDOW COACH>    "CoachMark: 11", 'MACS', REDCIRCLE, "Date & Time", RECT(38,18,65,126)
```

```
# coach Current Time type-in field in Date & Time CP
```

```
<DEFINE WINDOW COACH>    "CoachMark: 12", 'MACS', REDCIRCLE, "Date & Time", RECT(38,211,65,326)
```

```
# coach Current Time time zone in Date & Time CP
```

```
<DEFINE WINDOW COACH>    "CoachMark: 12-1", 'MACS', REDCIRCLE, "Date & Time", RECT(202,20,230,163)
```

```
# coach Date Format... button in Date & Time CP
```

<DEFINE WINDOW COACH> "CoachMark: 14", 'MACS', REDCIRCLE, "Date & Time", RECT(74,18,97,141)

# coach the number format pop up in the Numbers control panel

<DEFINE WINDOW COACH> "CoachMark: 15", 'MACS', REDCIRCLE, "Numbers", RECT(9,151,23,286)

# Coach the Apple Menu / "About This Macintosh..."

<DEFINE MENU COACH> "Menu:Front:Apple:About this Mac", FRONT, REDCIRCLE, APPLE, "About This Macintosh"

# Coach the blinking rate button in the General CP

<DEFINE WINDOW COACH> "WIND:Rect:GeneralCP:InsertBlinking", 'MACS', REDCIRCLE, "General Controls", Rect(11,29

# Coach the Menu blinking button in the General CP

<DEFINE WINDOW COACH> "WIND:Rect:GeneralCP:MenuBlinking", 'MACS', REDCIRCLE, "General Controls", Rect(81,29

# Coach the show desktop when in background checkbox in the General CP

<DEFINE WINDOW COACH> "WIND:Rect:GeneralCP:HideFinder", 'MACS', REDCIRCLE, "General Controls", Rect(21,12,49

# Coach the text boxes on the Label CP

<DEFINE WINDOW COACH> "CoachMark: 25", 'MACS', REDCIRCLE, "Labels", RECT(5,42,138,154)

# Coach the Color boxes on the Label CP

<DEFINE WINDOW COACH> "CoachMark: 26", 'MACS', REDCIRCLE, "Labels", Rect(10,5,132,42), TOPLEFT

#Coach the Monitor CP positioning window

<DEFINE WINDOW COACH> "CoachMark: 27", 'MACS', REDCIRCLE, "Monitors", RECT(92,4,225,226)

# Coach the Changes take affect on close or restart buttons in the Monitor CP

<DEFINE WINDOW COACH> "WIND:Monitors CP:close or restart", 'MACS', REDCIRCLE, "Monitors", RECT(224,90,261,

# Coach Restart in the Special menu

<DEFINE MENU COACH> "Menu:MACS:Special:Restart", 'MACS', REDCIRCLE, "Special", "Restart", Red, Underline

# Coach the Get info in the File menu

<DEFINE MENU COACH> "Menu:MACS:File:Get Info", 'MACS', REDCIRCLE, "File", "Get Info", Red, Underline

#Coach the application menu location

<DEFINE WINDOW COACH> "CoachMark: 31", 'MACS', REDCIRCLE, DESKTOP, RECT(5,-35,15,-16), TOPRIGHT

# Coach Quit in the file menu of the frontmost application

<DEFINE MENU COACH> "Menu:Front:File:Quit", FRONT, REDCIRCLE, "File", "Quit", Red, Underline

# Coach the Colors or Grays buttons on the Monitor CP

<DEFINE WINDOW COACH> "CoachMark: 38", 'MACS', REDCIRCLE, "Monitors", RECT(6,3,53,59)

# Coach the number of colors fields on the Monitor CP

<DEFINE WINDOW COACH> "CoachMark: 39", 'MACS', REDCIRCLE, "Monitors", RECT(16,59,79,152)

#coach for Options button in Monitor CP

<DEFINE WINDOW COACH> "CoachMark: 40", 'MACS', REDCIRCLE, "Monitors", RECT(21,148,44,233)

# Coach the Highlite color pop up in the Color control panel

<DEFINE WINDOW COACH> "CoachMark: 42", 'MACS', REDCIRCLE, "Color", RECT(18,120,33,277)

# Coach none in the label menu

<DEFINE MENU COACH> "Menu:MACS:Label:none", 'MACS', REDCIRCLE, "Label", "no item"

# Coach the Window Color popup in the Color CP

<DEFINE WINDOW COACH> "CoachMark: 46", 'MACS', REDCIRCLE, "Color", RECT(72,128,91,268)

# Coach the trash warning checkbox in the trash info box

<DEFINE WINDOW COACH> "CoachMark: 47", 'MACS', REDCIRCLE, "Trash Info", RECT(146,12,170,163)

# Coach put away in the File menu

<DEFINE MENU COACH> "Menu:MACS:File:Put Away", 'MACS', REDCIRCLE, "File", "Put Away", Red, Underline

# Coach Erase Disk in the Special menu

<DEFINE MENU COACH> "Menu:MACS:Special:Erase Disk", 'MACS', REDCIRCLE, "Special", "Erase Disk...", Red, Underline

# Coach Empty Trash in the Special menu

<DEFINE MENU COACH> "Menu:MACS:Special:Empty Trash", 'MACS', REDCIRCLE, "Special", "Empty Trash...", Red, Underline

# Coach None in the Views menu

<DEFINE MENU COACH> "Menu:MACS:Views:none", 'MACS', REDCIRCLE, "View", "no item"

# Coach straight or staggered in the Views CP

<DEFINE WINDOW COACH> "CoachMark: 54", 'MACS', REDCIRCLE, "Views", RECT(40,2,115,328)

# Coach Font pop up in the Views CP

<DEFINE WINDOW COACH> "CoachMark: 55", 'MACS', REDCIRCLE, "Views", RECT(11,97,38,254)

# Coach Size pop up in the Views CP

<DEFINE WINDOW COACH> "CoachMark: 56", 'MACS', REDCIRCLE, "Views", RECT(10,265,38,316)

# Coach the list views information checkboxes in the Views CP

<DEFINE WINDOW COACH> "CoachMark: 57", 'MACS', REDCIRCLE, "Views", RECT(110,0,239,334)

# Coach Make Alias in the File menu

<DEFINE MENU COACH> "Menu:MACS:File:Make Alias", 'MACS', REDCIRCLE, "File", "Make Alias", Red, Underline

# Coach the Apple Menu / "Chooser"

<DEFINE MENU COACH> "Menu:Front:Apple:Chooser", FRONT, REDCIRCLE, APPLE, "Chooser", Red, Underline

# Coach the Help menu

<DEFINE WINDOW COACH> "CoachMark: 60", 'MACS', REDCIRCLE, DESKTOP, RECT(5,-61,15,-41), TOPRIGHT

# Coach stop file sharing in the Sharing Setup CP

<DEFINE WINDOW COACH> "CoachMark: 61", 'MACS', REDCIRCLE, "Sharing Setup", RECT(150,48,167,104)

# Coach Clean up ... in the Special menu

<DEFINE MENU COACH> "Menu:MACS:Special:1", 'MACS', REDCIRCLE, "Special", 1, Red, Underline

# Coach Shut Down in the Special menu

<DEFINE MENU COACH> "Menu:MACS:Special:Shut Down", 'MACS', REDCIRCLE, "Special", "Shut Down", Red, Underline

# Coach by icon in the Views menu

<DEFINE MENU COACH> "Menu:MACS:Views:by Icon", 'MACS', REDCIRCLE, "View", "by Icon", Red, Underline

#Coach Duplicate in the file menu

<DEFINE MENU COACH> "Menu:MACS:File:Duplicate", 'MACS', REDCIRCLE, "File", "Duplicate", Red, Underline

# Coach Print in the File menu  
<DEFINE MENU COACH> "Menu:MACS:File:Print", 'MACS', REDCIRCLE, "File", "Print", Red, Underline

# Coach Print Window in the File menu  
<DEFINE MENU COACH> "Menu:MACS:File:Print Window", 'MACS', REDCIRCLE, "File", "Print Window...", Red, Underline

# Coach Print Desktop in the File menu  
<DEFINE MENU COACH> "Menu:MACS:File:Print Desktop", 'MACS', REDCIRCLE, "File", "Print Desktop...", Red, Underline

# Coach Page Setup in the File menu  
<DEFINE MENU COACH> "Menu:MACS:File:Page Setup", 'MACS', REDCIRCLE, "File", "Page Setup...", Red, Underline

# Coach "Key Caps" in the Apple Menu  
<DEFINE MENU COACH> "Menu:Front:Apple:Key Caps", FRONT, REDCIRCLE, APPLE, "Key Caps", Red, Underline

# Coach the Location Field in the Map CP  
<DEFINE WINDOW COACH> "CoachMark: 85", 'MACS', REDCIRCLE, "Map", RECT(141,8,162,170)

# Coach the set button in the Map CP  
<DEFINE WINDOW COACH> "CoachMark: 86", 'MACS', REDCIRCLE, "Map", RECT(234,183,245,220)

# Coach the time zone in the Map CP  
<DEFINE WINDOW COACH> "CoachMark: 87", 'MACS', REDCIRCLE, "Map", RECT(162,0,252,171)

# Coach the Map in the Map CP  
<DEFINE WINDOW COACH> "CoachMark: 88", 'MACS', REDCIRCLE, "Map", RECT(4,7,117,226)

# Coach the add City button on the Map CP  
<DEFINE WINDOW COACH> "CoachMark: 89", 'MACS', REDCIRCLE, "Map", RECT(119,7,139,71)

# Coach the Remove City button on the Map CP  
<DEFINE WINDOW COACH> "CoachMark: 90", 'MACS', REDCIRCLE, "Map", RECT(120,80,138,165)

# Coach the Icon in the Info Window  
<DEFINE WINDOW COACH> "Window:Front:Icon in Info window", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(8,30,117,117)

# Coach Paste in the Edit menu  
<DEFINE MENU COACH> "Menu:Front>Edit:Paste", FRONT, REDCIRCLE, "Edit", "Paste", Red, Underline

# Coach Copy in the Edit menu  
<DEFINE MENU COACH> "Menu:Front>Edit:Copy", FRONT, REDCIRCLE, "Edit", "Copy", Red, Underline

# Memory CP adjust the Cache size  
<DEFINE ITEM COACH> "Item:Memory CP:Cache Arrows", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(17)

# Memory CP turn on 32-bit addressing  
<DEFINE ITEM COACH> "Item:Memory CP:32-bit addressing on", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(23)

# Memory CP Turn VM on  
<DEFINE ITEM COACH> "Item:Memory CP:turn VM on", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(4), rect(1,0,28,28)

# Memory CP Select HD for VM

<DEFINE ITEM COACH> "Item:Memory CP:Select HD for VM", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(6), rect

# Memory CP Select size for VM

<DEFINE ITEM COACH> "Item:Memory CP:size arrows for VM", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(9)

# Memory CP Space after restart

<DEFINE ITEM COACH> "Item:Memory CP:Space after restart", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(12)

# Sharing Setup CP Name field

<DEFINE WINDOW COACH> "CoachMark: 97", 'MACS', REDCIRCLE, "Sharing Setup", RECT(39,132,54,360)

# Sharing Setup CP Password field

<DEFINE WINDOW COACH> "CoachMark: 98", 'MACS', REDCIRCLE, "Sharing Setup", RECT(59,132,74,198)

# Sharing Setup CP Computer Name field

<DEFINE WINDOW COACH> "CoachMark: 99", 'MACS', REDCIRCLE, "Sharing Setup", RECT(79,135,94,360)

# Sharing Setup CP start button

<DEFINE WINDOW COACH> "CoachMark: 100", 'MACS', REDCIRCLE, "Sharing Setup", RECT(149,45,168,111)

# Sharing Setup CP Stop button

<DEFINE WINDOW COACH> "CoachMark: 101", 'MACS', REDCIRCLE, "Sharing Setup", RECT(229,45,248,111)

# Coach Sharing in the File menu

<DEFINE MENU COACH> "Menu:MACS:File:Sharing", 'MACS', REDCIRCLE, "File", "Sharing...", Red, Underline

# Coach Make all currently enclosed folders in Front window which should be the sharing window

<DEFINE WINDOW COACH> "CoachMark: 103", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(174,0,222,248)

# Coach User/Group popup in Front window which should be the sharing window

<DEFINE WINDOW COACH> "CoachMark: 104", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(138,2,147,181)

# Coach User/Group option checkboxes in Front window which should be the sharing window

<DEFINE WINDOW COACH> "CoachMark: 105", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(136,189,146,279)

# Coach all the option checkboxes in Front window which should be the sharing window

<DEFINE WINDOW COACH> "CoachMark: 106", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(75,175,176,297)

# Coach everyone checkboxes in Front window which should be the sharing window

<DEFINE WINDOW COACH> "CoachMark: 107", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(159,189,169,279)

# Coach the Closebox on the Front window

<DEFINE WINDOW COACH> "CoachMark: 109", 'MACS', REDCIRCLE, FRONTWINDOW, CLOSEBOX

# Coach Filesharing checkbox in the Guest window

<DEFINE WINDOW COACH> "CoachMark: 110", 'MACS', REDCIRCLE, "<Guest>", RECT(40,44,60,176)

# Coach Program Linking checkbox in the Guest window

<DEFINE WINDOW COACH> "CoachMark: 111", 'MACS', REDCIRCLE, "<Guest>", RECT(103,45,139,215)

# Coach User and group name pop-up in Front window which should be the sharing window

<DEFINE WINDOW COACH> "CoachMark: 112", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(134,85,149,180)

# Not used

<DEFINE WINDOW COACH> "CoachMark: 114", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(48,36,62,301)

# Coach the owner pop-up in the front window which should be the Sharing window

<DEFINE WINDOW COACH> "CoachMark: 115", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(111,84,127,178)

# Coach the checkbox options in the front window which should be the Sharing window

<DEFINE WINDOW COACH> "CoachMark: 116", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(74,3,179,314)

# Coach the share this items checkbox in the front window which should be the Sharing window

<DEFINE WINDOW COACH> "CoachMark: 117", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(56,5,67,172)

# Coach the users connected area in the filesharing monitor CP

<DEFINE WINDOW COACH> "CoachMark: 118", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(21,208,163,393)

<DEFINE MENU COACH> "Menu:Front:File:New User", FRONT, REDCIRCLE, "File", "New User", Red, Underline

<DEFINE MENU COACH> "Menu:Front:File:New Group", FRONT, REDCIRCLE, "File", "New Group", Red, Underline

<DEFINE MENU COACH> "Menu:Front:File:Save As", FRONT, REDCIRCLE, "File", "Save As...", Red, Underline

<DEFINE MENU COACH> "Menu:MACS:File:New Folder", 'MACS', REDCIRCLE, "File", "New Folder", Red, Underline

# Circle Key Caps Menu item

<DEFINE MENU COACH> "Menu:Key Caps:3:none", 'keyc', REDCIRCLE, 3, , RED, BOLD

# Circle Play button on Apple Audio Player

<DEFINE WINDOW COACH> "CoachMark: 125", 'aucd', REDCIRCLE, FRONTWINDOW, Rect(50,241,60,288), TOPLEFT

# Circle Program button on Apple Audio Player

<DEFINE WINDOW COACH> "CoachMark: 126", 'aucd', REDCIRCLE, FRONTWINDOW, Rect(75,99,80,139), TOPLEFT

# Circle Editing Arrow on Apple Audio Player

<DEFINE WINDOW COACH> "CoachMark: 127", 'aucd', REDCIRCLE, FRONTWINDOW, Rect(100,18,110,35), TOPLEFT

# Drag Lists on Apple Audio Player

<DEFINE WINDOW COACH> "CoachMark: 128", 'aucd', RedArrow(8,4), FRONTWINDOW, Rect(53,106,53,220), TOPLEFT

# Circle arrow to the right of program in Apple Audio Player

<DEFINE WINDOW COACH> "CoachMark: 129", 'aucd', REDCIRCLE, FRONTWINDOW, Rect(75,153,85,173), TOPLEFT

# Circle the popup menu in the sound control panel

<DEFINE WINDOW COACH> "CoachMark: 130", 'MACS', REDCIRCLE, "Sound", Rect(13,26,34,183), TOPLEFT

# Circle the volume slider in the sound control panel

<DEFINE WINDOW COACH> "CoachMark: 131", 'MACS', REDCIRCLE, "Sound", Rect(48,37,162,91), TOPLEFT

# Circle the external device area in the sound control panel

<DEFINE WINDOW COACH> "CoachMark: 132", 'MACS', REDCIRCLE, "Sound", Rect(148,28,206,297), TOPLEFT

# Circle the Alert sound List in the sound control panel

<DEFINE WINDOW COACH> "CoachMark: 133", 'MACS', REDCIRCLE, "Sound", Rect(32,121,167,310), TOPLEFT

# Circle the remove Alert sound button in the sound control panel

<DEFINE WINDOW COACH> "CoachMark: 134", 'MACS', REDCIRCLE, "Sound", Rect(169,233,188,301), TOPLEFT

# Circle the input device area in the sound control panel  
<DEFINE WINDOW COACH> "CoachMark: 135", 'MACS', REDCIRCLE, "Sound", Rect(60,56,124,272), TOPLEFT

# Circle the option button in the sound control panel  
<DEFINE WINDOW COACH> "CoachMark: 136", 'MACS', REDCIRCLE, "Sound", Rect(135,127,153,202), TOPLEFT

# Circle the add alert sound button in the sound control panel  
<DEFINE WINDOW COACH> "CoachMark: 137", 'MACS', REDCIRCLE, "Sound", Rect(169,132,189,198), TOPLEFT

# Coach the Apple Menu / "AppleCD Audio"  
<DEFINE MENU COACH> "Menu:Front:Apple:AppleCD Audio", FRONT, REDCIRCLE, APPLE, "AppleCD Audio Player", R

# Circle the identify button in the Monitors control panel  
<DEFINE WINDOW COACH> "CoachMark: 139", 'MACS', REDCIRCLE, "Monitors", Rect(52,156,65,228), TOPLEFT

# Circle the Add button in the PC Exchange control panel  
<DEFINE WINDOW COACH> "CoachMark: 140", 'MACS', REDCIRCLE, "PC Exchange", Rect(244,24,262,96), TOPLEFT

# Circle the Cancel button in the PC Exchange control panel  
<DEFINE WINDOW COACH> "CoachMark: 141", 'MACS', REDCIRCLE, "PC Exchange", Rect(247,113,264,187), TOPLEFT

# Circle the Remove button in the PC Exchange control panel  
<DEFINE WINDOW COACH> "CoachMark: 142", 'MACS', REDCIRCLE, "PC Exchange", Rect(248,204,260,276), TOPLEFT

# Circle the icon area in the Network control panel  
<DEFINE WINDOW COACH> "CoachMark: 143", 'MACS', REDCIRCLE, "Network", Rect(22,20,82,210), TOPLEFT

# Circle the Script PopUp in the Text control panel  
<DEFINE WINDOW COACH> "CoachMark: 144", 'MACS', REDCIRCLE, "Text", Rect(43,89,54,181), TOPLEFT

# Circle the Behavior PopUp in the Text control panel  
<DEFINE WINDOW COACH> "CoachMark: 145", 'MACS', REDCIRCLE, "Text", Rect(73,90,87,182), TOPLEFT

# Chooser Coaches follow  
# Circle lower left window in chooser  
<DEFINE WINDOW COACH> "CoachMark: 150", 'chzr', REDCIRCLE, FRONTWINDOW, Rect(140,0,285,190)

# Circle upper right window in chooser  
<DEFINE WINDOW COACH> "CoachMark: 151", 'chzr', REDCIRCLE, FRONTWINDOW, Rect(10,243,213,449)

# Circle closebox in chooser (standard closebox macro won't work)  
<DEFINE WINDOW COACH> "CoachMark: 155", 'chzr', REDCIRCLE, FRONTWINDOW, Rect(-15,0,5,20)

#ch: coach for panel "Chooser: click Create PDD GX"  
<DEFINE WINDOW COACH> "CoachMark: 156", 'chzr', REDCIRCLE, FRONTWINDOW, RECT(209,303,236,385)

# Chooser Background printing on button  
<DEFINE ITEM COACH> "Item:Chooser:Background printing on", 'chzr', REDCIRCLE, FRONTWINDOW, DialogID(3)

# Chooser Setup button  
<DEFINE ITEM COACH> "Item:Chooser:setup button", 'chzr', REDCIRCLE, FRONTWINDOW, DialogID(2)

# Chooser select driver

<DEFINE ITEM COACH> "Item:Chooser:select driver", 'chzr', REDCIRCLE, FRONTWINDOW, DialogID(8)

# Chooser select zone

<DEFINE ITEM COACH> "Item:Chooser:select zone", 'chzr', REDCIRCLE, FRONTWINDOW, DialogID(7)

# Circle Appletalk Active button in chooser

<DEFINE ITEM COACH> "Item:Chooser:AppleTalk Active", 'chzr', REDCIRCLE, FRONTWINDOW, DialogID(9)

# Circle Appletalk Inactive button in chooser

<DEFINE ITEM COACH> "Item:Chooser:AppleTalk Inactive", 'chzr', REDCIRCLE, FRONTWINDOW, DialogID(10)

# Chooser AutoSetup dialog Setup button

<DEFINE ITEM COACH> "Item:Chooser AutoSetUp:setup button", 'chzr', REDCIRCLE, "AutoSetup", DialogID(1)

<DEFINE WINDOW COACH> "Wind:Info:Original", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(252,131,279,239)

<DEFINE WINDOW COACH> "Wind:Info:Stationery", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(238,136,252,153)

# Coach Input trays in the Printing menu

<DEFINE MENU COACH> "Menu:MACS:Printing:Input Trays", 'MACS', REDCIRCLE, "Printing", "Input Trays...", Red,

# Coach Extension Setup in the Printing menu

<DEFINE MENU COACH> "Menu:MACS:Printing:Extension Setup", 'MACS', REDCIRCLE, "Printing", "Extension Setup",

# Coach PDD Maker Setup in the Printing menu

<DEFINE MENU COACH> "Menu:MACS:Printing:PDD Maker Setup", 'MACS', REDCIRCLE, "Printing", "PDD Maker",

# Coach Set Print Time in the Printing menu

<DEFINE MENU COACH> "Menu:MACS:Printing:Set Print Time", 'MACS', REDCIRCLE, "Printing", "Set Print Time...",

# Coach Stop print queue in the Printing menu

<DEFINE MENU COACH> "Menu:MACS:Printing:Stop Print Queue", 'MACS', REDCIRCLE, "Printing", "Stop Print Queue",

# Coach Start print queue in the Printing menu

<DEFINE MENU COACH> "Menu:MACS:Printing:Start Print Queue", 'MACS', REDCIRCLE, "Printing", "Start Print Queue",

#ch: coach for panel "Click Non GX box:GX"

<DEFINE WINDOW COACH> "Non GX box", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(75,6,84,28)

# Coach for protect application and system folders options in the General controls panel

<DEFINE WINDOW COACH> "Wind:GenCont:FoldrProtect:Rect", 'MACS', REDCIRCLE, "General Controls", Rect(156,0,265,10),

# Coach file search from the Apple menu

<DEFINE MENU COACH> "Menu:Front:Apple:Find File", FRONT, REDCIRCLE, APPLE, "Find File", Red, Underline

# Coach file search Find items

<DEFINE WINDOW COACH> "Window:Find File:Find Items", 'fndf', REDCIRCLE, "Find File", Rect(7,8,29,316), TOPLEFT

# Coach file search More or fewer choices

<DEFINE WINDOW COACH> "Window:Find File:More/Fewer Choices", 'fndf', REDCIRCLE, "Find File", Rect(-36,7,-3,261),

# Coach file search more criteria

<DEFINE WINDOW COACH> "Window:FindFile:MoreCriteria:Rect", 'fndf', REDCIRCLE, "Find File", Rect(37,7,70,449), TOP



# Coach Find File Find Button

<DEFINE WINDOW COACH> "FindFile:Find:Wind:Rect", 'findf', REDCIRCLE, "Find File", Rect(-32,-91,-5,-9), BOTTOMRIGHT

# Coach erase dialog format pop up menu

<DEFINE ITEM COACH> "Item:Erase dialog:Format Pop-up", 'MACS', REDCIRCLE, "PACK2DLOG", DialogID(10)

# Coach erase dialog name field

<DEFINE ITEM COACH> "Item:Erase dialog:Name field", 'MACS', REDUNDERLINE, "PACK2DLOG", DialogID(10),Rect(-4

# Coach erase dialog erase button

<DEFINE ITEM COACH> "Item:Erase dialog:erase button", 'MACS', REDCIRCLE, "PACK2DLOG", DialogID(7)

# Coach erase dialog initialize button

<DEFINE ITEM COACH> "Item:Erase dialog:initialize button", 'MACS', REDCIRCLE, "PACK2DLOG", DialogID(6)

# Coach erase dialog Eject button

<DEFINE ITEM COACH> "Item:Erase dialog:Eject button", 'MACS', REDCIRCLE, "PACK2DLOG", DialogID(5)

# Coach erase dialog Continue button

<DEFINE ITEM COACH> "Item:Erase dialog:Continue button", 'MACS', REDCIRCLE, "PACK2DLOG", DialogID(9)

# Coach PC Exchange add button

<DEFINE WINDOW COACH> "Window:PC Exchange:Rect:Add button", 'MACS', REDCIRCLE, "PC Exchange", Rect(207,18,

# Coach PC Exchange top sections

<DEFINE WINDOW COACH> "Window:PC Exchange:top sections:Rect", 'MACS', REDCIRCLE, "PC Exchange", Rect(48,-14,

# Coach PC Exchange change button

<DEFINE WINDOW COACH> "Window:PC Exchange:Change button:Rect", 'MACS', REDCIRCLE, "PC Exchange", Rect(210,

# Coach PC Exchange remove button

<DEFINE WINDOW COACH> "Window:PC Exchange:Remove button:Rect", 'MACS', REDCIRCLE, "PC Exchange", Rect(208,

# Coach Energy Saver CP saver on

<DEFINE WINDOW COACH> "Finder Coach Energy Saver On", 'MACS', REDCIRCLE, "CPU Energy Saver", Rect(6,320,18,3

# Coach Energy Saver CP CPU idle

<DEFINE WINDOW COACH> "Finder Coach Energy Saver CPU idle", 'MACS', REDCIRCLE, "CPU Energy Saver", Rect(65,1

# Coach Energy Saver CP CPU slider

<DEFINE WINDOW COACH> "Finder Coach Energy Saver CPU slider", 'MACS', REDCIRCLE, "CPU Energy Saver", Rect(72,

# Coach Energy Saver CP CPU idle Options

<DEFINE WINDOW COACH> "Finder Coach Energy Saver CPU idle Options", 'MACS', REDCIRCLE, "CPU Energy Saver", R

#for apple menu options's submenu section

<DEFINE WINDOW COACH> "CoachMark: 157", 'MACS', REDCIRCLE, "Apple Menu Options", RECT(20,20,74,235), TO

#for apple menu options's check box

<DEFINE WINDOW COACH> "CoachMark: 158", 'MACS', REDCIRCLE, "Apple Menu Options", RECT(111,15,212,255), T

# Startup disk control panel choose startup

<DEFINE WINDOW COACH> "WIND:StartupCP:choose startup", 'MACS', REDCIRCLE, "Startup Disk", RECT(20,0,233,216)

#for OK button in Color Control Panel dialog

<DEFINE WINDOW COACH> "Color Control: OK", 'MACS', REDCIRCLE, FRONTWINDOW, RECT(251,312,283,397), T

#for slider in Color Control Panel dialog

<DEFINE WINDOW COACH> "Color Control: scroll box", 'MACS', REDCIRCLE, "Color Picker", RECT(214,42,234,193), T

#for color wheel in Color Control Panel dialog

<DEFINE WINDOW COACH> "Color Control: Color Wheel", 'MACS', REDCIRCLE, "Color Picker", RECT(43,33,207,202),

#for Sets and scrolling field in Extensions Manager cp

<DEFINE WINDOW COACH> "Extensions Manager:Sets", 'MACS', REDCIRCLE, "Extensions Manager", RECT(3,136,281,

# Date and Time CP time formats button

<DEFINE ITEM COACH> "Item:Date and Time CP:Time formats", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(3)

#Coach Mouse Keys on or off in the Mouse Control panel

<DEFINE ITEM COACH> "Item:Easy Access:Mouse Keys on/off", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(8), rec

#Coach CloseView CP CloseView On

<DEFINE ITEM COACH> "Item:CloseView CP:CloseView On", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(2)

#Coach CloseView CP Magnify On

<DEFINE ITEM COACH> "Item:CloseView CP:Mag On", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(11)

#Coach CloseView CP Magnify up/down

<DEFINE ITEM COACH> "Item:CloseView CP:Mag up/down", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(15)

# Memory CP turn on Ram Disk

<DEFINE ITEM COACH> "Item:Memory CP:turn on Ram Disk", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(32)

# Memory CP size Ram Disk

<DEFINE ITEM COACH> "Item:Memory CP:size Ram Disk", 'MACS', REDCIRCLE, FRONTWINDOW, DialogID(40)

#for one time in CPU Energy Saver cp

<DEFINE ITEM COACH> "Item:CPU Energy Saver:one time", 'MACS', REDCIRCLE, "CPU Energy Saver", DialogID(9)

#for set time in CPU Energy Saver cp

<DEFINE ITEM COACH> "Item:CPU Energy Saver:set time", 'MACS', REDCIRCLE, "CPU Energy Saver", DialogID(9),rect(-5

#for set time options in CPU Energy Saver cp

<DEFINE ITEM COACH> "Item:CPU Energy Saver:set time options", 'MACS', REDCIRCLE, "CPU Energy Saver", DialogID(1

#for set time options in CPU Energy Saver cp

<DEFINE ITEM COACH> "Item:CPU Energy Saver:Recurring", 'MACS', REDCIRCLE, "CPU Energy Saver", DialogID(10)

#for set day of week in CPU Energy Saver cp

<DEFINE ITEM COACH> "Item:CPU Energy Saver:set day", 'MACS', REDCIRCLE, "CPU Energy Saver", DialogID(10),rect(-1

# find file result window:top part

<DEFINE ITEM COACH> "Item:Find File:results:top", 'fndf', REDCIRCLE, FRONTWINDOW, DialogID(1)

#

```
# AppleScript Coach definitions
# The following are Applescript coaches which derive the location of a Finder item via Applescripts # which are ref
#
```

```
# Control Panels folder contents
```

```
<DEFINE APPLESCRIPT COACH> "Finder Coach Apple Menu Options", REDCIRCLE,":AppleScripts:Finder Coach Apple Me
<DEFINE APPLESCRIPT COACH> "Finder Coach Extensions Manager", REDCIRCLE,":AppleScripts:Finder Coach Extensions
<DEFINE APPLESCRIPT COACH> "Finder Coach CloseView", REDCIRCLE,":AppleScripts:Finder Coach CloseView"
<DEFINE APPLESCRIPT COACH> "Finder Coach Color", REDCIRCLE,":AppleScripts:Finder Coach Color"
<DEFINE APPLESCRIPT COACH> "Finder Coach Date & Time", REDCIRCLE,":AppleScripts:Finder Coach Date & Time"
<DEFINE APPLESCRIPT COACH> "Finder Coach Desktop Patterns", REDCIRCLE,":AppleScripts:Finder Coach Desktop Patter
```

```
<DEFINE APPLESCRIPT COACH> "Finder Coach Easy Access", REDCIRCLE,":AppleScripts:Finder Coach Easy Access"
<DEFINE APPLESCRIPT COACH> "Finder Coach General Controls", REDCIRCLE,":AppleScripts:Finder Coach General Cont
<DEFINE APPLESCRIPT COACH> "Finder Coach Keyboard", REDCIRCLE,":AppleScripts:Finder Coach Keyboard"
<DEFINE APPLESCRIPT COACH> "Finder Coach Labels", REDCIRCLE,":AppleScripts:Finder Coach Labels"
<DEFINE APPLESCRIPT COACH> "Finder Coach Launcher", REDCIRCLE,":AppleScripts:Finder Coach Launcher"
<DEFINE APPLESCRIPT COACH> "Finder Coach Map", REDCIRCLE,":AppleScripts:Finder Coach Map"
<DEFINE APPLESCRIPT COACH> "Finder Coach Easy Open", REDCIRCLE,":AppleScripts:Finder Coach Easy Open"
<DEFINE APPLESCRIPT COACH> "Finder Coach Memory", REDCIRCLE,":AppleScripts:Finder Coach Memory"
<DEFINE APPLESCRIPT COACH> "Finder Coach Monitors", REDCIRCLE,":AppleScripts:Finder Coach Monitors"
<DEFINE APPLESCRIPT COACH> "Finder Coach Mouse", REDCIRCLE,":AppleScripts:Finder Coach Mouse"
<DEFINE APPLESCRIPT COACH> "Finder Coach Numbers", REDCIRCLE,":AppleScripts:Finder Coach Numbers"
<DEFINE APPLESCRIPT COACH> "Finder Coach PC Exchange", REDCIRCLE,":AppleScripts:Finder Coach PC Exchange"
<DEFINE APPLESCRIPT COACH> "Finder Coach Sound", REDCIRCLE,":AppleScripts:Finder Coach Sound"
<DEFINE APPLESCRIPT COACH> "Finder Coach Startup Disk", REDCIRCLE,":AppleScripts:Finder Coach Startup Disk"
<DEFINE APPLESCRIPT COACH> "Finder Coach Text", REDCIRCLE,":AppleScripts:Finder Coach Text"
<DEFINE APPLESCRIPT COACH> "Finder Coach Views", REDCIRCLE,":AppleScripts:Finder Coach Views"
<DEFINE APPLESCRIPT COACH> "Finder Coach File Sharing Monitor", REDCIRCLE,":AppleScripts:Finder Coach Sharing M
<DEFINE APPLESCRIPT COACH> "Finder Coach Network", REDCIRCLE,":AppleScripts:Finder Coach Network"
<DEFINE APPLESCRIPT COACH> "Finder Coach Sharing Setup", REDCIRCLE,":AppleScripts:Finder Coach Sharing Setup"
<DEFINE APPLESCRIPT COACH> "Finder Coach Users & Groups", REDCIRCLE,":AppleScripts:Finder Coach Users & Group
<DEFINE APPLESCRIPT COACH> "Finder Coach WindowShade", REDCIRCLE,":AppleScripts:Finder Coach WindowShade"
<DEFINE APPLESCRIPT COACH> "Finder Coach CPU Energy Saver", REDCIRCLE,":AppleScripts:Finder Coach CPU Energy
<DEFINE APPLESCRIPT COACH> "Finder Coach AutoRemounter", REDCIRCLE,":AppleScripts:Finder Coach AutoRemounte
<DEFINE APPLESCRIPT COACH> "Finder Coach Serial Switch", REDCIRCLE,":AppleScripts:Finder Coach Serial Switch"
<DEFINE APPLESCRIPT COACH> "Finder Coach Button Disabler", REDCIRCLE,":AppleScripts:Finder Coach Button Disable
```

```
# Files/ Folders in the System folder
```

```
<DEFINE APPLESCRIPT COACH> "Finder Coach Apple Menu Items", REDCIRCLE,":AppleScripts:Finder Coach Apple Menu
<DEFINE APPLESCRIPT COACH> "Finder Coach Control Panels", REDCIRCLE,":AppleScripts:Finder Coach Control Panels"
<DEFINE APPLESCRIPT COACH> "Finder Coach Extensions", REDCIRCLE,":AppleScripts:Finder Coach Extensions"
<DEFINE APPLESCRIPT COACH> "Finder Coach Fonts", REDCIRCLE,":AppleScripts:Finder Coach Fonts"
<DEFINE APPLESCRIPT COACH> "Finder Coach System", REDCIRCLE,":AppleScripts:Finder Coach System"
<DEFINE APPLESCRIPT COACH> "Finder Coach Startup Items", REDCIRCLE,":AppleScripts:Finder Coach Startup Items"
<DEFINE APPLESCRIPT COACH> "Finder Coach System Folder", REDCIRCLE,":AppleScripts:Finder Coach System Folder"
<DEFINE APPLESCRIPT COACH> "Finder Coach Launcher Items", REDCIRCLE,":AppleScripts:Finder Coach Launcher Items
```

```
# Desktop Finder Coaches
```

```
<DEFINE APPLESCRIPT COACH> "Finder Desktop BootDisk", REDCIRCLE,":AppleScripts:Finder Desktop Bootdisk"
<DEFINE APPLESCRIPT COACH> "Finder Desktop Trash", REDCIRCLE,":AppleScripts:Finder Desktop Trash"
<DEFINE APPLESCRIPT COACH> "Finder Desktop Ram Disk", REDCIRCLE,":AppleScripts:Finder Desktop Ram Disk"
```

