

```
#####  
#      File:           Sequences  
#  
#      Contains:       Logics for Macintosh Guide Database  
#  
#      Coded by:       Kay Burnett, James Miyake, Shemin Gau  
#      Content by:     Jose Arcellana, Jeremy Hewes  
#  
#      Copyright:      ©1992-1994 by Apple Computer, Inc., all rights reserved.  
#  
#####
```

#Review Basics Seg.nml

```
<DEFINE SEQUENCE> "How do I review the basics?" , "How do I review the basics?"  
    <PANEL>        "basics review: intro"  
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "How do I use icons?" , "How do I use icons?"  
    <PANEL>        "icon: def"  
    <PANEL>        "icon: select"  
    <PANEL>        "icon: open"  
    <PANEL>        "icon: drag"  
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "How do I use menus?" , "How do I use menus?"  
    <PANEL>        "menu: def with prompt"  
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "How do I use windows?" , "How do I use windows?"  
    <PANEL>        "window: def with prompt"  
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "How do I use Macintosh Guide?" , "How do I use Macintosh Guide?"  
    <PANEL>        "Help: tips"  
    <PANEL>        "Help: tips2"  
    <PANEL>        "Help: tips3"  
    <PANEL>        "Help: tips4"  
    <PANEL>        "Help: tips5"  
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "How do I turn off the computer?" , "How do I turn off the computer?"  
    <PANEL>        "Shut Down: intro"  
    <PANEL>        "Special: choose Shut Down"  
    <PANEL>        "Sleep: Shut Down tip"  
<END SEQUENCE>
```

#Working w/programs Seg.nml

```
<DEFINE SEQUENCE> "How do I save my work?" , "How do I save my work?"  
    <PANEL>        "File: Save"
```

```

                <PANEL> "File: Save2"
                <PANEL> "File: Save3"

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I switch between programs?" , "How do I switch between programs?"
    <PANEL> "Active program: def"
    <PANEL> "App menu: open and choose"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I get help for a program?" , "How do I get help for a program?"
    <PANEL> "Programs: get Help"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I bring a window to the front?" , "How do I bring a window to the front?"
    <PANEL> "Window: bring to front"
    <PANEL> "window: NoCanSee"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I hide or show windows?" , "How do I hide or show windows?"
    <PANEL> "Hide or show: intro"

    <IF> RBS("hide windows", "Hide or show: intro")
        <PANEL> "App menu: hide"
    <END IF>

    <IF> RBS("show windows", "Hide or show: intro")
        <PANEL> "App menu: show"
    <END IF>

    <IF> RBS("shrink or expand windows (to or from the title bar)", "Hide or show: intro")
        <PANEL> "WindowShade: double click"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I find out which programs are open?" , "How do I find out which programs are open?"
    <PANEL> "open programs: intro"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change a program's memory size?" , "How do I change a program's memory size?"
    <PANEL> "App RAM: intro"
    <PANEL> "App RAM: quit app"
    <PANEL> "App RAM: click app icon"
    <SKIP IF> ActiveWindowIsInfo()
    <PANEL> "File menu: Get Info"
    <MAKE SURE> ActiveWindowIsInfo(), "Oops:Info window not active"
    <MAKE SURE> OpenWindowIsInfo(), "Oops:Info Window not open"
    <PANEL> "Info: preferred size"
    <MAKE SURE> ActiveWindowIsInfo(), "Oops:Info window not active"
    <MAKE SURE> OpenWindowIsInfo(), "Oops:Info Window not open"
    <PANEL> "Info: minimum size"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I make more memory available?" , "How do I make more memory available?"

```

```

        <PANEL> "Save RAM: intro"

<IF>   RBS("quit open programs", "Save RAM: intro")
        <PANEL> "Save RAM: quit programs"
<END IF>

<IF>   RBS("disconnect network services", "Save RAM: intro")
<IF>   NOT AppleTalkOff()
        <PANEL> "AppleTalk disconnect: intro"
<INSERT SEQUENCE> "Subsequence: Turn off AppleTalk"

<ELSE>
        <PANEL> "AppleTalk disconnect: already off"
<END IF>
<END IF>

<IF>   RBS("turn off file sharing", "Save RAM: intro")
<IF>   NOT InControlPanelFolder("Sharing Setup")
        <PANEL> "Sharing Setup: don't need"
<ELSE>

<IF>   FileSharingOff()
        <PANEL> "file sharing: already off"
<ELSE>
        <PANEL> "Off shared disks: intro"
<INSERT SEQUENCE> "Subsequence: Turn off FileSharing"
<END IF>
<END IF>
<END IF>

<IF>   RBS("adjust the disk cache", "Save RAM: intro")

<IF>   NOT InControlPanelFolder("Memory")
        <PANEL> "Memory: segue to install"
<JUMP SEQUENCE> "Subsequence: Install memory control panel"
<END IF>

<IF>   InControlPanelFolder("Memory")
        <PANEL> "disk cache: intro"
<SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Memory")
        <PANEL> "Apple menu: choose control panels"

        <SKIP IF> ActiveWindow('MACS', "Memory")
        <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
        <PANEL> "Memory: open control panel"

        <MAKE SURE> ActiveWindow('MACS', "Memory"), "Auto open: Memory seq"
        <PANEL> "Memory: adjust cache"
<END IF>
<END IF>

<IF>   RBS("turn off or remove system extensions", "Save RAM: intro")
        <PANEL> "Save RAM: trash extensions intro"

```

```

<IF> RBS("turn off extensions", "Save RAM: trash extensions intro")

<INSERT SEQUENCE> "How do I manage System Folder extensions?"

<END IF>

<IF> RBS("remove extensions", "Save RAM: trash extensions intro")

<JUMP SEQUENCE> "Subsequence: remove system extensions"

<END IF>
<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I check how much memory I'm using?" , "How do I check how much memory I'm using?"
  <PANEL> "Memory: check intro"
  <SKIP IF> ActiveAppIs('MACS') OR ActiveWindow('MACS',"About This Macintosh")
  <PANEL> "App menu: choose Finder"
  <SKIP IF> ActiveWindow('MACS',"About This Macintosh")
  <PANEL> "Apple menu: choose About This Mac"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I copy an item between programs?" , "How do I copy an item between programs?"
  <PANEL> "Drag copy: intro choice"
  <IF> RBS("within a document", "Drag copy: intro choice")
    <PANEL> "Drag copy: select item"
    <PANEL> "Drag copy: drag within doc"
  <END IF>

  <IF> RBS("with both documents open at once", "Drag copy: intro choice")
    <PANEL> "Drag copy: open both"
    <PANEL> "Drag copy: select item"
    <PANEL> "Drag copy: drag to doc"
  <END IF>

  <IF> RBS("with one document open at a time", "Drag copy: intro choice")
    <PANEL> "Drag copy: open 1st doc"
    <PANEL> "Drag copy: select item"
    <PANEL> "Drag copy: drag to desktop"
    <PANEL> "Drag copy: open 2nd doc"
    <PANEL> "Drag copy: Drag to 2nd doc"
  <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I open an unknown item?" , "How do I open an unknown item?"
  <PANEL> "unknown item: intro"
  <PANEL> "unknown item: open"
  <PANEL> "unknown item: open tip"
<END SEQUENCE>

```

#Files and Disks Seg.nml

<DEFINE SEQUENCE> "Definitions Tips for finding items" , "Tips for finding items"

```
<PANEL> "Finding items: tips1"
<PANEL> "Finding items: tips2"
<PANEL> "Apple menu: choose Find File"
<MAKE SURE> ActiveAppIs('fndf'), "Auto open: Find File seq"
<PANEL> "find location: use pop-up"
<MAKE SURE> ActiveAppIs('fndf'), "Oops:Find not active"
<MAKE SURE> OpenAppIs('fndf'), "Oops:Find not open"
<PANEL> "find: multiple"
<MAKE SURE> ActiveAppIs('fndf'), "Oops:Find not active"
<MAKE SURE> OpenAppIs('fndf'), "Oops:Find not open"
<PANEL> "find: multiple pop-ups"
<MAKE SURE> ActiveAppIs('fndf'), "Oops:Find not active"
<MAKE SURE> OpenAppIs('fndf'), "Oops:Find not open"
<PANEL> "find: click Find 4"
<MAKE SURE> ActiveAppIs('fndf'), "Oops:Find not active"
<MAKE SURE> OpenAppIs('fndf'), "Oops:Find not open"
<PANEL> "find: list choice"
<MAKE SURE> ActiveAppIs('fndf'), "Oops:Find not active"
<MAKE SURE> OpenAppIs('fndf'), "Oops:Find not open"
<PANEL> "Finding items: tips3"
<MAKE SURE> ActiveAppIs('fndf'), "Oops:Find not active"
<MAKE SURE> OpenAppIs('fndf'), "Oops:Find not open"
<PANEL> "Finding items: tips4"
```

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I find a file or folder?" , "How do I find a file or folder?"

```
<PANEL> "Find: intro"
<SKIP IF> ActiveAppIs('fndf')
<PANEL> "Apple menu: choose Find File"
<MAKE SURE> ActiveAppIs('fndf'), "Auto open: Find File seq"
<PANEL> "find location: use pop-up"
<MAKE SURE> ActiveAppIs('fndf'), "Oops:Find not active"
<MAKE SURE> OpenAppIs('fndf'), "Oops:Find not open"
<PANEL> "find: multiple"
<MAKE SURE> ActiveAppIs('fndf'), "Oops:Find not active"
<MAKE SURE> OpenAppIs('fndf'), "Oops:Find not open"
<PANEL> "find: multiple pop-ups"
<MAKE SURE> ActiveAppIs('fndf'), "Oops:Find not active"
<MAKE SURE> OpenAppIs('fndf'), "Oops:Find not open"
<PANEL> "find: click Find 4"
<MAKE SURE> ActiveAppIs('fndf'), "Oops:Find not active"
<MAKE SURE> OpenAppIs('fndf'), "Oops:Find not open"
<PANEL> "find: list choice"
<PANEL> "find: System file"
```

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I copy an item?" , "How do I copy an item?"

```
<PANEL> "copying: intro"
```

```

        <PANEL> "any: select item"
        <PANEL> "housekeeping: copy intro"
    <IF> RBS("on the same disk", "housekeeping: copy intro")
        <PANEL> "housekeeping: copy same"
        <PANEL> "housekeeping: copy same tip"
    <END IF>
    <IF> RBS("on another disk", "housekeeping: copy intro")
        <PANEL> "housekeeping: copy other"
    <END IF>
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I find the original of an alias?" , "How do I find the original of an alias?"
    <PANEL> "alias original: intro"
    <PANEL> "alias: click it"
    <SKIP IF> ActiveWindowIsInfo()
    <PANEL> "File menu: Get Info"
    <MAKE SURE> ActiveWindowIsInfo(), "Oops:Info window not active"
    <MAKE SURE> OpenWindowIsInfo(), "Oops:Info Window not open"
    <PANEL> "Info: Find Original"
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I create a template?" , "How do I create a template?"
    <PANEL> "stationery: def"
    <PANEL> "stationery: select doc"
    <SKIP IF> ActiveWindowIsInfo()
    <PANEL> "File menu: Get Info"
    <MAKE SURE> ActiveWindowIsInfo(), "Oops:Info window not active"
    <MAKE SURE> OpenWindowIsInfo(), "Oops:Info Window not open"
    <PANEL> "stationery: click checkbox"
    <PANEL> "stationery: directory dialog box"
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I arrange icons neatly?" , "How do I arrange icons neatly?"
    <PANEL> "neat icons: intro"

    <IF> RBS("arrange all icons in a window", "neat icons: intro")
        <PANEL> "neat icons: all"
        <MAKE SURE> AnyActiveWindow(), "Oops:window not active"
        <PANEL> "Special: choose Clean Up"
    <END IF>

    <IF> RBS("arrange selected icons", "neat icons: intro")
        <PANEL> "neat icons: select"
        <PANEL> "Special: Shift Clean Up"
    <END IF>

    <IF> RBS("arrange icons on the desktop", "neat icons: intro")
        <PANEL> "neat icons: desktop"
    <END IF>

```

```

    <MAKE SURE> NOT AnyActiveWindow(), "Oops:disk icon not clicked for clean"
    <MAKE SURE> ActiveAppIs('MACS'), "Oops:disk icon not clicked for clean"
    <PANEL> "Special: Clean Up Desktop"
    <PANEL> "Special: Option Clean Up Desktop"
<END IF>

<IF> RBS("arrange icons by name or other list view", "neat icons: intro")
    <PANEL> "neat icons: all"

    <MAKE SURE> AnyActiveWindow(), "Oops:window not active"
    <PANEL> "View: choose any list"
    <MAKE SURE> AnyActiveWindow(), "Oops:window not active"
    <PANEL> "View: choose Icon"
    <MAKE SURE> AnyActiveWindow(), "Oops:window not active"
    <PANEL> "Special: Option Clean Up"
<END IF>

<IF> RBS("change the grid", "neat icons: intro")
    <PANEL> "staggered icons: intro"

<IF> NOT InControlPanelFolder("Views")
    <PANEL> "Views: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install Views control panel"
<END IF>

<IF> InControlPanelFolder("Views")
    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Views")
    <PANEL> "Apple menu: choose Control Panels"

    <SKIP IF> ActiveWindow('MACS',"Views")
    <MAKE SURE> ActiveWindow('MACS',"Control Panels"), "Auto open: Control Panels folder seq"
    <PANEL> "Views: open"

    <MAKE SURE> ActiveWindow('MACS',"Views"), "Auto open: Views seq"
    <PANEL> "Views: straight or staggered"
<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I assign a label to an item?" , "How do I assign a label to an item?"
    <PANEL> "label: intro"
    <PANEL> "any: select item"
    <PANEL> "Label: choose one"
    <PANEL> "label: outro"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I move an item?" , "How do I move an item?"

    <PANEL> "move item: intro"

    <IF> RBS("move an item in the Finder", "move item: intro")
        <PANEL> "any: select item"
        <PANEL> "housekeeping: move"
    <END IF>

```

```

<IF> RBS("move an item within a document", "move item: intro")
    <PANEL> "Drag move: select item"
    <PANEL> "Drag move: drag within doc"
<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I throw away an item?" , "How do I throw away an item?"
    <PANEL> "throw away item: intro"
    <PANEL> "housekeeping: Trash"
    <PANEL> "housekeeping: retrieve trash"
    <PANEL> "move outro tip"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I use a clipping file?" , "How do I use a clipping file?"
    <PANEL> "clipping: intro"
    <PANEL> "clipping: drag to doc"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I prepare a disk for use?" , "How do I prepare a disk for use?"
    <PANEL> "initialize: intro"
    <PANEL> "initialize: hard or floppy"

    <IF> RBS("new floppy disk", "initialize: hard or floppy")
        <PANEL> "insert: floppy"
        <MAKE SURE> ActiveDialog(-6079), "Oops:no uninitialized disk"
        <PANEL> "initialize: floppy1"
        <PANEL> "initialize: floppy2"
        <PANEL> "initialize: floppy3"
    <END IF>

    <IF> RBS("hard disk", "initialize: hard or floppy")
        <PANEL> "HD setup: open"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change the name of an item?" , "How do I change the name of an item?"
    <PANEL> "rename: select item name"
    <PANEL> "rename: enter new"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I protect a file or disk?" , "How do I protect a file or disk?"
    <PANEL> "protect: intro"

    <IF> RBS("lock a file", "protect: intro")
        <PANEL> "Any: select item"
        <SKIP IF> ActiveWindowIsInfo()
        <PANEL> "File menu: Get Info"
        <MAKE SURE> ActiveWindowIsInfo(), "Oops:Info window not active"
        <MAKE SURE> OpenWindowIsInfo(), "Oops:Info Window not open"
        <PANEL> "Info: click Lock"
    <END IF>

```

```

<IF> RBS("lock a floppy disk", "protect: intro")
    <PANEL> "floppy: eject if"
    <PANEL> "floppy: slide tab"
<END IF>

<IF> RBS("protect the Applications folder or System Folder", "protect: intro")

<IF> NOT InControlPanelFolder("General Controls")
    <PANEL> "General Controls: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install General Controls"
<END IF>

<IF> InControlPanelFolder("General Controls")
    <PANEL> "General Controls: protect files"
    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"General Controls")
    <PANEL> "Apple menu: choose control panels"

    <SKIP IF> ActiveWindow('MACS',"General Controls")
    <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL> "General controls: opening"

    <MAKE SURE> ActiveWindow('MACS',"General Controls"), "Auto open: General Controls seq"
    <PANEL> "General Controls: protect intro"
    <MAKE SURE> ActiveWindow('MACS',"General Controls"), "Oops:General Controls not active"
    <MAKE SURE> OpenWindow('MACS',"General Controls"), "Oops:General Controls not open"
    <PANEL> "General Controls: click protect"

<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I use a RAM disk?" , "How do I use a RAM disk?"
    <PANEL> "RAM disk: noCanDo"
    <PANEL> "Use RAM disk: intro"

<IF> NOT InControlPanelFolder("Memory")
    <PANEL> "Memory: segue to install"
<JUMP SEQUENCE> "Subsequence: Install memory control panel"
<END IF>

<IF> InControlPanelFolder("Memory")

<IF> RBS("Create a RAM disk", "Use RAM disk: intro")
    <PANEL> "RAM disk: creating intro"
    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Memory")
    <PANEL> "Apple menu: choose control panels"

    <SKIP IF> ActiveWindow('MACS',"Memory")
    <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL> "Memory: open control panel"

    <MAKE SURE> ActiveWindow('MACS',"Memory"), "Auto open: Memory seq"

```

```

        <PANEL> "RAM disk: creating"
        <PANEL> "Special menu: choose restart for RAM disk"
    <END IF>

    <IF> RBS("Erase the contents of a RAM disk", "Use RAM disk: intro")
        <PANEL> "RAM disk: choose disk"
        <PANEL> "Special menu: choose Erase Disk"
        <PANEL> "RAM disk: erase no free RAM"
    <END IF>

    <IF> RBS("Resize or remove a RAM disk", "Use RAM disk: intro")
        <PANEL> "RAM disk: resize-remove intro"
        <SKIP IF> ActiveWindow('MACS', 'RAM Disk')
        <PANEL> "Ram Disk icon: opening"

        <PANEL> "RAM disk: copy files"
        <PANEL> "RAM disk: drag items to trash"
        <PANEL> "Special menu: choose empty trash"
        <SKIP IF> ActiveWindow('MACS', 'Control Panels') OR ActiveWindow('MACS', 'Memory')
        <PANEL> "Apple menu: choose control panels"

        <SKIP IF> ActiveWindow('MACS', 'Memory')
        <MAKE SURE> ActiveWindow('MACS', 'Control Panels'), "Auto open: Control Panels folder seq"
        <PANEL> "Memory: open control panel"

        <MAKE SURE> ActiveWindow('MACS', 'Memory'), "Auto open: Memory seq"
        <PANEL> "RAM disk: drag or click"
        <PANEL> "Special menu: choose restart for RAM disk"
    <END IF>
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I make a disk the startup disk?" , "How do I make a disk the startup disk?"
    <PANEL> "select startup: intro"

    <IF> NOT InControlPanelFolder("Startup Disk")
        <PANEL> "Startup Disk: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Startup Disk control panel"
    <END IF>
    <IF> InControlPanelFolder("Startup Disk")
        <SKIP IF> ActiveWindow('MACS', 'Control Panels') OR ActiveWindow('MACS', 'Startup Disk')
        <PANEL> "Apple menu: choose Control Panels"

        <SKIP IF> ActiveWindow('MACS', 'Startup Disk')
        <MAKE SURE> ActiveWindow('MACS', 'Control Panels'), "Auto open: Control Panels folder seq"
        <PANEL> "Startup: open"

        <MAKE SURE> ActiveWindow('MACS', 'Startup Disk'), "Auto open: Startup Disk seq"
        <PANEL> "Startup: choose disk"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I erase a disk?" , "How do I erase a disk?"

```

```

        <PANEL> "Erase disk: intro"
        <PANEL> "Erase disk: select disk"
        <PANEL> "Special menu: choose Erase Disk"
        <MAKE SURE> ActiveDialog(-6079), "Oops:erase disk not selected"
        <PANEL> "initialize: floppy1"
        <PANEL> "erase: choose format"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I eject a disk?" , "How do I eject a disk?"
        <PANEL> "disk: click"
        <PANEL> "File: Put Away"
        <PANEL> "disk: Trash and Eject"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I test and repair a disk?" , "How do I test and repair a disk?"
        <PANEL> "Repair disk: intro"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I use an Apple II file or disk?" , "How do I use an Apple II file or disk?"
        <PANEL> "Apple II: intro choice"
        <IF> RBS("open an Apple II ProDOS file", "Apple II: intro choice")
            <PANEL> "Apple II file: intro"
            <PANEL> "Apple II file: open"
            <PANEL> "Apple II file: choose app"
            <IF> NOT InControlPanelFolder("Macintosh Easy Open")
                <PANEL> "Easy Open: segue to install"
                <JUMP SEQUENCE> "Subsequence: Install Easy Open control panel"
            <END IF>
            <IF> InControlPanelFolder("Macintosh Easy Open")
                <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Macintosh Easy Open")
                <PANEL> "Apple menu: choose control panels"

                <SKIP IF> ActiveWindow('MACS',"Macintosh Easy Open")
                <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
                <PANEL> "Easy Open: open"

                <MAKE SURE> ActiveWindow('MACS',"Macintosh Easy Open"), "Auto open: Macintosh Easy Open Setup S

                <PANEL> "Easy Open: options summary"

                <MAKE SURE> ActiveWindow('MACS',"Macintosh Easy Open"), "Oops:Easy Open CP not active"
                <MAKE SURE> OpenWindow('MACS',"Macintosh Easy Open"), "Oops:Easy Open CP not open"
                <PANEL> "Apple II file: try again"
            <END IF>
        <END IF>

        <IF> RBS("use a ProDOS disk", "Apple II: intro choice")
            <PANEL> "Apple II disk: using"
        <END IF>

        <IF> RBS("prepare a disk in ProDOS format", "Apple II: intro choice")
            <PANEL> "Apple II disk: preparing"

```

```

        <PANEL>         "insert: floppy for Apple II"

<IF>   RBS("initialize an unreadable disk", "insert: floppy for Apple II")
        <MAKE SURE>   ActiveDialog(-6079), "Oops:erase disk not selected"
        <PANEL>       "initialize: floppy1"
        <PANEL>       "initialize: Apple II floppy2"
        <PANEL>       "initialize: floppy3"

<END IF>

<IF>   RBS("erase a disk", "insert: floppy for Apple II")
        <PANEL>       "Erase disk: intro"
        <PANEL>       "Erase disk: select disk"
        <MAKE SURE>   NOT AnyActiveWindow(), "Oops:disk icon not clicked"
        <MAKE SURE>   ActiveAppIs('MACS'), "Oops:disk icon not clicked"
        <PANEL>       "Special menu: choose Erase Disk"

        <MAKE SURE>   ActiveDialog(-6079), "Oops:erase disk not selected"
        <PANEL>       "initialize: floppy1"
        <PANEL>       "initialize: Apple II floppy3"

<END IF>

<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I lock or unlock a floppy disk?" , "How do I lock or unlock a floppy disk?"
        <PANEL>       "lock floppy: intro choice"
<IF>   RBS("lock a floppy disk", "lock floppy: intro choice")
        <PANEL>       "floppy: eject if"
        <PANEL>       "floppy: slide tab"

<END IF>

<IF>   RBS("unlock a floppy disk", "lock floppy: intro choice")
        <PANEL>       "floppy: eject if"
        <PANEL>       "floppy: unlock tab"

<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I insert a floppy disk?" , "How do I insert a floppy disk?"
        <PANEL>       "Floppy: insert disk"
<END SEQUENCE>

```

#DOS Files and Disks Seg.nml

```

<DEFINE SEQUENCE> "How do I open a DOS file?" , "How do I open a DOS file?"
        <PANEL>       "DOS file: intro"
        <PANEL>       "DOS file: open"

```

```

        <PANEL> "DOS file: choose app"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I create a file in DOS format?" , "How do I create a file in DOS format?"
    <PANEL> "DOS file: create"
    <PANEL> "DOS file: save as"
    <PANEL> "DOS file: choose format"
    <PANEL> "DOS formats: tips1"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I set up my Macintosh to use DOS files?" , "How do I set up my Macintosh to use DOS files?"
    <PANEL> "DOS file: setup intro"

    <IF> RBS("choose a program each time", "DOS file: setup intro")
        <PANEL> "Easy Open: intro"
    <IF> NOT InControlPanelFolder("Macintosh Easy Open")
        <PANEL> "Easy Open: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Easy Open control panel"
    <END IF>

    <IF> InControlPanelFolder("Macintosh Easy Open")
        <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Macintosh Easy Open")
        <PANEL> "Apple menu: choose control panels"

        <SKIP IF> ActiveWindow('MACS',"Macintosh Easy Open")
        <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL> "Easy Open: open"

        <MAKE SURE> ActiveWindow('MACS',"Macintosh Easy Open"),"Auto open: Macintosh Easy Open Setup S

        <PANEL> "Easy Open: choose options"
        <MAKE SURE> ActiveWindow('MACS',"Macintosh Easy Open"),"Oops:Easy Open CP not active"
        <MAKE SURE> OpenWindow('MACS',"Macintosh Easy Open"),"Oops:Easy Open CP not open"
        <PANEL> "Easy Open: tip"
    <END IF>
<END IF>

    <IF> RBS("assign a program to open each type of DOS file", "DOS file: setup intro")

        <PANEL> "PC Exchange: intro"

    <IF> NOT InControlPanelFolder("PC Exchange")
        <PANEL> "PC Exchange: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install PC Exchange control panel"
    <END IF>

    <IF> InControlPanelFolder("PC Exchange")
        <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"PC Exchange")
        <PANEL> "Apple menu: choose control panels"

        <SKIP IF> ActiveWindow('MACS',"PC Exchange")
        <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL> "PC Exchange: open"

```

```

<IF> RBS("add a new assignment", "PC Exchange: intro")
      <MAKE SURE> ActiveWindow('MACS', "PC Exchange"), "Auto open: PC Exchange seq"
      <PANEL> "PC Exchange: add1"
      <PANEL> "PC Exchange: add2"
<END IF>

<IF> RBS("change an assignment", "PC Exchange: intro")
      <MAKE SURE> ActiveWindow('MACS', "PC Exchange"), "Auto open: PC Exchange seq"
      <PANEL> "PC Exchange: change1"
      <PANEL> "PC Exchange: change2"
<END IF>

<IF> RBS("remove an assignment", "PC Exchange: intro")
      <MAKE SURE> ActiveWindow('MACS', "PC Exchange"), "Auto open: PC Exchange seq"
      <PANEL> "PC Exchange: remove"
<END IF>
<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I use a DOS disk?" , "How do I use a DOS disk?"
      <PANEL> "DOS disk: using"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I prepare a disk in DOS format?" , "How do I prepare a disk in DOS format?"
      <PANEL> "DOS disk: preparing"
      <PANEL> "insert: floppy for DOS"
      <IF> RBS("initialize an unreadable disk", "insert: floppy for DOS")
            <PANEL> "initialize: DOS floppy1"
            <PANEL> "initialize: DOS floppy2"
            <PANEL> "initialize: floppy3"
      <END IF>

      <IF> RBS("erase a disk", "insert: floppy for DOS")
            <PANEL> "Erase disk: intro"
            <PANEL> "Erase disk: select disk"
            <PANEL> "Special menu: choose Erase Disk"
            <PANEL> "initialize: DOS floppy1"
            <PANEL> "erase: choose DOS format"
      <END IF>
<END SEQUENCE>

```

#Printing and Fonts Seg.nml

```

<DEFINE SEQUENCE> "How do I print?" , "How do I print?"
      <PANEL> "printing: connect printer"
      <PANEL> "printing:window, desktop, or file"

<IF> RBS("print a document", "printing:window, desktop, or file")
      <SKIP IF> Not GXInstalled()
      <PANEL> "printing:drag document:GX"

```

```

                <SKIP IF>      GXInstalled()
                <PANEL>      "Printing: Select Doc icon"

                <SKIP IF>      GXInstalled()
                <PANEL>      "File menu: Print"
<END IF>

<IF>  RBS("print a list of files in a window", "printing:window, desktop, or file")
        <PANEL>      "printing: window"

                <MAKE SURE> AnyActiveWindow(), "Oops:window not active"
                <PANEL>      "File: Print Window"
<END IF>

<IF>  RBS("print a list of files on the desktop", "printing:window, desktop, or file")
        <PANEL>      "printing: desktop"
                <MAKE SURE> NOT AnyActiveWindow(), "Oops:desktop icon not clicked"
                <MAKE SURE> ActiveAppIs('MACS'), "Oops:desktop icon not clicked"
                <PANEL>      "File: choose Print Desktop"
<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I switch printers?" , "How do I switch printers?"
<IF>  GXInstalled()
        <PANEL>      "printing: switch GX"
        <PANEL>      "printing: switch prereq"
        <PANEL>      "printing: switch intro"
        <SKIP IF>    ActiveAppIs('chzr')
                <PANEL>      "Apple: choose Chooser"
<IF>  RBS("printer connected directly to the computer", "printing: switch intro")

                <MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
                <PANEL>      "Chooser: click direct driver"

                <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
                <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
                <PANEL>      "Chooser: click port"

                <SKIP IF>    Not GXInstalled()
                <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
                <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
                <PANEL>      "Chooser:connect Via:GX"

                <SKIP IF>    Not GXInstalled()
                <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
                <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
                <PANEL>      "Chooser:click Create GX"

                <SKIP IF>    GXInstalled() Or AppleTalkOff()

```

```

    <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
    <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL> "Chooser: click AppleTalk Inactive"
<END IF>

<IF> RBS("printer on a network", "printing: switch intro")
    <SKIP IF> NOT AppleTalkOff()
    <MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
    <PANEL> "Chooser: click AppleTalk Active"

    <MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
    <PANEL> "Chooser: click driver"

    <SKIP IF> NOT NetworkHasZones()
    <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
    <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL> "Chooser: click AppleTalk zones"

    <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
    <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL> "Chooser: click printer name"

    <SKIP IF> GXInstalled()
    <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
    <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL> "Chooser: click BG printing on"

    <SKIP IF> Not GXInstalled()
    <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
    <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL> "Chooser:connect Via:GX"

    <SKIP IF> Not GXInstalled()
    <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
    <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL> "Chooser:click Create GX"
    <SKIP IF> GXInstalled()
    <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
    <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL> "printing: setup options1"
    <SKIP IF> GXInstalled()
    <PANEL> "printing: setup options2"
<END IF>

    <SKIP IF> NOT OpenAppIs('chzr')
    <PANEL> "Chooser: close"
<ELSE>
    <PANEL> "Quickdraw GX not installed Placeholder"
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I print while doing other work?" , "How do I print while doing other work?"

```

```

<IF>    GXInstalled()
        <PANEL>        "printing:background GX"
<ELSE>

<IF>    NOT PrintMonitorInstalled()
        <PANEL>        "PrintMonitor: not here"

        <INSERT SEQUENCE> "Subsequence: Install PrintMonitor"
<END IF>

<IF>    PrintMonitorInstalled()
        <PANEL>        "Print background: intro"

        <INSERT SEQUENCE> "Subsequence: Turn on background printing"
<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I manage printing jobs?" , "How do I manage printing jobs?"

    <IF>    GXInstalled()
        <PANEL>        "Manage printing intro:GX"
        <JUMP SEQUENCE> "Subsequence: How do I manage printing jobs GX"
    <ELSE>
    <PANEL>        "PrintMonitor: intro"
        <JUMP SEQUENCE> "Subsequence: How do I manage printing jobs"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I share a printer with other users?" , "How do I share a printer with other users?"

    <IF>    GXInstalled()
        <PANEL>        "Share a printer Intro:GX"
        <PANEL>        "Create or Use:GX"
        <IF>    RBS("create and share desktop printer", "Create or Use:GX")

    <SKIP IF>        ActiveAppIs('chzr')
    <PANEL>        "Apple: choose Chooser"

    <PANEL>        <MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
                    "Chooser: click direct driver"
                    <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
                    <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
                    <PANEL>        "Chooser: click port"
                    <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
                    <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL>        "Chooser:connect Via:GX"
                    <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
                    <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL>        "Chooser:click Create GX"
                    <SKIP IF>    NOT OpenAppIs('chzr')
                    <PANEL>        "Chooser: close"
    <END IF>

```

```

<IF> RBS("share a desktop printer already on the desktop", "Create or Use:GX")
    <SKIP IF> IsMenuExists("Printing", " ")
    <PANEL> "Select DT Printer:GX"

    <PANEL> "Choose Sharing:GX"
    <END IF>
    <PANEL> "Click Share Box:GX"
    <PANEL> "Click Non GX box:GX"
    <PANEL> "Choose Users:GX"
    <PANEL> "Choose Guests:GX"
    <PANEL> "Choose Access:GX"
    <PANEL> "Close Sharing:GX"
    <ELSE>
    <PANEL> "HDI Share Printer - GX not installed"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I use more than one printer?" , "How do I use more than one printer?"
    <IF> GXInstalled()
    <PANEL> "Use several printers intro:GX"
    <IF> RBS("Creating", "Use several printers intro:GX")
    <INSERT SEQUENCE> "How do I create a desktop printer?"
    <END IF>
    <IF> RBS("Printing", "Use several printers intro:GX")
        <PANEL> "printing:window, desktop, or file"

    <IF> RBS("print a document", "printing:window, desktop, or file")
        <SKIP IF> Not GXInstalled()
        <PANEL> "printing:drag document:GX"

        <SKIP IF> GXInstalled()
        <PANEL> "Printing: Select Doc icon"

        <SKIP IF> GXInstalled()
        <PANEL> "File menu: Print"
    <END IF>

    <IF> RBS("print a list of files in a window", "printing:window, desktop, or file")
        <PANEL> "printing: window"

        <MAKE SURE> AnyActiveWindow(), "Oops:window not active"
        <PANEL> "File: Print Window"
    <END IF>

    <IF> RBS("print a list of files on the desktop", "printing:window, desktop, or file")
        <PANEL> "printing: desktop"
        <MAKE SURE> NOT AnyActiveWindow(), "Oops:desktop icon not clicked"
        <MAKE SURE> ActiveAppIs('MACS'), "Oops:desktop icon not clicked"
        <PANEL> "File: choose Print Desktop"
    <END IF>

```

```

    <END IF>
    <ELSE>
<PANEL>                                "Quickdraw GX not installed Placeholder"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I create a desktop printer?" , "How do I create a desktop printer?"

    <IF>    GXInstalled()
<PANEL>    "choose printer:GX"
    <IF>    RBS("printer on a network", "choose printer:GX")
    <SKIP IF>    ActiveAppIs('chzr')
    <PANEL>    "Apple: choose Chooser"
        <SKIP IF>    NOT AppleTalkOff()
        <MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
    <PANEL>    "Chooser: click AppleTalk Active"
        <MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
    <PANEL>    "Chooser: click driver"
        <SKIP IF>    NOT NetworkHasZones()
        <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL>    "Chooser: click AppleTalk zones"
        <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL>    "Chooser: click printer name"
        <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL>    "Chooser:connect Via:GX"
        <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL>    "Chooser:click Create GX"
        <SKIP IF>    NOT OpenAppIs('chzr')
    <PANEL>    "Chooser: close"
    <END IF>

    <IF>    RBS("printer connected directly to the computer", "choose printer:GX")
    <SKIP IF>    ActiveAppIs('chzr')
    <PANEL>    "Apple: choose Chooser"
        <MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
    <PANEL>    "Chooser: click direct driver"
        <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL>    "Chooser: click port"
        <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL>    "Chooser:connect Via:GX"
        <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
    <PANEL>    "Chooser:click Create GX"
        <SKIP IF>    NOT OpenAppIs('chzr')
    <PANEL>    "Chooser: close"
    <END IF>

```

```

    <ELSE>
    <PANEL>          "Quickdraw GX not installed Placeholder"
<END IF>
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I change printing options?" , "How do I change printing options?"
  <IF>      Not GXInstalled()
  <PANEL>   "Page Setup:GX1"
  <PANEL>   "Page Setup:GX2"
  <ELSE>
  <PANEL>   "printing options choice:GX"
  <IF>     RBS("change printing options for a desktop printer", "printing options choice:GX")
    <SKIP IF>  IsMenuExists("Printing", " ")
  <PANEL>   "Select DT Printer:GX"

    <SKIP IF>  IsMenuExists("Printing", " ")
  <MAKE SURE> IsMenuExists("Printing", " "), "Oops:Desktop printer not selected"
  <PANEL>   "Trays or Extensions Choice:GX"
  <IF>     RBS("choose printing extensions to use with the printer", "Trays or Extensions Choice:GX")
  <PANEL>   "Choose Extension Setup:GX"
  <PANEL>   "Extensions:GX"
  <END IF>

  <IF>     RBS("specify the type of paper loaded in the printer", "Trays or Extensions Choice:GX")
  <PANEL>   "Choose Input Trays:GX"
    <PANEL>   "PaperTrays:GX"
  <END IF>

  <IF>     RBS("specify the location for PDDs", "Trays or Extensions Choice:GX")
  <PANEL>   "Choose PDD Setup:GX"
  <PANEL>   "PDD Setup:GX"
  <END IF>
  <END IF>

  <IF>     RBS("change printing options for a document", "printing options choice:GX")
  <PANEL>   "Page Setup:GX1"
  <PANEL>   "Page Setup:GX2"
  <END IF>
<END IF>
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I create a portable digital document?" , "How do I create a portable digital document?"
  <IF>      GXInstalled()
  <PANEL>   "Create PDD intro:GX"
  <IF>     NOT IsItPDDMaker("PDD Maker GX")
  <SKIP IF>  ActiveAppIs('chzr')
  <PANEL>   "Apple: choose Chooser"

```

```

<MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
<PANEL> "Chooser:choose PDD maker:GX"
<MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
<MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
<PANEL> "Chooser: PDD maker NoZones:GX"
<MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
<MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
<PANEL> "Chooser: click Create PDD GX"
<SKIP IF> NOT OpenAppIs('chzr')
<PANEL> "Chooser: close"
<END IF>

<PANEL> "locate PDD Maker"
<PANEL> "locate doc"
<PANEL> "drag Doc To PDD maker"
<ELSE>
<PANEL> "Quickdraw GX not installed Placeholder"
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I preview how my document will print?" , "How do I preview how my document will print?"
<IF> GXInstalled()
<PANEL> "Print Preview intro:GX"
<PANEL> "print something:GX"
<PANEL> "Open Printer window"
<MAKE SURE> IsMenuExists("Printing", " "), "Oops:Printing window not active"
<PANEL> "Preview:open Document"
<ELSE>
<PANEL> "Quickdraw GX not installed Placeholder"
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "Connection info: Gx" , "Connection info: Gx"
<PANEL> "Chooser: connection info GX"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I install or remove printer software?" , "How do I install or remove printer software?"
<PANEL> "printer drivers: intro"

<IF> RBS("install printer software", "printer drivers: intro")
<PANEL> "printer drivers: segue"
<JUMP SEQUENCE> "Subsequence: Install Print Drivers"
<END IF>

<IF> RBS("remove printer software", "printer drivers: intro")
<PANEL> "printer drivers: segue"
<SKIP IF> BootDiskWinActive() OR ActiveWindow('MACS',"System Folder") OR ActiveWindow('MAC
<PANEL> "Startup disk: opening"

<SKIP IF> ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Extensions")

```

```

    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: opening"

    <SKIP IF>    ActiveWindow('MACS', "Extensions")
    <MAKE SURE> ActiveWindow('MACS', "System Folder") , "Auto open: System folder seq"
    <PANEL>      "Extensions: opening"

    <MAKE SURE> ActiveWindow('MACS', "Extensions"), "Auto open: Extensions folder seq"
    <PANEL>      "Extensions: remove drivers"
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I install or remove fonts?" , "How do I install or remove fonts?"
    <PANEL>      "fonts: intro"

    <IF>        RBS("install a font", "fonts: intro")
    <PANEL>      "fonts: quit apps"
    <INSERT SEQUENCE> "Subsequence: Install Fonts"
    <END IF>

    <IF>        RBS("remove a font", "fonts: intro")
    <PANEL>      "fonts: quit apps"
    <SKIP IF>    BootDiskWinActive() OR ActiveWindow('MACS', "System Folder") OR ActiveWindow('MACS', "Startup disk: opening")
    <PANEL>      "Startup disk: opening"

    <SKIP IF>    ActiveWindow('MACS', "System Folder") OR ActiveWindow('MACS', "Fonts")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: opening"

    <SKIP IF>    ActiveWindow('MACS', "Fonts")
    <MAKE SURE> ActiveWindow('MACS', "System Folder") , "Auto open: System folder seq"
    <PANEL>      "Fonts folder: opening"

    <MAKE SURE> ActiveWindow('MACS', "Fonts"), "Auto open: Fonts folder seq"
    <PANEL>      "Fonts folder: remove font"
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I find out which fonts are installed?" , "How do I find out which fonts are installed?"
    <PANEL>      "fonts: available intro"

    <IF>        NOT InAppleMenuFolder("Key Caps")
    <PANEL>      "Key Caps: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install Key Caps"
    <END IF>

    <IF>        InAppleMenuFolder("Key Caps")
    <SKIP IF>    ActiveAppIs('keyc')
    <PANEL>      "Apple: choose Key Caps"

    <MAKE SURE> ActiveAppIs('keyc'), "Auto open: Key Caps seq"
    <PANEL>      "Key Caps: open menu"
<END IF>
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I find out which characters are in a font?" , "How do I find out which characters are in a font?"
    <PANEL> "Key Caps: intro"

    <IF> NOT InAppleMenuFolder("Key Caps")
        <PANEL> "Key Caps: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Key Caps"
    <END IF>

    <IF> InAppleMenuFolder("Key Caps")
        <SKIP IF> ActiveAppIs('keyc')
        <PANEL> "Apple: choose Key Caps"

        <MAKE SURE> ActiveAppIs('keyc'), "Auto open: Key Caps seq"
        <PANEL> "Key Caps: choose font"
    <END IF>
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I change the font used in icon names?" , "How do I change the font used in icon names?"
    <PANEL> "font: file names intro"

    <IF> NOT InControlPanelFolder("Views")
        <PANEL> "Views: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Views control panel"
    <END IF>

    <IF> InControlPanelFolder("Views")
        <SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Views")
        <PANEL> "Apple menu: choose Control Panels"

        <SKIP IF> ActiveWindow('MACS', "Views")
        <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
        <PANEL> "Views: open"

        <MAKE SURE> ActiveWindow('MACS', "Views"), "Auto open: Views seq"
        <PANEL> "Views: choose font"
        <MAKE SURE> ActiveWindow('MACS', "Views"), "Oops:Views CP not active"
        <MAKE SURE> OpenWindow('MACS', "Views"), "Oops:Views CP not open"
        <PANEL> "Views: choose size"
    <END IF>
<END SEQUENCE>

```

#Networks Seg.nml

```

<DEFINE SEQUENCE> "How do I connect to a network?" , "How do I connect to a network?"
    <PANEL> "network connect: intro"
    <SKIP IF> AppleShareInstalled()
    <PANEL> "network connect: software"
    <MAKE SURE> AppleShareInstalled(), "Oops:No network software"
    <PANEL> "network connect: cables"

    <IF> NOT InControlPanelFolder("Sharing Setup")
        <PANEL> "Sharing Setup: segue to install"
    <END IF>

```

```

        <JUMP SEQUENCE> "Subsequence: Install Sharing Setup"
    <END IF>

    <IF> InControlPanelFolder("Sharing Setup")
        <INSERT SEQUENCE> "Subsequence: Setup network connection"
        <PANEL> "network connect: outro"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I gain access to shared files?" , "How do I gain access to shared files?"
    <PANEL> "gain access: intro"
    <PANEL> "gain access: intro.2"

    <IF> AppleTalkOff() OR NOT NetworkName()
        <PANEL> "network connect: intro"
        <SKIP IF> AppleShareInstalled()
        <PANEL> "network connect: software"
        <MAKE SURE> AppleShareInstalled(), "Oops:No network software"
        <PANEL> "network connect: cables"
    <END IF>

        <INSERT SEQUENCE> "Subsequence: Setup network connection"
        <SKIP IF> ActiveAppIs('chzr')
        <PANEL> "Apple: choose Chooser"

        <MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
        <PANEL> "Chooser: click AppleShare"
        <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
        <PANEL> "Chooser: click zone"
        <MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
        <PANEL> "Chooser: click computer name"
        <PANEL> "Connect box: guest or user"
        <PANEL> "Connect box: click shared disk"
        <SKIP IF> NOT OpenAppIs('chzr')
        <PANEL> "Chooser: close"
        <PANEL> "gain access: outro"
        <PANEL> "gain access: tip"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I give others access to my files?" , "How do I give others access to my files?"
    <PANEL> "allow access: intro"
    <PANEL> "allow access: intro 2"

    <IF> RBS("on my computer", "allow access: intro 2")

    <IF> NOT InControlPanelFolder("Sharing Setup") OR NOT InControlPanelFolder("Users & Groups")
        <PANEL> "Sharing software: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Sharing Software"
    <ELSE>

        <INSERT SEQUENCE> "Subsequence: Start up FileSharing, Set privileges to all"

```

```

<END IF>
<END IF>

<IF>    RBS("on a shared disk", "allow access: intro 2")
        <PANEL>    "Shared disk: segue"
        <PANEL>    "Shared disk: connect"
        <PANEL>    "Sharing: click item"
        <PANEL>    "File: Sharing"
        <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
        <PANEL>    "Sharing: click box"
        <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
        <PANEL>    "Sharing: clickbox info"
        <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
        <PANEL>    "Sharing: type users"
        <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
        <PANEL>    "Sharing: checkbox info"
        <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
        <PANEL>    "Sharing: Everyone's privileges 2"

<IF>    ActiveWindowIsSharing()
        <PANEL>    "Sharing: close window"

<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I register or remove users and groups?" , "How do I register or remove users and groups?"
        <PANEL>    "register: intro"

<IF>    NOT InControlPanelFolder("Users & Groups")
        <PANEL>    "Users & Groups: segue to install"
        <JUMP SEQUENCE>    "Subsequence: Install Users & Groups"

<END IF>

<IF>    InControlPanelFolder("Users & Groups")

<IF>    RBS("register a user or group", "register: intro")
        <PANEL>    "register: segue"

        <SKIP IF>    ActiveWindow('MACS','Control Panels') OR ActiveWindow('MACS','Users & Groups')
        <PANEL>    "Apple menu: choose Control Panels"

        <SKIP IF>    ActiveWindow('MACS','Users & Groups')
        <MAKE SURE> ActiveWindow('MACS','Control Panels'),"Auto open: Control Panels folder seq"
        <PANEL>    "Users & Groups: open"

        <MAKE SURE> ActiveWindow('MACS','Users & Groups'), "Auto open: Users & Groups seq"
        <PANEL>    "new user: type name"
        <PANEL>    "user: type password"
        <MAKE SURE> ActiveWindow('MACS','Users & Groups'), "Oops:Users & Groups CP not active"
        <MAKE SURE> OpenWindow('MACS','Users & Groups'), "Oops:Users & Groups CP not open"
        <PANEL>    "File: New Group"
        <MAKE SURE> ActiveWindow('MACS','Users & Groups'), "Oops:Users & Groups CP not active"
        <MAKE SURE> OpenWindow('MACS','Users & Groups'), "Oops:Users & Groups CP not open"
        <PANEL>    "new group: type name"

```

```

    <MAKE SURE> ActiveWindow('MACS',"Users & Groups"), "Oops:Users & Groups CP not active"
    <MAKE SURE> OpenWindow('MACS',"Users & Groups"), "Oops:Users & Groups CP not open"
    <PANEL> "group: drag members"
<END IF>

<IF> RBS("deny access to a user", "register: intro")
    <PANEL> "deny: segue"
    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Users & Groups")
    <PANEL> "Apple menu: choose Control Panels"

    <SKIP IF> ActiveWindow('MACS',"Users & Groups")
    <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL> "Users & Groups: open"

    <MAKE SURE> ActiveWindow('MACS',"Users & Groups"), "Auto open: Users & Groups seq"
    <PANEL> "user: click deny"
<IF> ActiveWindowIsSharing()
    <PANEL> "Sharing: close window"
<END IF>
<END IF>

<IF> RBS("remove a user or group", "register: intro")
    <PANEL> "remove: segue"
    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Users & Groups")
    <PANEL> "Apple menu: choose Control Panels"

    <SKIP IF> ActiveWindow('MACS',"Users & Groups")
    <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL> "Users & Groups: open"

    <MAKE SURE> ActiveWindow('MACS',"Users & Groups"), "Auto open: Users & Groups seq"
    <PANEL> "user or group: Trash"
<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I set access privileges?" , "How do I set access privileges?"
    <PANEL> "access privileges: intro"
    <INSERT SEQUENCE> "Subsequence: Start up FileSharing"
    <PANEL> "shared item: click item"
    <SKIP IF> ActiveWindowIsSharing()
    <PANEL> "File: Sharing"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL> "access privileges: segue"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL> "access privileges: everyone info"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL> "access privileges: basic"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL> "access privileges: drop box"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL> "access privileges: bulletin board"

<IF> ActiveWindowIsSharing()

```

```

        <PANEL>          "Sharing: close window"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I check my access privileges?" , "How do I check my access privileges?"
    <PANEL>          "get access: intro"
    <PANEL>          "get access: connect"
    <PANEL>          "Shared folder: check privileges"
    <SKIP IF>        ActiveWindowIsSharing()
    <PANEL>          "File: Sharing"
    <MAKE SURE>      ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL>          "Sharing: check access"
    <PANEL>          "Check access: window icons"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change my password?" , "How do I change my password?"
    <PANEL>          "password: intro"

    <IF>            RBS("registered user", "password: intro")
        <PANEL>          "password: user segue"
        <SKIP IF>        ActiveAppIs('chzr')
        <PANEL>          "Apple: choose Chooser"

        <MAKE SURE>      ActiveAppIs('chzr'), "Auto open: Chooser seq"
        <PANEL>          "Chooser: click AppleShare"
        <MAKE SURE>      ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE>      OpenAppIs('chzr'), "Oops:Chooser not open"
        <PANEL>          "Chooser: click zone"
        <MAKE SURE>      ActiveAppIs('chzr'), "Oops:Chooser not active"
        <MAKE SURE>      OpenAppIs('chzr'), "Oops:Chooser not open"
        <PANEL>          "Chooser: click computer name"
        <PANEL>          "Connect: click password"
        <PANEL>          "Password: type current then new"
        <PANEL>          "password: unsuccessful"
    <END IF>

    <IF>            RBS("computer owner", "password: intro")
        <PANEL>          "password: owner segue"

    <IF>            NOT InControlPanelFolder("Sharing Setup")
        <PANEL>          "Sharing Setup: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Sharing Setup"
    <END IF>

    <IF>            InControlPanelFolder("Sharing Setup")
        <SKIP IF>        ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Sharing Setup")
        <PANEL>          "Apple menu: choose Control Panels"

        <SKIP IF>        ActiveWindow('MACS',"Sharing Setup")
        <MAKE SURE>      ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL>          "Sharing: open setup"

        <MAKE SURE>      ActiveWindow('MACS',"Sharing Setup"), "Auto open: Sharing Setup seq"
        <PANEL>          "Sharing: type new password"

```

```

    <END IF>
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I quickly connect to a shared disk?" , "How do I quickly connect to a shared disk?"
    <PANEL> "shared disk: auto choice"

    <IF> RBS("connect automatically at startup", "shared disk: auto choice")
        <PANEL> "shared disk: auto connect"
    <END IF>

    <IF> RBS("connect quickly using an alias", "shared disk: auto choice")
        <PANEL> "shared disk: alias connect"
        <PANEL> "File: Make Alias"
        <PANEL> "shared disk: alias open"
    <END IF>

    <IF> RBS("reconnect automatically after disconnect or sleep", "shared disk: auto choice")
        <PANEL> "shared disk: auto remount"

    <IF> NOT InControlPanelFolder("AutoRemounter")
        <PANEL> "AutoRemounter: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install AutoRemounter"
    <END IF>

    <IF> InControlPanelFolder("AutoRemounter")
        <SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "AutoRemounter")
        <PANEL> "Apple menu: choose Control Panels"
        <SKIP IF> ActiveWindow('MACS', "AutoRemounter")
        <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
        <PANEL> "AutoRemounter: open"

        <MAKE SURE> ActiveWindow('MACS', "AutoRemounter") , "Auto open: AutoRemounter seq"
        <PANEL> "AutoRemounter: options"
    <END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I disconnect from a shared disk?" , "How do I disconnect from a shared disk?"
    <PANEL> "disconnect: shared disk"
    <PANEL> "Shared disk: click item"
    <PANEL> "File: Put Away"
    <PANEL> "disconnect: shared disk options"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I make a shared folder or disk private?" , "How do I make a shared folder or disk private?"
    <PANEL> "Sharing: privacy intro"

    <IF> RBS("restrict access to a shared item", "Sharing: privacy intro") OR RBS("stop sharing an item", "Sharing: privacy intro")
        <INSERT SEQUENCE> "Subsequence: Start up FileSharing"
    <END IF>

    <IF> RBS("restrict access to a shared item", "Sharing: privacy intro")
        <PANEL> "restrict access: segue"
    <END IF>

```

```

        <PANEL>         "Shared folder: click item"
        <SKIP IF>       ActiveWindowIsSharing()
        <PANEL>         "File: Sharing"
        <MAKE SURE>    ActiveWindowIsSharing(), "Oops:Not shared item"
        <PANEL>         "Sharing: restrict access"

    <IF>       ActiveWindowIsSharing()
        <PANEL>         "Sharing: close window"
    <END IF>
<END IF>

<IF>       RBS("stop sharing an item", "Sharing: privacy intro")
        <PANEL>         "take back: segue"
        <PANEL>         "Shared folder: click item"
        <SKIP IF>       ActiveWindowIsSharing()
        <PANEL>         "File: Sharing"
        <MAKE SURE>    ActiveWindowIsSharing(), "Oops:Not shared item"
        <PANEL>         "Sharing: unshare"

<IF>       ActiveWindowIsSharing()
        <PANEL>         "Unsharing: close window"
<END IF>
<END IF>

<IF>       RBS("turn off file sharing", "Sharing: privacy intro")
        <PANEL>         "sharing turn off: segue"

<IF>       NOT InControlPanelFolder("Sharing Setup")
        <PANEL>         "Sharing Setup: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Sharing Setup"
<END IF>

<IF>       InControlPanelFolder("Sharing Setup")
        <SKIP IF>       ActiveWindow("MACS","Control Panels") OR ActiveWindow("MACS","Sharing Setup")
        <PANEL>         "Apple menu: choose Control Panels"

        <SKIP IF>       ActiveWindow("MACS","Sharing Setup")
        <MAKE SURE>    ActiveWindow("MACS","Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL>         "Sharing: open setup"

        <MAKE SURE>    ActiveWindow("MACS","Sharing Setup"), "Auto open: Sharing Setup seq"
        <PANEL>         "Sharing Setup: turn off"
        <PANEL>         "Any: close window"

    <END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I give away a shared folder?" , "How do I give away a shared folder?"
        <PANEL>         "Shared folder: giveaway intro"
        <INSERT SEQUENCE> "Subsequence: Start up FileSharing"
        <PANEL>         "Shared folder: click item"
        <SKIP IF>       ActiveWindowIsSharing()
        <PANEL>         "File: Sharing"
        <MAKE SURE>    ActiveWindowIsSharing(), "Oops:Not shared item"

```

```

        <PANEL>          "Sharing: choose new owner"

<IF>    ActiveWindowIsSharing()
        <PANEL>          "Sharing: close window"
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I know who's sharing my disks or files?" , "How do I know who's sharing my disks or files?"
        <PANEL>          "sharing monitor: intro"

<IF>    NOT InControlPanelFolder("File Sharing Monitor")
        <PANEL>          "File Sharing Monitor: segue to install"
        <JUMP SEQUENCE>  "Subsequence: Install File Sharing Monitor"
<ELSE>
        <INSERT SEQUENCE> "Subsequence: Start up FileSharing"
        <SKIP IF>        ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "File Sharing Monitor")
        <PANEL>          "Apple menu: choose Control Panels"

        <SKIP IF>        ActiveWindow('MACS', "File Sharing Monitor")
        <MAKE SURE>       ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
        <PANEL>          "File Sharing Monitor: open"

        <MAKE SURE>       ActiveWindow('MACS', "File Sharing Monitor"), "Auto open: File Sharing Monitor seq"
        <PANEL>          "File Sharing Monitor: look"
        <MAKE SURE>       ActiveWindow('MACS', "File Sharing Monitor"), "Oops:File Sharing Monitor CP not active"
        <MAKE SURE>       OpenWindow('MACS', "File Sharing Monitor"), "Oops:File Sharing Monitor CP not open"
        <PANEL>          "File Sharing Monitor: disconnect"
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I connect to my computer from another?" , "How do I connect to my computer from another?"
        <PANEL>          "self access: intro"

<IF>    NOT InControlPanelFolder("Sharing Setup") OR NOT InControlPanelFolder("Users & Groups")

<IF>    NOT InControlPanelFolder("Sharing Setup")
        <PANEL>          "Sharing Setup: segue to install"
        <JUMP SEQUENCE>  "Subsequence: Install Sharing Setup"
<END IF>

<IF>    NOT InControlPanelFolder("Users & Groups")
        <PANEL>          "Users & Groups: segue to install"
        <JUMP SEQUENCE>  "Subsequence: Install Users & Groups"
<END IF>
<END IF>

<IF>    InControlPanelFolder("Sharing Setup") AND InControlPanelFolder("Users & Groups")

<IF>    NOT NetworkName()
        <INSERT SEQUENCE> "Subsequence: Setup network connection"
<END IF>
<INSERT SEQUENCE> "Subsequence: Start up FileSharing"
<SKIP IF>        ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Users & Groups")
<PANEL>          "Apple menu: choose Control Panels"

```

```

<SKIP IF> ActiveWindow('MACS',"Users & Groups")
<MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
<PANEL> "Users & Groups: open"

<MAKE SURE> ActiveWindow('MACS',"Users & Groups"), "Auto open: Users & Groups seq"
<PANEL> "owner icon: open"
<PANEL> "owner: click boxes"
<PANEL> "self access: leave it on"
<PANEL> "self access: remote connect"

<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I switch between types of networks?" , "How do I switch between types of networks?"
  <PANEL> "Network: intro"
  <IF> NOT InControlPanelFolder("Network")
    <PANEL> "Network: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install Network control panel"
  <END IF>

  <IF> InControlPanelFolder("Network")
    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Network")
    <PANEL> "Apple menu: choose control panels"

    <SKIP IF> ActiveWindow('MACS',"Network")
    <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL> "Network: open"

    <MAKE SURE> ActiveWindow('MACS',"Network"), "Auto open: Network seq"
    <PANEL> "Network: choose"
  <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I allow program linking?" , "How do I allow program linking?"
  <PANEL> "program link: intro"

  <IF> NOT InControlPanelFolder("Sharing Setup")
    <PANEL> "Sharing Setup: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install Sharing Setup"
  <END IF>

  <IF> InControlPanelFolder("Sharing Setup")
    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Sharing Setup")
    <PANEL> "Apple menu: choose Control Panels"

    <SKIP IF> ActiveWindow('MACS',"Sharing Setup")
    <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL> "Sharing: open setup"

  <IF> NOT NetworkName()
    <PANEL> "Sharing Setup: type name"
    <MAKE SURE> ActiveWindow('MACS',"Sharing Setup"), "Oops:Sharing Setup CP not active"
    <MAKE SURE> OpenWindow('MACS',"Sharing Setup"), "Oops:Sharing Setup CP not open"
    <PANEL> "Sharing Setup: password intro"
  </IF>

```

```

<MAKE SURE> ActiveWindow('MACS', "Sharing Setup"), "Oops:Sharing Setup CP not active"
<MAKE SURE> OpenWindow('MACS', "Sharing Setup"), "Oops:Sharing Setup CP not open"
<PANEL> "Sharing Setup: type password"
<MAKE SURE> ActiveWindow('MACS', "Sharing Setup"), "Oops:Sharing Setup CP not active"
<MAKE SURE> OpenWindow('MACS', "Sharing Setup"), "Oops:Sharing Setup CP not open"
<PANEL> "Sharing Setup: type computer name"
<END IF>

<MAKE SURE> ActiveWindow('MACS', "Sharing Setup"), "Auto open: Sharing Setup seq"
<PANEL> "program link: click start"
<PANEL> "program link: click item"
<PANEL> "File: Sharing"
<PANEL> "program link: click box"
<PANEL> "program link: segue 2"

<IF> NOT InControlPanelFolder("Users & Groups")
<PANEL> "Users & Groups: segue to install"
<JUMP SEQUENCE> "Subsequence: Install Users & Groups"
<END IF>

<IF> CBS("guests", "program link: segue 2")
<IF> InControlPanelFolder("Users & Groups")
<PANEL> "guest link: segue"

<SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Users & Groups")
<PANEL> "Apple menu: choose Control Panels"

<SKIP IF> ActiveWindow('MACS', "Users & Groups")
<MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
<PANEL> "Users & Groups: open"

<SKIP IF> ActiveWindow('MACS', "<Guest>")
<MAKE SURE> ActiveWindow('MACS', "Users & Groups"), "Auto open: Users & Groups seq"
<PANEL> "Guest icon: open"
<MAKE SURE> ActiveWindow('MACS', "<Guest>"), "Oops:Guest window not active"
<MAKE SURE> OpenWindow('MACS', "<Guest>"), "Oops:Guest window not open"
<PANEL> "Guest: allow linking"

<PANEL> "checkbox: generic transition"

<END IF>
<END IF>

<IF> CBS("registered users", "program link: segue 2")
<IF> InControlPanelFolder("Users & Groups")
<PANEL> "users link: segue"
<SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Users & Groups")
<PANEL> "Apple menu: choose Control Panels"

<SKIP IF> ActiveWindow('MACS', "Users & Groups")
<MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
<PANEL> "Users & Groups: open"

<MAKE SURE> ActiveWindow('MACS', "Users & Groups"), "Auto open: Users & Groups seq"

```

```

        <PANEL>         "user: open icon"
        <PANEL>         "user: allow linking"
        <PANEL>         "Sharing: close window"
    <END IF>
<END IF>
<END IF>
<END SEQUENCE>

```

#Setting Options Seg.nml

```

<DEFINE SEQUENCE> "How do I set the time and date?" , "How do I set the time and date?"
    <PANEL>         "Date & Time: intro"

    <IF>     NOT InControlPanelFolder("Date & Time")
        <PANEL>         "Date & Time: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Date & Time control panel"
    <END IF>

    <IF>     InControlPanelFolder("Date & Time")
        <SKIP IF>     ActiveWindow('MACS',"Date & Time") OR ActiveWindow('MACS',"Control Panels")
        <PANEL>         "Apple menu: choose control panels"

        <SKIP IF>     ActiveWindow('MACS',"Date & Time")
        <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL>         "Date & Time: open"

        <MAKE SURE> ActiveWindow('MACS',"Date & Time"), "Auto open: Date & Time seq"
        <PANEL>         "Date & Time: click date"
        <MAKE SURE> ActiveWindow('MACS',"Date & Time"), "Oops:Date & Time CP not active"
        <MAKE SURE> OpenWindow('MACS',"Date & Time"), "Oops:Date & Time CP not open"
        <PANEL>         "Date & Time: click zone"
        <PANEL>         "Date & Time: click time"
        <MAKE SURE> ActiveWindow('MACS',"Date & Time"), "Oops:Date & Time CP not active"
        <MAKE SURE> OpenWindow('MACS',"Date & Time"), "Oops:Date & Time CP not open"
        <PANEL>         "Date & Time: saving"
    <END IF>
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I change time and date formats?" , "How do I change time and date formats?"
    <PANEL>         "Date & Time: formats intro"

    <IF>     NOT InControlPanelFolder("Date & Time")
        <PANEL>         "Date & Time: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Date & Time control panel"
    <END IF>

    <IF>     InControlPanelFolder("Date & Time")

    <IF>     CBS("change time format", "Date & Time: formats intro")
        <SKIP IF>     NOT CBS("change date format", "Date & Time: formats intro")
        <PANEL>         "time format: segue"
        <SKIP IF>     ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Date & Time")
    <END IF>
    <END IF>
<END SEQUENCE>

```

```

    <PANEL>         "Apple menu: choose Control Panels"

    <SKIP IF>       ActiveWindow('MACS',"Date & Time")
    <MAKE SURE>    ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL>         "Date & Time: open"
    <MAKE SURE>    ActiveWindow('MACS',"Date & Time") OR ActiveDialog(-4047), "Auto open: Date & Time seq"
    <PANEL>         "Date & Time: click time formats"

<END IF>

<IF>             CBS("change date format", "Date & Time: formats intro")
    <SKIP IF>     NOT CBS("change time format", "Date & Time: formats intro")
    <MAKE SURE>   NOT ActiveDialog(-4047), "Oops:Modal dialog open"
    <PANEL>       "date format: segue"

    <SKIP IF>     ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Date & Time")
    <MAKE SURE>   NOT ActiveDialog(-4047), "Oops:Modal dialog open"
    <PANEL>       "Apple menu: choose Control Panels"

    <SKIP IF>     ActiveWindow('MACS',"Date & Time")
    <MAKE SURE>   ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL>       "Date & Time: open"

    <MAKE SURE>   ActiveWindow('MACS',"Date & Time"), "Auto open: Date & Time seq"
    <PANEL>       "Date & Time: click date formats"

<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change number and currency formats?" , "How do I change number and currency formats?"
    <PANEL>         "Numbers: intro"

    <IF>           NOT InControlPanelFolder("Numbers")
    <PANEL>         "Numbers: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install Numbers control panel"
    <END IF>

    <IF>           InControlPanelFolder("Numbers")
    <SKIP IF>       ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Numbers")
    <PANEL>         "Apple menu: choose Control Panels"

    <SKIP IF>       ActiveWindow('MACS',"Numbers")
    <MAKE SURE>     ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL>         "Numbers: open"

    <MAKE SURE>     ActiveWindow('MACS',"Numbers"), "Auto open: Numbers seq"
    <PANEL>         "Numbers: format"
    <MAKE SURE>     ActiveWindow('MACS',"Numbers"), "Oops:Numbers CP not active"
    <MAKE SURE>     OpenWindow('MACS',"Numbers"), "Oops:Numbers CP not open"
    <PANEL>         "Numbers: custom format"

    <END IF>
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I change how window items appear?" , "How do I change how window items appear?"
    <PANEL> "Views: intro"

    <IF> RBS("use the View menu", "Views: intro")
        <PANEL> "Finder window: make active"
        <PANEL> "View: choose view"
    <END IF>

    <IF> RBS("use the Views control panel", "Views: intro")

    <IF> NOT InControlPanelFolder("Views")
        <PANEL> "Views: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Views control panel"
    <END IF>

    <IF> InControlPanelFolder("Views")
        <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Views")
        <PANEL> "Apple menu: choose Control Panels"

        <SKIP IF> ActiveWindow('MACS',"Views")
        <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL> "Views: open"

        <MAKE SURE> ActiveWindow('MACS',"Views"), "Auto open: Views seq"
        <PANEL> "Views: choose font"
        <MAKE SURE> ActiveWindow('MACS',"Views"), "Oops:Views CP not active"
        <MAKE SURE> OpenWindow('MACS',"Views"), "Oops:Views CP not open"
        <PANEL> "Views: choose size"
        <MAKE SURE> ActiveWindow('MACS',"Views"), "Oops:Views CP not active"
        <MAKE SURE> OpenWindow('MACS',"Views"), "Oops:Views CP not open"
        <PANEL> "Views: straight or staggered"
        <MAKE SURE> ActiveWindow('MACS',"Views"), "Oops:Views CP not active"
        <MAKE SURE> OpenWindow('MACS',"Views"), "Oops:Views CP not open"
        <PANEL> "Views: list info"
    <END IF>
<END IF>
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I change items in the Apple (☐) menu?" , "How do I change items in the Apple (☐) menu?"
    <PANEL> "Apple menu: intro"

    <IF> RBS("add an item", "Apple menu: intro")
        <SKIP IF> BootDiskWinActive() OR ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Apple Menu Items")
        <PANEL> "Startup disk: opening"

        <SKIP IF> ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Apple Menu Items")
        <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
        <PANEL> "System folder: opening"

        <MAKE SURE> ActiveWindow('MACS',"System Folder") , "Auto open: System folder seq"
        <PANEL> "Apple menu folder: dragging into"
    <END IF>
<END SEQUENCE>

```

<END IF>

<IF> RBS("remove an item", "Apple menu: intro")
<SKIP IF> BootDiskWinActive() OR ActiveWindow('MACS', "System Folder") OR ActiveWindow('MACS', "Startup disk: opening")
<PANEL> "Startup disk: opening"

<SKIP IF> ActiveWindow('MACS', "System Folder") OR ActiveWindow('MACS', "Apple Menu Items")
<MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
<PANEL> "System folder: opening"

<SKIP IF> ActiveWindow('MACS', "Apple Menu Items")
<MAKE SURE> ActiveWindow('MACS', "System Folder") , "Auto open: System folder seq"
<PANEL> "Apple menu folder: opening"

<MAKE SURE> ActiveWindow('MACS', "Apple Menu Items"), "Auto open: Apple Menu Items folder seq"
<PANEL> "Apple menu folder: dragging out"

<END IF>

<IF> RBS("adjust submenus in the Apple menu", "Apple menu: intro")
<PANEL> "Apple menu: submenus intro"
<IF> NOT InControlPanelFolder("Apple Menu Options")
<PANEL> "Apple Menu Options: segue to install"
<JUMP SEQUENCE> "Subsequence: Install Apple Menu Options"

<END IF>

<IF> InControlPanelFolder("Apple Menu Options")
<SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Apple Menu Options")
<PANEL> "Apple menu: choose Control Panels"

<SKIP IF> ActiveWindow('MACS', "Apple Menu Options")
<MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
<PANEL> "Apple Menu Options: open"

<MAKE SURE> ActiveWindow('MACS', "Apple Menu Options"), "Auto open: Apple Menu Options seq"
<PANEL> "Apple Menu Options: choose options1"
<PANEL> "Apple Menu Options: choose options2"

<END IF>

<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I set my location?" , "How do I set my location?"
<PANEL> "Map: intro"

<IF> NOT InControlPanelFolder("Map")
<PANEL> "Map: segue to install"
<JUMP SEQUENCE> "Subsequence: Install Map control panel"

<END IF>

<IF> InControlPanelFolder("Map")
<SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Map")
<PANEL> "Apple menu: choose Control Panels"

<SKIP IF> ActiveWindow('MACS', "Map")

```

<MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
<PANEL> "Map: open"

<MAKE SURE> ActiveWindow('MACS',"Map"), "Auto open: Map seq"
<PANEL> "Map: type location"
<MAKE SURE> ActiveWindow('MACS',"Map"), "Oops:Map CP not active"
<MAKE SURE> OpenWindow('MACS',"Map"), "Oops:Map CP not open"
<PANEL> "Map: click set"
<MAKE SURE> ActiveWindow('MACS',"Map"), "Oops:Map CP not active"
<MAKE SURE> OpenWindow('MACS',"Map"), "Oops:Map CP not open"
<PANEL> "Map: option segue"

<IF> RBS("compare time and distance", "Map: option segue")
<MAKE SURE> ActiveWindow('MACS',"Map"), "Oops:Map CP not active"
<MAKE SURE> OpenWindow('MACS',"Map"), "Oops:Map CP not open"
<PANEL> "Map: find location"
<MAKE SURE> ActiveWindow('MACS',"Map"), "Oops:Map CP not active"
<MAKE SURE> OpenWindow('MACS',"Map"), "Oops:Map CP not open"
<PANEL> "Map: compare locations"
<END IF>

<IF> RBS("add a location", "Map: option segue")
<MAKE SURE> ActiveWindow('MACS',"Map"), "Oops:Map CP not active"
<MAKE SURE> OpenWindow('MACS',"Map"), "Oops:Map CP not open"
<PANEL> "Map: click location"
<MAKE SURE> ActiveWindow('MACS',"Map"), "Oops:Map CP not active"
<MAKE SURE> OpenWindow('MACS',"Map"), "Oops:Map CP not open"
<PANEL> "Map: type name"
<MAKE SURE> ActiveWindow('MACS',"Map"), "Oops:Map CP not active"
<MAKE SURE> OpenWindow('MACS',"Map"), "Oops:Map CP not open"
<PANEL> "Map: click add"
<END IF>

<IF> RBS("remove a location", "Map: option segue")
<MAKE SURE> ActiveWindow('MACS',"Map"), "Oops:Map CP not active"
<MAKE SURE> OpenWindow('MACS',"Map"), "Oops:Map CP not open"
<PANEL> "Map: find to remove"
<MAKE SURE> ActiveWindow('MACS',"Map"), "Oops:Map CP not active"
<MAKE SURE> OpenWindow('MACS',"Map"), "Oops:Map CP not open"
<PANEL> "Map: click remove"
<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change the labels in the Label menu?" , "How do I change the labels in the Label menu?"
<PANEL> "Label menu: changing intro"

<IF> NOT InControlPanelFolder("Labels")
<PANEL> "Labels: segue to install"
<JUMP SEQUENCE> "Subsequence: Install Labels control panel"
<END IF>

<IF> InControlPanelFolder("Labels")
<SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Labels")

```

```

        <PANEL>          "Apple menu: choose control panels"

        <SKIP IF>        ActiveWindow('MACS',"Labels")
        <MAKE SURE>     ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL>          "Labels control panel: opening"

        <MAKE SURE>     ActiveWindow('MACS',"Labels"), "Auto open: Labels seq"
        <PANEL>          "Label: selecting"
        <PANEL>          "Label: change labels outro"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I adjust the mouse or trackball?" , "How do I adjust the mouse or trackball?"
    <PANEL>          "Mouse operation: adjusting choice"

    <IF>             NOT InControlPanelFolder("Mouse")
        <PANEL>          "Mouse: segue to install"
        <JUMP SEQUENCE>  "Subsequence: Install Mouse control panel"
    <END IF>

    <IF>             InControlPanelFolder("Mouse")

        <IF>         CBS("Tracking", "Mouse operation: adjusting choice")
            <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Mouse")
            <PANEL>          "Apple menu: choose control panels"

            <SKIP IF> ActiveWindow('MACS',"Mouse")
            <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
            <PANEL>          "Mouse control panel: opening"

            <MAKE SURE> ActiveWindow('MACS',"Mouse"), "Auto open: Mouse seq"
            <PANEL>          "Mouse tracking: choose option"
        <END IF>

        <IF>         CBS("Double-click speed", "Mouse operation: adjusting choice")
            <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Mouse")
            <PANEL>          "Apple menu: choose control panels"

            <SKIP IF> ActiveWindow('MACS',"Mouse")
            <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
            <PANEL>          "Mouse control panel: opening"

            <MAKE SURE> ActiveWindow('MACS',"Mouse"), "Auto open: Mouse seq"
            <PANEL>          "Double-click speed: choose option"
        <END IF>
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I adjust the way the keyboard works?" , "How do I adjust the way the keyboard works?"
    <PANEL>          "Keyboard operation: choice"

    <IF>             CBS("adjust the repeat rate or delay before repeat", "Keyboard operation: choice")

    <IF>             NOT InControlPanelFolder("Keyboard")

```

```

        <PANEL>         "Keyboard: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Keyboard control panel"
    <END IF>

    <IF>     InControlPanelFolder("Keyboard")
        <SKIP IF>     ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Keyboard")
        <PANEL>         "Apple menu: choose control panels"

        <SKIP IF>     ActiveWindow('MACS',"Keyboard")
        <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL>         "Keyboard icon: opening"

        <MAKE SURE> ActiveWindow('MACS',"Keyboard"), "Auto open: Keyboard seq"
        <PANEL>         "Repeat rate: choosing"
        <MAKE SURE> ActiveWindow('MACS',"Keyboard"), "Oops:Keyboard CP not active"
        <MAKE SURE> OpenWindow('MACS',"Keyboard"), "Oops:Keyboard CP not open"
        <PANEL>         "Repeat delay: choosing"

        <PANEL>         "checkbox: generic transition"
    <END IF>
    <END IF>

    <IF>     CBS("make keyboard commands easier to type", "Keyboard operation: choice")
        <PANEL>         "Sticky Keys: intro"
    <IF>     NOT InControlPanelFolder("Easy Access")
        <PANEL>         "Easy Access: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Easy Access control panel"
    <END IF>

    <IF>     InControlPanelFolder("Easy Access")
        <SKIP IF>     ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Easy Access")
        <PANEL>         "Apple menu: choose Control Panels"

        <SKIP IF>     ActiveWindow('MACS',"Easy Access")
        <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL>         "Easy Access: open"

        <MAKE SURE> ActiveWindow('MACS',"Easy Access"), "Auto open: Easy Access seq"
        <PANEL>         "Sticky Keys: on or off"
        <MAKE SURE> ActiveWindow('MACS',"Easy Access"), "Oops:Easy Access CP not active"
        <MAKE SURE> OpenWindow('MACS',"Easy Access"), "Oops:Easy Access CP not open"
        <PANEL>         "Sticky Keys: status icon"
        <PANEL>         "checkbox: generic transition"
    <END IF>
    <END IF>

    <IF>     CBS("set the keyboard to ignore accidental keystrokes", "Keyboard operation: choice")
        <PANEL>         "Slow Keys: intro"
    <IF>     NOT InControlPanelFolder("Easy Access")
        <PANEL>         "Easy Access: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Easy Access control panel"

```

```

<END IF>

<IF> InControlPanelFolder("Easy Access")
  <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Easy Access")
  <PANEL> "Apple menu: choose Control Panels"

  <SKIP IF> ActiveWindow('MACS',"Easy Access")
  <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
  <PANEL> "Easy Access: open"

  <MAKE SURE> ActiveWindow('MACS',"Easy Access"), "Auto open: Easy Access seq"
  <PANEL> "Slow Keys: on or off"
  <PANEL> "checkbox: generic transition"
<END IF>
<END IF>

<IF> CBS("control the pointer with the keyboard", "Keyboard operation: choice")
  <PANEL> "Mouse Keys: intro"
<IF> NOT InControlPanelFolder("Easy Access")
  <PANEL> "Easy Access: segue to install"
  <JUMP SEQUENCE> "Subsequence: Install Easy Access control panel"
<END IF>

<IF> InControlPanelFolder("Easy Access")
  <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Easy Access")
  <PANEL> "Apple menu: choose Control Panels"

  <SKIP IF> ActiveWindow('MACS',"Easy Access")
  <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
  <PANEL> "Easy Access: open"

  <MAKE SURE> ActiveWindow('MACS',"Easy Access"), "Auto open: Easy Access seq"
  <PANEL> "Mouse Keys: on or off"
  <PANEL> "Mouse Keys: diagram"
<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change the keyboard layout?" , "How do I change the keyboard layout?"

<IF> NOT InControlPanelFolder("Keyboard")
  <PANEL> "Keyboard: segue to install"
  <JUMP SEQUENCE> "Subsequence: Install Keyboard control panel"
<ELSE>
  <PANEL> "Keyboard layout: change choice"

<IF> RBS("change layout in the Keyboard control panel", "Keyboard layout: change choice")
  <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Keyboard")
  <PANEL> "Apple menu: choose control panels"

  <SKIP IF> ActiveWindow('MACS',"Keyboard")
  <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
  <PANEL> "Keyboard icon: opening"

```

```

        <MAKE SURE> ActiveWindow('MACS',"Keyboard"), "Auto open: Keyboard seq"
        <PANEL>      "Keyboard layout: choosing"
    <END IF>

    <IF>      RBS("change layout in the Keyboard menu", "Keyboard layout: change choice")
        <PANEL>      "Keyboard menu: open and choose"
        <PANEL>      "Keyboard menu: tips"
    <END IF>
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I install or remove a keyboard layout?" , "How do I install or remove a keyboard layout?"
    <PANEL>      "keyboard layout: install/remove choice"

    <IF>      RBS("install a keyboard layout", "keyboard layout: install/remove choice")
        <PANEL>      "quit app: segue"
        <JUMP SEQUENCE>      "Subsequence: Install Keyboard Layout"
    <END IF>

    <IF>      RBS("remove a keyboard layout", "keyboard layout: install/remove choice")
        <PANEL>      "quit app: segue"
        <SKIP IF>      BootDiskWinActive() OR ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"System")
        <PANEL>      "startup disk: opening"

        <SKIP IF>      ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"System")
        <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
        <PANEL>      "System Folder: opening"

        <SKIP IF>      ActiveWindow('MACS',"System")
        <MAKE SURE> ActiveWindow('MACS',"System Folder") , "Auto open: System folder seq"
        <PANEL>      "System file: opening"

        <MAKE SURE> ActiveWindow('MACS',"System"), "Auto open: System window seq"
        <PANEL>      "System file: remove item"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change the way text is displayed?" , "How do I change the way text is displayed?"
    <PANEL>      "Text format: intro"

    <IF>      NOT InControlPanelFolder("Text")
        <PANEL>      "Text: segue to install"
        <JUMP SEQUENCE>      "Subsequence: Install Text control panel"
    <END IF>

    <IF>      InControlPanelFolder("Text")
        <SKIP IF>      ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Text")
        <PANEL>      "Apple menu: choose control panels"

        <SKIP IF>      ActiveWindow('MACS',"Text")
        <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL>      "Text icon: opening"

        <MAKE SURE> ActiveWindow('MACS',"Text"), "Auto open: Text seq"

```

```

    <PANEL> "text format: choosing"
    <MAKE SURE> ActiveWindow('MACS', 'Text'), "Oops:Text CP not active"
    <MAKE SURE> OpenWindow('MACS', 'Text'), "Oops:Text CP not open"
    <PANEL> "text format: choosing 2"
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I adjust insertion point blinking?" , "How do I adjust insertion point blinking?"
    <PANEL> "insertion point blinking: intro"

    <IF> NOT InControlPanelFolder("General Controls")
    <PANEL> "General Controls: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install General Controls"
    <END IF>

    <IF> InControlPanelFolder("General Controls")
    <SKIP IF> ActiveWindow('MACS', 'Control Panels') OR ActiveWindow('MACS', 'General Controls')
    <PANEL> "Apple menu: choose control panels"

    <SKIP IF> ActiveWindow('MACS', 'General Controls')
    <MAKE SURE> ActiveWindow('MACS', 'Control Panels'), "Auto open: Control Panels folder seq"
    <PANEL> "General controls: opening"

    <MAKE SURE> ActiveWindow('MACS', 'General Controls'), "Auto open: General Controls seq"
    <PANEL> "blink rate: choosing"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I adjust menu item blinking?" , "How do I adjust menu item blinking?"
    <PANEL> "menu blinking: intro"

    <IF> NOT InControlPanelFolder("General Controls")
    <PANEL> "General Controls: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install General Controls"
    <END IF>

    <IF> InControlPanelFolder("General Controls")
    <SKIP IF> ActiveWindow('MACS', 'Control Panels') OR ActiveWindow('MACS', 'General Controls')
    <PANEL> "Apple menu: choose control panels"

    <SKIP IF> ActiveWindow('MACS', 'General Controls')
    <MAKE SURE> ActiveWindow('MACS', 'Control Panels'), "Auto open: Control Panels folder seq"
    <PANEL> "General controls: opening"

    <MAKE SURE> ActiveWindow('MACS', 'General Controls'), "Auto open: General Controls seq"
    <PANEL> "menu blinking: choosing"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I adjust window shrinking?" , "How do I adjust window shrinking?"
    <PANEL> "WindowShade: intro"

```

```

<IF> NOT InControlPanelFolder("WindowShade")
  <PANEL> "WindowShade: segue to install"
  <JUMP SEQUENCE> "Subsequence: Install WindowShade"
<END IF>
<IF> InControlPanelFolder("WindowShade")
  <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"WindowShade")
  <PANEL> "Apple menu: choose control panels"

  <SKIP IF> ActiveWindow('MACS',"WindowShade")
  <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
  <PANEL> "WindowShade: open"

  <MAKE SURE> ActiveWindow('MACS',"WindowShade"), "Auto open: WindowShade seq"
  <PANEL> "WindowShade: choose options"
  <MAKE SURE> ActiveWindow('MACS',"WindowShade"), "Oops:WindowShade CP not active"
  <MAKE SURE> OpenWindow('MACS',"WindowShade"), "Oops:WindowShade CP not open"
  <PANEL> "WindowShade: zoom tip"
<END IF>

<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I turn off the Empty Trash warning?" , "How do I turn off the Empty Trash warning?"
  <PANEL> "Trash warning: intro"
  <PANEL> "Trash warning: click Trash"
  <SKIP IF> ActiveWindow('MACS',"Trash Info")
  <PANEL> "File menu: Get Info"
  <MAKE SURE> OpenWindow('MACS',"Trash Info"), "Oops:Trash Info not open"
  <MAKE SURE> ActiveWindow('MACS',"Trash Info"), "Oops:Trash Info not active"
  <PANEL> "Trash warning: click X"
<END SEQUENCE>

```

The sequence "How do I use hard disk space as memory?" is
shared

```

<DEFINE SEQUENCE> "How do I turn 32-bit addressing on or off?" , "How do I turn 32-bit addressing on or off?"

  <PANEL> "32-bit: intro"
  <IF> NOT InControlPanelFolder("Memory")
    <PANEL> "Memory: segue to install"
  <JUMP SEQUENCE> "Subsequence: Install memory control panel"
  <END IF>

  <IF> InControlPanelFolder("Memory")
    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Memory")
    <PANEL> "Apple menu: choose Control Panels"

    <SKIP IF> ActiveWindow('MACS',"Memory")
    <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL> "Memory: open control panel"

    <MAKE SURE> ActiveWindow('MACS',"Memory"), "Auto open: Memory seq"
    <PANEL> "32-bit: click buttons"
  </IF>

```

<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I group items in the Launcher?" , "How do I group items in the Launcher?"

```
<PANEL> "Launcher: intro"
<IF> NOT InControlPanelFolder("Launcher")
  <PANEL> "Launcher: segue to install"
  <PANEL> "Startup disk: opening"

  <SKIP IF> ActiveWindow('MACS', "System Folder")
  <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
  <PANEL> "System Folder: locate"
  <PANEL> "Launcher: locate"
  <PANEL> "any resource: drag"
<ELSE>
  <SKIP IF> ActiveWindow('MACS', "Control Panels") OR OpenWindow('MACS', "Launcher")
  <PANEL> "Apple menu: choose Control Panels"

  <SKIP IF> OpenWindow('MACS', "Launcher")
  <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
  <PANEL> "Launcher: open"

  <MAKE SURE> OpenWindow('MACS', "Launcher"), "AG open Launcher seq"
<PANEL> "Launcher: grouping"
<INSERT SEQUENCE> "Subsequence: Open Launcher items (partial)"
<MAKE SURE> ActiveWindow('MACS', "Launcher Items"), "Auto open: Launcher Items folder seq"
<PANEL> "File: New Folder"

  <PANEL> "Folder: name for Launcher"
  <PANEL> "Folder: add Launcher items "
  <PANEL> "Launcher: folder tip"
<END IF>
```

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I manage System Folder extensions?" , "How do I manage System Folder extensions?"

```
<PANEL> "Extensions Manager: intro choice"

<IF> NOT InControlPanelFolder("Extensions Manager")
  <PANEL> "Extensions Manager: segue to install"
<JUMP SEQUENCE> "Subsequence: Install Extensions Manager"
<END IF>

<IF> InControlPanelFolder("Extensions Manager")
  <SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Extensions Manager")
  <PANEL> "Apple menu: choose Control Panels"

  <SKIP IF> ActiveWindow('MACS', "Extensions Manager")
  <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
  <PANEL> "Extensions Manager: open"
```

```

    <MAKE SURE> ActiveWindow('MACS','Extensions Manager'), "Auto open: Extensions Manager seq"
    <PANEL>      "Extensions Manager: choose options1"
    <MAKE SURE> ActiveWindow('MACS','Extensions Manager'), "Oops:Extensions Manager not active"
    <MAKE SURE> OpenWindow('MACS','Extensions Manager'), "Oops:Extensions Manager CP not open"
    <PANEL>      "Extensions Manager: choose options2"
    <MAKE SURE> ActiveWindow('MACS','Extensions Manager'), "Oops:Extensions Manager not active"
    <MAKE SURE> OpenWindow('MACS','Extensions Manager'), "Oops:Extensions Manager CP not open"
    <PANEL>      "Extensions Manager: choose options3"
<END IF>

<END SEQUENCE>

```

#Color Seg.nml

```

<DEFINE SEQUENCE> "How do I change the highlight color or gray?" , "How do I change the highlight color or gray?"

<IF> isMonoChrome()

    <PANEL>      "display: no colors"
    <ELSE>
    <PANEL>      "Hilight color: trans"

    <IF> NOT InControlPanelFolder("Color")
    <PANEL>      "Color: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install Color control panel"
    <END IF>

    <IF> InControlPanelFolder("Color")

    <SKIP IF> BitDepthAtLeast(4)
    <PANEL> "Hilight color: set colors to 16"

        <SKIP IF> ActiveWindow('MACS','Control Panels') OR ActiveWindow('MACS','Color')
        <MAKE SURE> BitDepthAtLeast(4), "Oops:not 16 colors"
    <PANEL>      "Apple menu: choose control panels"

        <SKIP IF> ActiveWindow('MACS','Color')
        <MAKE SURE> BitDepthAtLeast(4), "Oops:not 16 colors"
        <MAKE SURE> ActiveWindow('MACS','Control Panels'),"Auto open: Control Panels folder seq"
    <PANEL>      "Color icon: opening"
        <MAKE SURE> BitDepthAtLeast(4), "Oops:not 16 colors"
        <MAKE SURE> ActiveWindow('MACS','Color'), "Auto open: Color seq"
    <PANEL>      "Highlight color: choosing"
        <SKIP IF> NOT ActiveDialog(-5760)
    <PANEL>      "Highlight color: change brightness"
        <SKIP IF> NOT ActiveDialog(-5760)
    <PANEL>      "Highlight color: pointing"
        <SKIP IF> NOT ActiveDialog(-5760)
    <PANEL>      "Click OK"
    <PANEL>      "color choice: outro"

```

```
<END IF>
<END IF>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "How do I change the color of window borders?" , "How do I change the color of window borders?"
```

```
<IF> isMonoChrome()
<PANEL> "display: no colors"
<ELSE>
<PANEL> "coloring windows: intro"

<IF> NOT InControlPanelFolder("Color")
<PANEL> "Color: segue to install"
<JUMP SEQUENCE> "Subsequence: Install Color control panel"
<END IF>

<IF> InControlPanelFolder("Color")
<SKIP IF> BitDepthAtLeast(4)
<PANEL> "Window color: set colors to 16"

    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Color")
    <MAKE SURE> BitDepthAtLeast(4), "Oops:not 16 colors"
    <PANEL> "Apple menu: choose control panels"

    <SKIP IF> ActiveWindow('MACS',"Color")
    <MAKE SURE> BitDepthAtLeast(4), "Oops:not 16 colors"
    <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL> "Color icon: opening"

    <MAKE SURE> BitDepthAtLeast(4), "Oops:not 16 colors"
    <MAKE SURE> ActiveWindow('MACS',"Color"), "Auto open: Color seq"
    <PANEL> "window color: choosing"
<END IF>
<END IF>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "How do I change the color of an icon?" , "How do I change the color of an icon?"
```

```
<IF> isMonoChrome()
<PANEL> "display: no colors"

<ELSE>

<PANEL> "Icons: coloring intro"

<SKIP IF> BitDepthAtLeast(4)
<PANEL> "Icons: set colors to 16"

    <MAKE SURE> BitDepthAtLeast(4), "Oops:not 16 colors"
    <PANEL> "Icons: select for color"
    <PANEL> "Label menu: choose color"
    <PANEL> "label: outro"
```

```

    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change the colors in the Label menu?" , "How do I change the colors in the Label menu?"

    <IF> isMonoChrome()
    <PANEL> "display: no colors"

    <ELSE>

    <IF> NOT InControlPanelFolder("Labels")
    <PANEL> "Labels: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install Labels control panel"
    <END IF>

    <PANEL> "Label menu: colors intro"
    <IF> InControlPanelFolder("Labels")

    <SKIP IF> BitDepthAtLeast(4)
    <PANEL> "Label menu: set colors to 16"

        <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Labels")
        <MAKE SURE> BitDepthAtLeast(4), "Oops:not 16 colors"
    <PANEL> "Apple menu: choose control panels"

        <SKIP IF> ActiveWindow('MACS',"Labels")
        <MAKE SURE> BitDepthAtLeast(4), "Oops:not 16 colors"
        <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL> "Labels control panel: opening"

        <MAKE SURE> ActiveWindow('MACS',"Labels"), "Auto open: Labels seq"
        <MAKE SURE> BitDepthAtLeast(4), "Oops:not 16 colors"
    <PANEL> "Label color: selecting"
    <PANEL> "Label: change colors outro"
    <END IF>
    <END IF>
<END SEQUENCE>

```

#Sound Seg.nml

```

<DEFINE SEQUENCE> "How do I adjust the speaker volume?" , "How do I adjust the speaker volume?"
    <PANEL> "Speaker volume: intro"

    <IF> NOT InControlPanelFolder("Sound")
    <PANEL> "Sound: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install Sound control panel"
    <END IF>

    <IF> InControlPanelFolder("Sound")
    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Sound")
    <PANEL> "Apple menu: choose control panels"

```

```

<SKIP IF> ActiveWindow('MACS',"Sound")
<MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
<PANEL> "Sound icon: opening"

<IF> RBS("adjust the computer's speaker volume" , "Speaker volume: intro")
<MAKE SURE> ActiveWindow('MACS',"Sound"), "Auto open: Sound seq"
<PANEL> "Sound: choose Volumes"
<MAKE SURE> ActiveWindow('MACS',"Sound"), "Oops:Sound CP not active"
<MAKE SURE> OpenWindow('MACS',"Sound"), "Oops:Sound CP not open"
<PANEL> "Speaker volume: setting"
<END IF>

<IF> RBS("adjust the volume of an external sound device" , "Speaker volume: intro")
<MAKE SURE> ActiveWindow('MACS',"Sound"), "Auto open: Sound seq"
<PANEL> "Sound: choose Volumes"
<MAKE SURE> ActiveWindow('MACS',"Sound"), "Oops:Sound CP not active"
<MAKE SURE> OpenWindow('MACS',"Sound"), "Oops:Sound CP not open"
<PANEL> "External volume: setting"
<END IF>

<IF> RBS("adjust the volume of the alert sound (system beep)" , "Speaker volume: intro")
<MAKE SURE> ActiveWindow('MACS',"Sound"), "Auto open: Sound seq"
<PANEL> "Sound: choose Alert Sounds"
<MAKE SURE> ActiveWindow('MACS',"Sound"), "Oops:Sound CP not active"
<MAKE SURE> OpenWindow('MACS',"Sound"), "Oops:Sound CP not open"
<PANEL> "Alert volume: setting"
<END IF>

<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change the beep sound?" , "How do I change the beep sound?"
<PANEL> "Beep: intro"

<IF> NOT InControlPanelFolder("Sound")
<PANEL> "Sound: segue to install"
<JUMP SEQUENCE> "Subsequence: Install Sound control panel"
<END IF>

<IF> InControlPanelFolder("Sound")
<SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Sound")
<PANEL> "Apple menu: choose control panels"

<SKIP IF> ActiveWindow('MACS',"Sound")
<MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
<PANEL> "Sound icon: opening"

<MAKE SURE> ActiveWindow('MACS',"Sound"), "Auto open: Sound seq"
<PANEL> "Sound: choose Alert Sounds"
<MAKE SURE> ActiveWindow('MACS',"Sound"), "Oops:Sound CP not active"
<MAKE SURE> OpenWindow('MACS',"Sound"), "Oops:Sound CP not open"
<PANEL> "Beep: setting"
<END IF>

```

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I install or remove a sound?" , "How do I install or remove a sound?"

<PANEL> "Sounds: intro"

<IF> NOT InControlPanelFolder("Sound")

<PANEL> "Sound: segue to install"

<JUMP SEQUENCE> "Subsequence: Install Sound control panel"

<END IF>

<IF> InControlPanelFolder("Sound")

<IF> RBS("install a sound", "Sounds: intro")

<PANEL> "quit app: segue"

<JUMP SEQUENCE> "Subsequence: Install a sound"

<END IF>

<IF> RBS("remove a sound", "Sounds: intro")

<SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Sound")

<PANEL> "Apple menu: choose control panels"

<SKIP IF> ActiveWindow('MACS', "Sound")

<MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"

<PANEL> "Sound icon: opening"

<MAKE SURE> ActiveWindow('MACS', "Sound"), "Auto open: Sound seq"

<PANEL> "Sound: choose Alert Sounds"

<MAKE SURE> ActiveWindow('MACS', "Sound"), "Oops:Sound CP not active"

<MAKE SURE> OpenWindow('MACS', "Sound"), "Oops:Sound CP not open"

<PANEL> "Sound: click sound"

<MAKE SURE> ActiveWindow('MACS', "Sound"), "Oops:Sound CP not active"

<MAKE SURE> OpenWindow('MACS', "Sound"), "Oops:Sound CP not open"

<PANEL> "Sound: click Remove"

<PANEL> "Sounds: remove outro"

<END IF>

<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I record a sound?" , "How do I record a sound?"

<PANEL> "Sounds: recording intro"

<IF> NOT InControlPanelFolder("Sound")

<PANEL> "Sound: segue to install"

<JUMP SEQUENCE> "Subsequence: Install Sound control panel"

<END IF>

<IF> InControlPanelFolder("Sound")

<SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Sound")

<PANEL> "Apple menu: choose control panels"

<SKIP IF> ActiveWindow('MACS', "Sound")

<MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"

<PANEL> "Sound icon: opening"

```

    <MAKE SURE> ActiveWindow('MACS', "Sound"), "Auto open: Sound seq"
    <PANEL> "Sound: choose Sound In"
    <MAKE SURE> ActiveWindow('MACS', "Sound"), "Oops:Sound CP not active"
    <MAKE SURE> OpenWindow('MACS', "Sound"), "Oops:Sound CP not open"
    <PANEL> "Sound devices: choosing"
    <MAKE SURE> ActiveWindow('MACS', "Sound"), "Oops:Sound CP not active"
    <MAKE SURE> OpenWindow('MACS', "Sound"), "Oops:Sound CP not open"
    <PANEL> "Sound devices: click Options"
    <PANEL> "Sound input: click device"
    <MAKE SURE> ActiveWindow('MACS', "Sound"), "Oops:Sound CP not active"
    <MAKE SURE> OpenWindow('MACS', "Sound"), "Oops:Sound CP not open"
    <PANEL> "Sound: choose Alert Sounds2"
    <MAKE SURE> ActiveWindow('MACS', "Sound"), "Oops:Sound CP not active"
    <MAKE SURE> OpenWindow('MACS', "Sound"), "Oops:Sound CP not open"
    <PANEL> "Sound devices: adding"
    <PANEL> "Sounds: click record"
    <PANEL> "Sounds: saving"
    <PANEL> "Sounds: naming"
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I play a CD audio disc repeatedly?" , "How do I play a CD audio disc repeatedly?"
    <IF> NOT InAppleMenuFolder("AppleCD Audio Player")
        <PANEL> "AppleCD Audio: NA"
    <END IF>

    <IF> InAppleMenuFolder("AppleCD Audio Player")
        <PANEL> "AppleCD Audio: repeat choice"
        <SKIP IF> ActiveAppIs('aucd')
        <PANEL> "Apple menu: AppleCD Audio"

    <IF> RBS("set the disc to play repeatedly", "AppleCD Audio: repeat choice")
        <MAKE SURE> ActiveAppIs('aucd'), "Auto open: AppleCD Audio Player seq"
        <PANEL> "AppleCD Audio: repeat disc"
    <END IF>

    <IF> RBS("program tracks to repeat", "AppleCD Audio: repeat choice")
        <MAKE SURE> ActiveAppIs('aucd'), "Auto open: AppleCD Audio Player seq"
        <PANEL> "AppleCD Audio: program"
        <MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"
        <MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"
        <PANEL> "AppleCD Audio: repeat tracks1"
        <MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"
        <MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"
        <PANEL> "AppleCD Audio: repeat tracks2"
        <PANEL> "AppleCD Audio: use playlist"
    <END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I select tracks to play on an audio CD?" , "How do I select tracks to play on an audio CD?"

```

```

<IF> NOT InAppleMenuFolder("AppleCD Audio Player")
  <PANEL> "AppleCD Audio: NA"
<END IF>

<IF> InAppleMenuFolder("AppleCD Audio Player")
  <PANEL> "AppleCD play list: intro"
  <SKIP IF> ActiveAppIs('aucd')
  <PANEL> "Apple menu: AppleCD Audio"
  <MAKE SURE> ActiveAppIs('aucd'), "Auto open: AppleCD Audio Player seq"

  <PANEL> "AppleCD Audio: NA"
  <IF> not CDMMenuItemExists("File", "Eject CD")
  <PANEL> "AppleCD Audio: no drive"
  <ELSE>

  <PANEL> "AppleCD Audio: program"
  <MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"
  <MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"
  <PANEL> "AppleCD Audio: program tracks1"
  <MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"
  <MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"
  <PANEL> "AppleCD Audio: program tracks2"
  <MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"
  <MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"
  <PANEL> "AppleCD Audio: use playlist"
  <END IF>
<END IF>
<END SEQUENCE>

#Video and Monitors Seg.nml

<DEFINE SEQUENCE> "How do I use more than one monitor?" , "How do I use more than one monitor?"
  <PANEL> "Monitors: U Only Have 1"

  <PANEL> "Use two or more monitors: intro"

  <IF> NOT InControlPanelFolder("Monitors")
    <PANEL> "Monitors: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install Monitors control panel"
  <END IF>

  <IF> InControlPanelFolder("Monitors")
    <SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Monitors")
    <PANEL> "Apple menu: choose control panels"

    <SKIP IF> ActiveWindow('MACS', "Monitors")
    <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
    <PANEL> "Monitors control panel: opening"

    <MAKE SURE> ActiveWindow('MACS', "Monitors"), "Auto open: Monitors seq"
    <PANEL> "Monitor numbers: checking"
    <MAKE SURE> ActiveWindow('MACS', "Monitors"), "Oops:Monitors CP not active"
    <MAKE SURE> OpenWindow('MACS', "Monitors"), "Oops:Monitors CP not open"
    <PANEL> "Main monitor: positioning menu bar"

```

```

    <MAKE SURE> ActiveWindow('MACS', 'Monitors'), "Oops:Monitors CP not active"
    <MAKE SURE> OpenWindow('MACS', 'Monitors'), "Oops:Monitors CP not open"
  <PANEL>
    "Monitor icon: positioning"
    <MAKE SURE> ActiveWindow('MACS', 'Monitors'), "Oops:Monitors CP not active"
    <MAKE SURE> OpenWindow('MACS', 'Monitors'), "Oops:Monitors CP not open"
  <PANEL>
    "any changes: after restart"
  <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I magnify the screen image?" , "How do I magnify the screen image?"
  <PANEL>
    "CloseView: intro"

    <IF> NOT InControlPanelFolder("CloseView")
    <PANEL>
      "CloseView: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install CloseView"
    <ELSE>
      <SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "CloseView")
    <PANEL>
      "Apple Menu: choose Control Panels"

      <SKIP IF> ActiveWindow('MACS', "CloseView")
      <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
    <PANEL>
      "CloseView: open"

      <MAKE SURE> ActiveWindow('MACS', "CloseView"), "Auto open: CloseView seq"
    <PANEL>
      "CloseView: turn on"
      <MAKE SURE> ActiveWindow('MACS', "CloseView"), "Oops:CloseView CP not active"
      <MAKE SURE> OpenWindow('MACS', "CloseView"), "Oops:CloseView CP not open"
    <PANEL>
      "CloseView: magnify"
      <MAKE SURE> ActiveWindow('MACS', "CloseView"), "Oops:CloseView CP not active"
      <MAKE SURE> OpenWindow('MACS', "CloseView"), "Oops:CloseView CP not open"
    <PANEL>
      "CloseView: magnify up or down"
    <END IF>
<END SEQUENCE>

```

#Power & Scripts Seg.nml

```

<DEFINE SEQUENCE> "How do I turn off the computer automatically?" , "How do I turn off the computer automatically?"
  <PANEL>
    "Save power: intro choice"

    <IF> NOT InControlPanelFolder("CPU Energy Saver")
    <PANEL>
      "Auto Power: NA"
    <END IF>
    <IF> InControlPanelFolder("CPU Energy Saver")
      <SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "CPU Energy Saver")
      <PANEL>
        "Apple menu: choose Control Panels"

        <SKIP IF> ActiveWindow('MACS', "CPU Energy Saver")
        <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
      <PANEL>
        "Energy Saver: open"

        <MAKE SURE> ActiveWindow('MACS', "CPU Energy Saver"), "Oops:CPU Energy Saver CP not active"
        <MAKE SURE> OpenWindow('MACS', "CPU Energy Saver"), "Oops:CPU Energy Saver CP not open"
      <PANEL>
        "Energy Saver: click On"
    <END IF>
  <END SEQUENCE>

```

```
<IF> RBS("set an interval before the computer turns off", "Save power: intro choice")
<MAKE SURE> ActiveWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not active"
<MAKE SURE> OpenWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not open"
<PANEL> "Energy Saver: CPU idle1"
<MAKE SURE> ActiveWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not active"
<MAKE SURE> OpenWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not open"
<PANEL> "Energy Saver: CPU idle2"
<MAKE SURE> ActiveWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not active"
<MAKE SURE> OpenWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not open"
<PANEL> "Energy Saver: idle options1"
<PANEL> "Energy Saver: idle options2"
<SKIP IF> NOT ActiveWindow('MACS',"CPU Energy Saver")
<PANEL> "Energy Saver: close"
```

<END IF>

```
<IF> RBS("set a time/day for the computer to turn off once", "Save power: intro choice")
<MAKE SURE> ActiveWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not active"
<MAKE SURE> OpenWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not open"
<PANEL> "Energy Saver: set time1"
<MAKE SURE> ActiveWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not active"
<MAKE SURE> OpenWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not open"
<PANEL> "Energy Saver: set time2"
<MAKE SURE> ActiveWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not active"
<MAKE SURE> OpenWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not open"
<PANEL> "Energy Saver: time options1"
<PANEL> "Energy Saver: idle options3"
<PANEL> "Energy Saver: notify option"
<SKIP IF> NOT ActiveWindow('MACS',"CPU Energy Saver")
<PANEL> "Energy Saver: close"
```

<END IF>

```
<IF> RBS("set a time /day for repeated turning off", "Save power: intro choice")
<MAKE SURE> ActiveWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not active"
<MAKE SURE> OpenWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not open"
<PANEL> "Energy Saver: repeat off1"
<MAKE SURE> ActiveWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not active"
<MAKE SURE> OpenWindow('MACS',"CPU Energy Saver"), "Oops:CPU Energy Saver CP not open"
<PANEL> "Energy Saver: repeat off2"
<PANEL> "Energy Saver: time options1"
<PANEL> "Energy Saver: idle options3"
<PANEL> "Energy Saver: notify option"
<SKIP IF> NOT ActiveWindow('MACS',"CPU Energy Saver")
<PANEL> "Energy Saver: close"
```

<END IF>

<END IF>

```
<IF> RBS("set an interval for the monitor to turn off", "Save power: intro choice")
<PANEL> "Screen off: intro"
<SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Screen")
<PANEL> "Apple menu: choose Control Panels"
<IF> NOT InControlPanelFolder("Screen")
<PANEL> "Screen: NoCanDo"
```

```

        <ELSE>
        <SKIP IF>      ActiveWindow('MACS','Screen')
        <MAKE SURE> ActiveWindow('MACS','Control Panels'),'Auto open: Control Panels folder seq'
        <PANEL>        "Screen: open"
        <PANEL>        "Screen: options1"
        <PANEL>        "Screen: options2"
        <END IF>
    <END IF>
<END SEQUENCE>

```

Sequences for AppleScript

```

<DEFINE SEQUENCE> "How do I use AppleScript?" , "How do I use AppleScript?"
    <SEQUENCE PROMPT SET>  "Prompt Override: 4"
        <PANEL>          "AppleScript: intro1"
        <PANEL>          "AppleScript: intro2"
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I create a script?" , "How do I create a script?"
    <SEQUENCE PROMPT SET>  "Prompt Override: 4"
        <PANEL>          "scripting: intro"
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "How do I automate a task?" , "How do I automate a task?"
    <SEQUENCE PROMPT SET>  "Prompt Override: 4"
        <PANEL>          "automate task: intro"
<END SEQUENCE>

```

#Troubleshooting Seg.nml

```

<DEFINE SEQUENCE> "Why won't the computer recognize my disk?" , "Why won't the computer recognize my disk?"
    <SEQUENCE PROMPT SET>  "Standard Prompts"
        <PANEL>          "troubleshooting: disk mount"

        <IF>      RBS("use a DOS file", "troubleshooting: disk mount")
            <PANEL>          "DOS disk: using"
        <END IF>

        <IF>      RBS("use an Apple II file", "troubleshooting: disk mount")
            <INSERT SEQUENCE> "How do I use an Apple II file or disk?"
        <END IF>

        <IF>      RBS("test and repair a disk", "troubleshooting: disk mount")
            <PANEL>          "Repair disk: intro"
        <END IF>
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "Why can't I see the window I want?" , "Why can't I see the window I want?"
    <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "troubleshooting: windows"
<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I type on the keyboard?" , "Why can't I type on the keyboard?"
    <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "troubleshooting: keyboard"
<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I prepare a disk for use?" , "Why can't I prepare a disk for use?"
    <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "initialize: troubleshooting"

    <IF> RBS("unlock a floppy disk", "initialize: troubleshooting")
        <PANEL> "floppy: eject if"
        <PANEL> "floppy: unlock tab"
    <END IF>

    <IF> RBS("test and repair a disk", "initialize: troubleshooting")
        <PANEL> "Repair disk: intro"
        <PANEL> "Repair disk: outro"
    <END IF>

    <IF> RBS("prepare a disk in DOS or Apple II format", "initialize: troubleshooting")
        <PANEL> "PC Exchange: turn on"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I eject a disk?" , "Why can't I eject a disk?"
    <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "eject: troubleshooting"
<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I open an alias?" , "Why can't I open an alias?"
    <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "alias: troubleshooting"
    <PANEL> "alias: click it"
    <SKIP IF> ActiveWindowIsInfo()
    <PANEL> "File menu: Get Info"
    <MAKE SURE> ActiveWindowIsInfo(), "Oops:Info window not active"
    <MAKE SURE> OpenWindowIsInfo(), "Oops:Info Window not open"
    <PANEL> "Info: Find Original"
    <PANEL> "alias: rebuild desktop"
<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I change the name of an icon?" , "Why can't I change the name of an icon?"
    <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "rename: troubleshooting"
<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I find an item?" , "Why can't I find an item?"
    <SEQUENCE PROMPT SET> "Standard Prompts"

```

```

        <PANEL>          "troubleshooting: find"
<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I save an item on a disk?" , "Why can't I save an item on a disk?"
  <SEQUENCE PROMPT SET>  "Standard Prompts"
    <PANEL>          "troubleshooting: save on disk"

    <IF>      RBS("throw away an item to create space on a disk", "troubleshooting: save on disk")
      <PANEL> "housekeeping: Trash"
    <END IF>

    <IF>      RBS("unlock a floppy disk", "troubleshooting: save on disk")
      <PANEL> "floppy: eject if"
      <PANEL> "floppy: unlock tab"
    <END IF>

    <IF>      RBS("test and repair a disk", "troubleshooting: save on disk")
      <PANEL>          "Repair disk: intro"
      <PANEL>          "Repair disk: outro"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I repair a disk?" , "Why can't I repair a disk?"
  <SEQUENCE PROMPT SET>  "Standard Prompts"
    <PANEL>          "Repair disk: troubleshooting"
<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I print?" , "Why can't I print?"
  <SEQUENCE PROMPT SET>  "Standard Prompts"
    <IF>      GXInstalled()
      <PANEL>          "troubleshooting: printer icons have X"
    <END IF>

    <PANEL>          "troubleshooting: printer on"
    <PANEL>          "Troubleshooting: PowerBook printing"
    <PANEL>          "troubleshooting: printer software"
    <SKIP IF>      NOT SelectedPrinter("ImageWriter")
    <PANEL>          "troubleshooting: ImageWriter"
    <PANEL>          "troubleshooting: driver version"
    <PANEL>          "troubleshooting: restart printer"
<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I print with the fonts I want?" , "Why can't I print with the fonts I want?"
  <SEQUENCE PROMPT SET>  "Standard Prompts"
    <PANEL>          "troubleshooting: fonts"
    <IF>      GXInstalled()
      <PANEL>          "troubleshooting: fonts GX Type 1"
    <END IF>
    <PANEL>          "troubleshooting: fonts memory"
    <PANEL>          "troubleshooting: fonts memory tip 1"
    <PANEL>          "troubleshooting: fonts memory tip 2"
    <PANEL>          "troubleshooting: fonts memory tip 3"
    <PANEL>          "troubleshooting: fonts memory tip 4"
<END SEQUENCE>

```

```
<DEFINE SEQUENCE> "Why can't I gain access to a shared disk?" , "Why can't I gain access to a shared disk?"
  <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "troubleshooting: shared disk intro"
    <PANEL> "troubleshooting: shared disk segue"
    <PANEL> "troubleshooting: shared disk outro"
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Why can't I share my files on my computer?" , "Why can't I share my files on my computer?"
  <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "troubleshooting: sharing my Mac"

  <IF> NOT InControlPanelFolder("Sharing Setup") OR NOT InControlPanelFolder("Users & Groups")
    <PANEL> "Sharing software: segue to install"
    <JUMP SEQUENCE> "Subsequence: Install Sharing Software"
  <ELSE>
    <INSERT SEQUENCE> "Subsequence: Start up FileSharing, Set privileges to all"
    <PANEL> "troubleshooting: file sharing outro"
  <END IF>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Why can't I share my files on another computer?" , "Why can't I share my files on another computer?"
  <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "Shared disk: segue"
    <PANEL> "Shared disk: connect"
    <PANEL> "Sharing: click item"
    <PANEL> "File: Sharing"
  <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL> "Sharing: click box"
  <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL> "Sharing: clickbox info"
  <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL> "Sharing: type users"
  <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL> "Sharing: checkbox info"
  <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL> "Sharing: Everyone's privileges 2"

    <SKIP IF> NOT ActiveWindowIsSharing()
    <PANEL> "Sharing: close window"

    <PANEL> "troubleshooting: file sharing outro"
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Why can't I use my name and password?" , "Why can't I use my name and password?"
  <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "troubleshooting: password"
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Why can't I link to a program?" , "Why can't I link to a program?"
  <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "troubleshooting: link intro"
    <PANEL> "troubleshooting: link outro"
```

<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I display color on the screen?" , "Why can't I display color on the screen?"
<SEQUENCE PROMPT SET> "Standard Prompts"

<IF> isMonoChrome()
<PANEL> "display: no colors"

<ELSE>
<PANEL> "troubleshooting: color"

<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I record a sound?" , "Why can't I record a sound?"
<SEQUENCE PROMPT SET> "Standard Prompts"

<PANEL> "troubleshooting: record"

<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I move the pointer on the screen?" , "Why can't I move the pointer on the screen?"
<SEQUENCE PROMPT SET> "Standard Prompts"

<PANEL> "troubleshooting: pointer"

<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I choose a menu item?" , "Why can't I choose a menu item?"
<SEQUENCE PROMPT SET> "Standard Prompts"

<PANEL> "gray menu: click item"

<END SEQUENCE>

<DEFINE SEQUENCE> "Why did I get a memory warning?" , "Why did I get a memory warning?"
<SEQUENCE PROMPT SET> "Standard Prompts"

<PANEL> "troubleshooting: memory"

<END SEQUENCE>

<DEFINE SEQUENCE> "Why can't I use programs with a Power Macintosh?" , "Why can't I use programs with a Power Macintosh?"

<PANEL> "Power PC:noCanDo"

<PANEL> "Power Macintosh programs: intro"

<IF> NOT InControlPanelFolder("Memory")
<PANEL> "Memory: segue to install"

<JUMP SEQUENCE> "Subsequence: Install memory control panel"

<END IF>

<IF> InControlPanelFolder("Memory")
<SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Memory")
<PANEL> "Apple menu: choose control panels"

<SKIP IF> ActiveWindow('MACS', "Memory")

<MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"

<PANEL> "Memory: open control panel"

<MAKE SURE> ActiveWindow('MACS', "Memory"), "Auto open: Memory seq"

```
                <PANEL>      "Modern Memory: click on or off"
                <PANEL>      "Power Macintosh programs: tip"
        <END IF>
<END SEQUENCE>
```

#Other Seg.nml

Other Information Sources Topic area

```
<DEFINE SEQUENCE> "How do I find out more about my computer?" , "How do I find out more about my computer?"
                <PANEL>      "Computer: more info"
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "How do I get explanations of items on the screen?" , "How do I get explanations of items on the screen?"
                <PANEL>      "Balloons: intro"
                <PANEL>      "Help menu: balloons"
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "How do I turn on guest access?" , "How do I turn on guest access?"
                <PANEL>      "guest access: segue"
                <SKIP IF>    ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Users & Groups")
                <PANEL>      "Apple menu: choose Control Panels"

                <SKIP IF>    ActiveWindow('MACS',"Users & Groups")
                <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
                <PANEL>      "Users & Groups: open"

                <SKIP IF>    ActiveWindow('MACS',"<Guest>")
                <MAKE SURE> ActiveWindow('MACS',"Users & Groups"),"Auto open: Users & Groups seq"
                <PANEL>      "Guest icon: open"
                <MAKE SURE> ActiveWindow('MACS',"<Guest>"),"Oops:Guest window not active"
                <MAKE SURE> OpenWindow('MACS',"<Guest>"),"Oops:Guest window not open"
                <PANEL>      "Guest: allow connection"
                <SKIP IF>    NOT OpenWindow('MACS',"<Guest>")
                <MAKE SURE> ActiveWindow('MACS',"<Guest>"),"Oops:Guest window not active"
                <MAKE SURE> OpenWindow('MACS',"<Guest>"),"Oops:Guest window not open"
                <PANEL>      "Sharing: close window"
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Pics only Keyboard menu" , "The Keyboard menu"
                <SEQUENCE PROMPT SET> "Standard Prompts"
                <PANEL>      "Keyboard menu: pic"
<END SEQUENCE>
```

#Shared Seg.nml

```
<DEFINE SEQUENCE> "How do I "rebuild the desktop"?" , "How do I "rebuild the desktop"?"
                <PANEL>      "desktop rebuild: def"
```

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I make an item easy to find?" , "How do I make an item easy to find?"

<PANEL> "EZ access: intro"

<IF> RBS("Make an alias for the item", "EZ access: intro")

<PANEL> "Any: select item"

<PANEL> "File: Make Alias"

<PANEL> "Alias: move alias"

<END IF>

<IF> RBS("Put the item or its alias in the Apple (□) menu", "EZ access: intro")

<SKIP IF> BootDiskWinActive() OR ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Apple Menu Items")

<PANEL> "Startup disk: opening"

<SKIP IF> ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Apple Menu Items")

<MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"

<PANEL> "System folder: opening"

<SKIP IF> ActiveWindow('MACS',"Apple Menu Items")

<MAKE SURE> ActiveWindow('MACS',"System Folder") , "Auto open: System folder seq"

<PANEL> "EZ access: open Apple menu folder"

<PANEL> "EZ access: put item in folder"

<END IF>

<IF> RBS("Put the item or its alias on the desktop", "EZ access: intro")

<PANEL> "EZ access: desktop"

<END IF>

<IF> RBS("Put an alias for the item in the Launcher", "EZ access: intro")

<PANEL> "Launcher: intro"

<IF> NOT InControlPanelFolder("Launcher")

<PANEL> "Launcher: segue to install"

<PANEL> "Startup disk: opening"

<SKIP IF> ActiveWindow('MACS',"System Folder")

<MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"

<PANEL> "System Folder: locate"

<PANEL> "Launcher: locate"

<PANEL> "any resource: drag"

<ELSE>

<SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Launcher")

<PANEL> "Apple menu: choose Control Panels"

<SKIP IF> ActiveWindow('MACS',"Launcher")

<MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"

<PANEL> "Launcher: open, no Huh button"

<MAKE SURE> ActiveWindow('MACS',"Launcher"),"AG open Launcher seq"

<PANEL> "Launcher: add item"

```

                <INSERT SEQUENCE> "Subsequence: Drag an item to the Launcher"
        <END IF>

        <END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I add or remove an item in the Launcher?" , "How do I add or remove an item in the Launcher"
        <PANEL> "Launcher: intro"
        <IF> NOT InControlPanelFolder("Launcher")
                <PANEL> "Launcher: segue to install"
                <PANEL> "Startup disk: opening"

                <SKIP IF> ActiveWindow('MACS','System Folder')
                <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
                <PANEL> "System Folder: locate"
                <PANEL> "Launcher: locate"
                <PANEL> "any resource: drag"
        <ELSE>
                <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Launcher")
                <PANEL> "Apple menu: choose Control Panels"

                <SKIP IF> ActiveWindow('MACS',"Launcher")
                <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
                <PANEL> "Launcher: open, no Huh button"

                <MAKE SURE> ActiveWindow('MACS',"Launcher"),"AG open Launcher seq"
                <PANEL> "Launcher: intro choice"

        <IF> RBS("add an item", "Launcher: intro choice")
                <PANEL> "Launcher: add item"
                <JUMP SEQUENCE> "Subsequence: Drag an item to the Launcher"
        <END IF>

        <IF> RBS("remove an item", "Launcher: intro choice")
                <INSERT SEQUENCE> "Subsequence: Open Launcher items (partial)"
                <MAKE SURE> ActiveWindow('MACS',"Launcher Items"), "Auto open: Launcher Items folder seq"
                <PANEL> "Launcher: drag out"
        <END IF>
        <END IF>

<END SEQUENCE>

```

also used as a subsequence.

```

<DEFINE SEQUENCE> "How do I open an item automatically?" , "How do I open an item automatically?"
        <PANEL> "Startup Items: intro"
        <PANEL> "Startup Items: click file for alias"
        <PANEL> "File: Make Alias"
        <SKIP IF> BootDiskWinActive() OR ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Startup Items")
        <PANEL> "Startup disk: opening"

        <SKIP IF> ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Startup Items")

```

```

<MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
<PANEL> "System folder: opening"

<SKIP IF> ActiveWindow('MACS', "Startup Items")
<MAKE SURE> ActiveWindow('MACS', "System Folder") , "Auto open: System folder seq"
<PANEL> "Startup Items: find Startup Items"
<PANEL> "Startup Items: put alias in Startup"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I open a program automatically?" , "How do I open a program automatically?"
<INSERT SEQUENCE> "How do I open an item automatically?"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change an icon?" , "How do I change an icon?"
<PANEL> "change icon: intro"
<PANEL> "Single icon: select"
<SKIP IF> ActiveWindowIsInfo()
<PANEL> "File menu: Get Info"
<MAKE SURE> ActiveWindowIsInfo(), "Oops:Info window not active"
<MAKE SURE> OpenWindowIsInfo(), "Oops:Info Window not open"
<PANEL> "Info: click icon"
<MAKE SURE> ActiveWindowIsInfo(), "Oops:Info window not active"
<MAKE SURE> OpenWindowIsInfo(), "Oops:Info Window not open"
<PANEL> "Edit menu: choose Paste"
<PANEL> "Change icon: copy tip"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I use hard disk space as memory?" , "How do I use hard disk space as memory?"

<PANEL> "VM: noCanDo"

<PANEL> "VM: intro"

<IF> NOT InControlPanelFolder("Memory")
<PANEL> "Memory: segue to install"
<JUMP SEQUENCE> "Subsequence: Install memory control panel"
<END IF>

<IF> InControlPanelFolder("Memory")
<SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Memory")
<PANEL> "Apple menu: choose Control Panels"

<SKIP IF> ActiveWindow('MACS', "Memory")
<MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
<PANEL> "Memory: open control panel"

<MAKE SURE> ActiveWindow('MACS', "Memory"), "Auto open: Memory seq"

<PANEL> "VM: turn on"
<MAKE SURE> ActiveWindow('MACS', "Memory"), "Oops:Memory CP not active"
<MAKE SURE> OpenWindow('MACS', "Memory"), "Oops:Memory CP not open"
<PANEL> "VM: choose disk"
<MAKE SURE> ActiveWindow('MACS', "Memory"), "Oops:Memory CP not active"
<MAKE SURE> OpenWindow('MACS', "Memory"), "Oops:Memory CP not open"

```

```

                <PANEL>      "VM: set space"
                <PANEL>      "VM: outro"
        <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I adjust the disk cache?" , "How do I adjust the disk cache?"
                <PANEL>      "disk cache: def"

        <IF>      NOT InControlPanelFolder("Memory")
                <PANEL>      "Memory: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install memory control panel"
        <END IF>

        <IF>      InControlPanelFolder("Memory")
                <SKIP IF>      ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Memory")
                <PANEL>      "Apple menu: choose control panels"

                <SKIP IF>      ActiveWindow('MACS',"Memory")
                <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
                <PANEL>      "Memory: open control panel"

                <MAKE SURE> ActiveWindow('MACS',"Memory"), "Auto open: Memory seq"
                <PANEL>      "Memory: adjust cache"
        <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change the background pattern?" , "How do I change the background pattern?"
                <PANEL>      "Desktop pattern: intro choice"
        <IF>      NOT InControlPanelFolder("Desktop Patterns")
                <PANEL>      "Desktop Pattern: segue to install"
                <JUMP SEQUENCE> "Subsequence: Install Desktop Pattern"
        <END IF>

        <IF>      InControlPanelFolder("Desktop Patterns")
                <SKIP IF>      ActiveWindow('MACS',"Control Panels") OR ActiveAppIs('dskp')
                <PANEL>      "Apple menu: choose control panels"

                <SKIP IF>      ActiveAppIs('dskp')
                <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
                <PANEL>      "Desktop pattern: open"

        <IF>      RBS("Choose a pattern", "Desktop pattern: intro choice")
                <MAKE SURE> ActiveAppIs('dskp'), "Auto open: Desktop Patterns seq"
                <PANEL>      "Patterns: clicking"
        <END IF>

        <IF>      RBS("Create my own pattern", "Desktop pattern: intro choice")

                <MAKE SURE> ActiveAppIs('dskp'), "Auto open: Desktop Patterns seq"
                <PANEL>      "Pattern: copy"
                <PANEL>      "Pattern: paste"
        <END IF>
                <PANEL>      "Pattern: choose"
        <END IF>

```

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I use a CD-ROM disc?" , "How do I use a CD-ROM disc?"
 <PANEL> "CD-ROM: how to use"

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I play a CD audio disc?" , "How do I play a CD audio disc?"

<IF> NOT InAppleMenuFolder("AppleCD Audio Player")
 <PANEL> "AppleCD Audio: NA"

<END IF>

<IF> InAppleMenuFolder("AppleCD Audio Player")
 <PANEL> "CD audio: intro AppleCD Audio Player"
 <PANEL> "CD audio: insert"
 <PANEL> "CD audio: check Sound In"
 <SKIP IF> ActiveAppIs('aucd')
 <PANEL> "Apple menu: AppleCD Audio"
 <MAKE SURE> ActiveAppIs('aucd'), "Auto open: AppleCD Audio Player seq"
 <PANEL> "AppleCD Audio: NA"

<IF> not CDMMenuItemExists("File", "Eject CD")

<PANEL> "AppleCD Audio: no drive"

<ELSE>

<PANEL> "AppleCD Audio: intro"

<MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"

<MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"

<PANEL> "AppleCD Audio: clock & numbers"

<MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"

<MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"

<PANEL> "AppleCD Audio: normal & shuffle"

<MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"

<MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"

<PANEL> "AppleCD Audio: program & arrows"

<MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"

<MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"

<PANEL> "AppleCD Audio: editing & lists"

<MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"

<MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"

<PANEL> "AppleCD Audio: tracks & controls"

<MAKE SURE> ActiveAppIs('aucd'), "Oops:AppleCD Audio Player not active"

<MAKE SURE> OpenAppIs('aucd'), "Oops:AppleCD Audio Player not open"

<PANEL> "AppleCD Audio: Options menu"

<PANEL> "AppleCD Audio: keys"

<END IF>

<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I display colors or grays?" , "How do I display colors or grays?"

<IF> isMonoChrome()
 <PANEL> "display: no colors"

```

<ELSE>
    <PANEL>      "Monitor display colors: intro"

<IF>  NOT InControlPanelFolder("Monitors")
    <PANEL>      "Monitors: segue to install"
    <JUMP SEQUENCE>  "Subsequence: Install Monitors control panel"

<ELSE>
    <SKIP IF>     ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Monitors")
    <PANEL>      "Apple menu: choose control panels"

    <SKIP IF>     ActiveWindow('MACS',"Monitors")
    <MAKE SURE>   ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL>      "Monitors control panel: opening"

    <MAKE SURE>   ActiveWindow('MACS',"Monitors"),"Auto open: Monitors seq"
    <PANEL>      "Monitor display colors: click button"
    <MAKE SURE>   ActiveWindow('MACS',"Monitors"),"Oops:Monitors CP not active"
    <MAKE SURE>   OpenWindow('MACS',"Monitors"),"Oops:Monitors CP not open"
    <PANEL>      "Monitor display colors: click number"

<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I take a "snapshot" of the screen?" , "How do I take a "snapshot" of the screen?"
    <PANEL>      "Screen: snapshot"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I get information about an item?" , "How do I get information about an item?"
    <PANEL>      "item info: intro"

    <IF>  CBS("the Info window", "item info: intro")
        <PANEL>  "any: select item"
        <SKIP IF>  ActiveWindowIsInfo()
        <PANEL>  "File menu: Get Info"
    <END IF>

    <IF>  CBS("the View menu", "item info: intro")
        <SKIP IF>  NOT CBS("the Info window", "item info: intro")
        <PANEL>  "View menu: if intro"
        <PANEL>  "window: make active"
        <MAKE SURE>  AnyActiveWindow(), "Oops:window not active"
        <PANEL>  "View: choose any list 2"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I limit access to programs and files?" , "How do I limit access to programs and files?"

    <IF>  NOT InControlPanelFolder("General Controls")
        <PANEL>  "General Controls: segue to install"
        <JUMP SEQUENCE>  "Subsequence: Install General Controls"
    <END IF>

    <IF>  InControlPanelFolder("General Controls")

```

```

    <PANEL> "General Controls: protect files"
    <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"General Controls")
    <PANEL> "Apple menu: choose control panels"

    <SKIP IF> ActiveWindow('MACS',"General Controls")
    <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
    <PANEL> "General controls: opening"

    <MAKE SURE> ActiveWindow('MACS',"General Controls"), "Auto open: General Controls seq"
    <PANEL> "General Controls: click protect"

<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I open a program?" , "How do I open a program?"
    <PANEL> "program: open"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I open an item?" , "How do I open an item?"
    <PANEL> "item: open"
    <PANEL> "item: open tip"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I open the Launcher?" , "How do I open the Launcher?"
    <PANEL> "Launcher: intro"
    <IF> NOT InControlPanelFolder("Launcher")
        <PANEL> "Launcher: segue to install"
        <PANEL> "Startup disk: opening"

        <SKIP IF> ActiveWindow('MACS',"System Folder")
        <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
        <PANEL> "System Folder: locate"
        <PANEL> "Launcher: locate"
        <PANEL> "any resource: drag"
    <ELSE>
        <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Launcher")
        <PANEL> "Apple menu: choose Control Panels"

        <SKIP IF> ActiveWindow('MACS',"Launcher")
        <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL> "Launcher: open"

        <MAKE SURE> ActiveWindow('MACS',"Launcher"),"AG open Launcher seq"
        <PANEL> "Launcher open: tip"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I make a TCP connection?" , "How do I make a TCP connection?"
    <PANEL> "TCP connection: intro"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I avoid switching out of a program?" , "How do I avoid switching out of a program?"
    <PANEL> "Finder hiding: intro"

```

```

<IF> NOT InControlPanelFolder("General Controls")
<PANEL> "General Controls: segue to install"
<JUMP SEQUENCE> "Subsequence: Install General Controls"
<END IF>

<IF> InControlPanelFolder("General Controls")
<SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"General Controls")
<PANEL> "Apple menu: choose control panels"

<SKIP IF> ActiveWindow('MACS',"General Controls")
<MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
<PANEL> "General controls: opening"

<MAKE SURE> ActiveWindow('MACS',"General Controls"), "Auto open: General Controls seq"
<PANEL> "General Controls: hide Finder"
<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I install system software components?" ,"How do I install system software componen
<PANEL> "install system: intro choice"
<IF> RBS("Install only part of system software", "install system: intro choice")
<PANEL> "install: part only"
<END IF>

<IF> RBS("Install the complete system software", "install system: intro choice")
<PANEL> "install: complete"
<END IF>
<END SEQUENCE>

```

SubSequences

```

<DEFINE SEQUENCE> "Subsequence: Open Launcher items (partial)"
<SKIP IF> BootDiskWinActive() OR ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Launcher Items")
<PANEL> "startup disk: opening"

<SKIP IF> ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Launcher Items")
<MAKE SURE> BootDiskWinActive(), "Auto open: Startup Disk window seq"
<PANEL> "System folder: opening"

<SKIP IF> ActiveWindow('MACS',"Launcher Items")
<MAKE SURE> ActiveWindow('MACS',"System Folder"), "Auto open: System folder seq"
<PANEL> "Launcher: open Launcher Items"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Drag an item to the Launcher"
<PANEL> "Launcher: select item"
<PANEL> "File: make alias"
<SKIP IF> BootDiskWinActive() OR ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Launcher Items")
<PANEL> "startup disk: opening"

<SKIP IF> ActiveWindow('MACS',"System Folder") OR ActiveWindow('MACS',"Launcher Items")

```

```

    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System folder: opening"

    <SKIP IF>    ActiveWindow('MACS', "Launcher Items")
    <MAKE SURE> ActiveWindow('MACS', "System Folder") , "Auto open: System folder seq"
    <PANEL>      "Launcher: open Launcher Items"
    <MAKE SURE> ActiveWindow('MACS', "Launcher Items"), "Auto open: Launcher Items folder seq"
    <PANEL>      "Launcher: drag to folder"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Start up FileSharing"
    <IF> FileSharingOff()
        <SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Sharing Setup")
        <PANEL>      "Apple menu: choose Control Panels"

        <SKIP IF> ActiveWindow('MACS', "Sharing Setup")
        <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
        <PANEL>      "Sharing: open setup"

        <SKIP IF> FileSharingOn()
        <MAKE SURE> ActiveWindow('MACS', "Sharing Setup"), "Auto open: Sharing Setup seq"
        <PANEL>      "Sharing: start sharing"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Start up FileSharing, Set privileges to all"
    <IF> FileSharingOff()
        <SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Sharing Setup")
        <PANEL>      "Apple menu: choose Control Panels"

        <SKIP IF> ActiveWindow('MACS', "Sharing Setup")
        <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
        <PANEL>      "Sharing: open setup"

        <MAKE SURE> ActiveWindow('MACS', "Sharing Setup"), "Auto open: Sharing Setup seq"
        <PANEL>      "Sharing: start sharing"
    <END IF>
    <PANEL>      "Sharing: click item"
    <PANEL>      "File: Sharing"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL>      "Sharing: click box"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL>      "Sharing: clickbox info"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL>      "Sharing: who can share"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL>      "Sharing: spec users"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL>      "Sharing: set privileges"
    <MAKE SURE> ActiveWindowIsSharing(), "Oops:Not shared item"
    <PANEL>      "Sharing: Everyone's privileges"
    <IF> ActiveWindowIsSharing()
        <PANEL>      "Sharing: close window"
    <END IF>
<END SEQUENCE>

```

<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Turn on background printing"
<PANEL> "BG printing: off"
<SKIP IF> ActiveAppIs('chzr')
<PANEL> "Apple: choose Chooser"
<MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
<PANEL> "Chooser: click driver"
<MAKE SURE> ActiveAppIs('chzr'), "Oops:Chooser not active"
<MAKE SURE> OpenAppIs('chzr'), "Oops:Chooser not open"
<PANEL> "Chooser: click BG printing on"
<SKIP IF> NOT OpenAppIs('chzr')
<PANEL> "Chooser: close"

<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Setup network connection"
<SKIP IF> NOT AppleTalkOff() or ActiveAppIs('chzr')
<PANEL> "Apple: choose Chooser"

<SKIP IF> NOT AppleTalkOff() or ActiveAppIs('chzr')
<MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"
<PANEL> "Chooser: click AppleTalk Active"
<SKIP IF> NOT OpenAppIs('chzr')
<PANEL> "Chooser: close"
<SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Sharing Setup")
<PANEL> "Apple menu: choose Control Panels"

<SKIP IF> ActiveWindow('MACS',"Sharing Setup")
<MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
<PANEL> "Sharing: open setup"

<MAKE SURE> ActiveWindow('MACS',"Sharing Setup"), "Auto open: Sharing Setup seq"
<PANEL> "Sharing Setup: type name"
<MAKE SURE> ActiveWindow('MACS',"Sharing Setup"), "Oops:Sharing Setup CP not active"
<MAKE SURE> OpenWindow('MACS',"Sharing Setup"), "Oops:Sharing Setup CP not open"
<PANEL> "Sharing Setup: password intro"
<MAKE SURE> ActiveWindow('MACS',"Sharing Setup"), "Oops:Sharing Setup CP not active"
<MAKE SURE> OpenWindow('MACS',"Sharing Setup"), "Oops:Sharing Setup CP not open"
<PANEL> "Sharing Setup: type password"
<MAKE SURE> ActiveWindow('MACS',"Sharing Setup"), "Oops:Sharing Setup CP not active"
<MAKE SURE> OpenWindow('MACS',"Sharing Setup"), "Oops:Sharing Setup CP not open"
<PANEL> "Sharing Setup: type computer name"

<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Turn off FileSharing" ,"Subsequence: Turn off FileSharing"
<SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Sharing Setup")
<PANEL> "Apple menu: choose control panels"

<SKIP IF> ActiveWindow('MACS',"Sharing Setup")
<MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
<PANEL> "Sharing: open setup"

<MAKE SURE> ActiveWindow('MACS',"Sharing Setup"), "Auto open: Sharing Setup seq"
<PANEL> "Sharing: stop sharing"

<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Turn off AppleTalk" , "Subsequence: Turn off AppleTalk"

<SKIP IF> ActiveAppIs('chzr')

<PANEL> "Apple: choose Chooser"

<MAKE SURE> ActiveAppIs('chzr'), "Auto open: Chooser seq"

<PANEL> "Save RAM: AppleTalk Inactive"

<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: remove system extensions" , "Subsequence: remove system extensions"

<SKIP IF> BootDiskWinActive() OR ActiveWindow('MACS', 'System Folder') OR ActiveWindow('MACS', 'Extensions')

<PANEL> "Startup disk: opening"

<SKIP IF> ActiveWindow('MACS', 'System Folder') OR ActiveWindow('MACS', 'Extensions')

<MAKE SURE> BootDiskWinActive(), "Auto open: Startup Disk window seq"

<PANEL> "System folder: opening"

<SKIP IF> ActiveWindow('MACS', 'Extensions')

<MAKE SURE> ActiveWindow('MACS', 'System Folder'), "Auto open: System folder seq"

<PANEL> "Extensions: open folder"

<MAKE SURE> ActiveWindow('MACS', 'Extensions'), "Auto open: Extensions folder seq"

<PANEL> "Extensions: trash extras"

<PANEL> "Extensions: trash tip"

<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: How do I manage printing jobs GX" , "Subsequence: How do I manage printing jobs GX"

<IF> NOT IsThereDTPrinter()

<PANEL> "No Desktop Printer:GX"

<END IF>

<IF> IsThereDTPrinter()

<PANEL> "Manage printing intro:GX"

<PANEL> "print something:GX"

<PANEL> "open printer:GX"

<MAKE SURE> IsMenuExists("Printing", " "), "Oops:Printing window not active"

<PANEL> "Manage printing choices:GX"

<IF> RBS("check the printing status of a document", "Manage printing choices:GX")

<MAKE SURE> IsMenuExists("Printing", " "), "Oops:Printing window not active"

<PANEL> "check Status:GX"

<MAKE SURE> IsMenuExists("Printing", " "), "Oops:Printing window not active"

<PANEL> "printerWindowTips1"

<END IF>

<IF> RBS("set the time for printing a document", "Manage printing choices:GX")

<MAKE SURE> IsMenuExists("Printing", " "), "Oops:Printing window not active"

<PANEL> "choose Doc:GX"

```

        <MAKE SURE> IsMenuExists("Printing", " "), "Oops:Printing window not active"
<PANEL>         "choose Set Time:GX"
<PANEL>         "set The Time:GX"
<PANEL>         "Print Time Tips:GX"
<END IF>

<IF>   RBS("stop printing", "Manage printing choices:GX")
<PANEL>         "stop choice:GX"
<IF>   RBS("temporarily stop a document from printing", "stop choice:GX")
<PANEL>         "choose Doc:GX"
<PANEL>         "hold Doc:GX"
<END IF>

<IF>   RBS("permanently stop a document from printing", "stop choice:GX")
<PANEL>         "choose Doc:GX"
<PANEL>         "remove Doc:GX"
<END IF>

<IF>   RBS("stop all documents waiting to print", "stop choice:GX")
<PANEL>         "choose Doc:GX"
<PANEL>         "stop Queue:GX"
<END IF>

<IF>   RBS("resume printing", "Manage printing choices:GX")
<PANEL>         "resume printing choice:GX"

<IF>   RBS("resume printing a document that is on hold", "resume printing choice:GX")
<PANEL>         "choose Doc:GX"
<PANEL>         "Click Resume:GX"
<END IF>

<IF>   RBS("resume printing of all documents at this printer", "resume printing choice:GX")
<PANEL>         "choose Doc:GX"
<PANEL>         "start Queue:GX"
<END IF>
<END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: How do I manage printing jobs"
<IF>   NOT PrintMonitorInstalled()
<PANEL>         "PrintMonitor: segue"
<INSERT SEQUENCE> "Subsequence: Install PrintMonitor"
<END IF>

<IF>   PrintMonitorInstalled()
<INSERT SEQUENCE> "Subsequence: Turn on background printing"
<PANEL>         "PrintMonitor: managing prereq"
<PANEL>         "printing: document"
<PANEL>         "App menu: choose PrintMonitor"
<PANEL>         "PrintMonitor: choices"

<IF>   RBS("check the printing status of a document", "PrintMonitor: choices")

```

```

<PANEL>          "PrintMonitor: printing status"
<PANEL>          "PrintMonitor: waiting status"
<END IF>

<IF>    RBS("cancel the printing of a document", "PrintMonitor: choices")
<PANEL>          "PrintMonitor: cancel segue"
<PANEL>          "PrintMonitor: choose document"
<PANEL>          "PrintMonitor: click cancel"
<END IF>

<IF>    RBS("set a printing time for a document", "PrintMonitor: choices")
<PANEL>          "PrintMonitor: choose document"
<PANEL>          "PrintMonitor: click set print"
<PANEL>          "PrintMonitor: set time"
<END IF>
<PANEL>          "PrintMonitor: outro"
<PANEL>          "PrintMonitor: close"
<END IF>
<END SEQUENCE>

```

Install subsequences

```

<DEFINE SEQUENCE> "Subsequence: Install memory control panel"
  <SKIP IF>      BootDiskWinActive()
  <PANEL>        "Startup disk: opening"

  <SKIP IF>      ActiveWindow('MACS', "System Folder")
  <MAKE SURE>    BootDiskWinActive(), "Auto open: Startup Disk window seq"
  <PANEL>        "System Folder: locate"
  <PANEL>        "Memory: locate"
  <PANEL>        "any resource: drag"
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "Subsequence: Install Views control panel"
  <SKIP IF>      BootDiskWinActive()
  <PANEL>        "Startup disk: opening"

  <SKIP IF>      ActiveWindow('MACS', "System Folder")
  <MAKE SURE>    BootDiskWinActive(), "Auto open: Startup Disk window seq"
  <PANEL>        "System Folder: locate"
  <PANEL>        "Views: locate"
  <PANEL>        "any resource: drag"
<END SEQUENCE>

```

```

<DEFINE SEQUENCE> "Subsequence: Install Startup Disk control panel"
  <SKIP IF>      BootDiskWinActive()
  <PANEL>        "Startup disk: opening"

  <SKIP IF>      ActiveWindow('MACS', "System Folder")
  <MAKE SURE>    BootDiskWinActive(), "Auto open: Startup Disk window seq"
  <PANEL>        "System Folder: locate"
  <PANEL>        "Startup Disk: locate"

```

```

        <PANEL> "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Easy Open control panel"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF> ActiveWindow('MACS','System Folder')
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL> "System Folder: locate"
    <PANEL> "Easy Open: locate"
    <PANEL> "Any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install PC Exchange control panel"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF> ActiveWindow('MACS','System Folder')
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL> "System Folder: locate"
    <PANEL> "PC Exchange: locate"
    <PANEL> "Any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install PrintMonitor"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF> ActiveWindow('MACS','System Folder')
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL> "System Folder: locate"
    <PANEL> "PrintMonitor: locate"
    <PANEL> "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Print Drivers"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF> ActiveWindow('MACS','System Folder')
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL> "System Folder: locate"

    <PANEL> "printer drivers: locate"
    <PANEL> "printer driver: drag to icon"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Fonts"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF> ActiveWindow('MACS','System Folder')

```

```

    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: locate"

    <PANEL>      "fonts: locate"
    <PANEL>      "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Key Caps"
    <SKIP IF>      BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF>      ActiveWindow('MACS', "System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: locate"
    <PANEL>      "Key Caps: locate"
    <PANEL>      "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Sharing Setup"
    <SKIP IF>      BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF>      ActiveWindow('MACS', "System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: locate"
    <PANEL>      "Sharing Setup: locate"
    <PANEL>      "any resource: drag"
    <PANEL>      "control panel: Restart for effect"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Sharing Software"
    <SKIP IF>      BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF>      ActiveWindow('MACS', "System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: locate"
    <PANEL>      "Sharing software: locate"
    <PANEL>      "any resource: drag"
    <PANEL>      "control panel: Restart for effect"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Users & Groups"
    <SKIP IF>      BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF>      ActiveWindow('MACS', "System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: locate"
    <PANEL>      "Users & Groups: locate"
    <PANEL>      "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install File Sharing Monitor"

```

```

<SKIP IF>      BootDiskWinActive()
<PANEL> "Startup disk: opening"

<SKIP IF>      ActiveWindow('MACS', "System Folder")
<MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
<PANEL>      "System Folder: locate"
<PANEL>      "File Sharing Monitor: locate"
<PANEL>      "any resource: drag"
<PANEL>      "control panel: Restart for effect"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Network control panel"
<SKIP IF>      BootDiskWinActive()
<PANEL> "Startup disk: opening"

<SKIP IF>      ActiveWindow('MACS', "System Folder")
<MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
<PANEL>      "System Folder: locate"
<PANEL>      "Network: locate"
<PANEL>      "Any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Date & Time control panel"
<SKIP IF>      BootDiskWinActive()
<PANEL> "Startup disk: opening"

<SKIP IF>      ActiveWindow('MACS', "System Folder")
<MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
<PANEL>      "System Folder: locate"
<PANEL>      "Date & Time: locate"
<PANEL>      "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Numbers control panel"
<SKIP IF>      BootDiskWinActive()
<PANEL> "Startup disk: opening"

<SKIP IF>      ActiveWindow('MACS', "System Folder")
<MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
<PANEL>      "System Folder: locate"
<PANEL>      "Numbers: locate"
<PANEL>      "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Map control panel"
<SKIP IF>      BootDiskWinActive()
<PANEL> "Startup disk: opening"

<SKIP IF>      ActiveWindow('MACS', "System Folder")
<MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
<PANEL>      "System Folder: locate"
<PANEL>      "Map: locate"
<PANEL>      "any resource: drag"
<END SEQUENCE>

```

```
<DEFINE SEQUENCE> "Subsequence: Install Labels control panel"
    <SKIP IF>      BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF>      ActiveWindow('MACS', "System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: locate"
    <PANEL>      "Labels: locate"
    <PANEL>      "any resource: drag"
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Subsequence: Install Sound control panel"
    <SKIP IF>      BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF>      ActiveWindow('MACS', "System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: locate"
    <PANEL>      "Sound: locate"
    <PANEL>      "any resource: drag"
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Subsequence: Install a sound"
    <SKIP IF>      BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF>      ActiveWindow('MACS', "System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: locate"
    <PANEL>      "sounds: locate"
    <PANEL>      "any resource: drag"
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Subsequence: Install Easy Access control panel"
    <SKIP IF>      BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF>      ActiveWindow('MACS', "System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: locate"
    <PANEL>      "Easy Access: locate"
    <PANEL>      "any resource: drag"
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Subsequence: Install Keyboard control panel"
    <SKIP IF>      BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF>      ActiveWindow('MACS', "System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL>      "System Folder: locate"
    <PANEL>      "Keyboard: locate"
    <PANEL>      "any resource: drag"
```

```

        <PANEL> "control panel: Restart for effect"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Keyboard Layout"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "startup disk: opening"

    <SKIP IF> ActiveWindow('MACS','System Folder')
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL> "System Folder: locate"
    <PANEL> "keyboard layout: locate"
    <PANEL> "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Text control panel"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF> ActiveWindow('MACS','System Folder')
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL> "System Folder: locate"
    <PANEL> "Text: locate"
    <PANEL> "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install General Controls"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF> ActiveWindow('MACS','System Folder')
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL> "System Folder: locate"
    <PANEL> "General Controls: locate"
    <PANEL> "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Monitors control panel"
    <IF> CPUIs68000()
        <PANEL> "Monitors: NoCanDo"
    <ELSE>
        <SKIP IF> BootDiskWinActive()
        <PANEL> "Startup disk: opening"

        <SKIP IF> ActiveWindow('MACS','System Folder')
        <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
        <PANEL> "System Folder: locate"
        <PANEL> "Monitors: locate"
        <PANEL> "any resource: drag"
        <PANEL> "control panel: Restart for effect"
    <END IF>
<END SEQUENCE>

```

```
<DEFINE SEQUENCE> "Subsequence: Install CloseView"  
  <SKIP IF>      BootDiskWinActive()  
  <PANEL> "Startup disk: opening"  
  
      <SKIP IF>      ActiveWindow('MACS', "System Folder")  
      <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"  
      <PANEL>      "System Folder: locate"  
  <PANEL>      "CloseView: locate"  
  <PANEL>      "any resource: drag"  
  <PANEL>      "control panel: Restart for effect"  
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Subsequence: Install Mouse control panel"  
  <SKIP IF>      BootDiskWinActive()  
  <PANEL> "Startup disk: opening"  
  
      <SKIP IF>      ActiveWindow('MACS', "System Folder")  
      <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"  
      <PANEL>      "System Folder: locate"  
      <PANEL>      "Mouse: locate"  
      <PANEL>      "any resource: drag"  
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Subsequence: Install Color control panel"  
  <SKIP IF>      BootDiskWinActive()  
  <PANEL> "Startup disk: opening"  
  
      <SKIP IF>      ActiveWindow('MACS', "System Folder")  
      <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"  
      <PANEL>      "System Folder: locate"  
      <PANEL>      "Color: locate"  
      <PANEL>      "any resource: drag"  
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Subsequence: Install Desktop Pattern"  
  <SKIP IF>      BootDiskWinActive()  
  <PANEL> "Startup disk: opening"  
  
      <SKIP IF>      ActiveWindow('MACS', "System Folder")  
      <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"  
      <PANEL>      "System Folder: locate"  
      <PANEL>      "Desktop pattern: locate"  
      <PANEL>      "any resource: drag"  
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Subsequence: Install WindowShade"  
  <SKIP IF>      BootDiskWinActive()  
  <PANEL> "Startup disk: opening"  
  
      <SKIP IF>      ActiveWindow('MACS', "System Folder")  
      <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"  
      <PANEL>      "System Folder: locate"  
      <PANEL>      "WindowShade: locate"
```

```

        <PANEL> "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install AutoRemounter"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF> ActiveWindow('MACS',"System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL> "System Folder: locate"
    <PANEL> "AutoRemounter: locate"
    <PANEL> "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Apple Menu Options"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF> ActiveWindow('MACS',"System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL> "System Folder: locate"
    <PANEL> "Apple Menu Options: locate"
    <PANEL> "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "Subsequence: Install Extensions Manager"
    <SKIP IF> BootDiskWinActive()
    <PANEL> "Startup disk: opening"

    <SKIP IF> ActiveWindow('MACS',"System Folder")
    <MAKE SURE> BootDiskWinActive() , "Auto open: Startup Disk window seq"
    <PANEL> "System Folder: locate"
    <PANEL> "Extensions Manager: locate"
    <PANEL> "any resource: drag"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I change the resolution on a monitor?" ,"How do I change the resolution on a monitor?"
    <PANEL> "Monitor change resolution: intro"
    <IF> NOT InControlPanelFolder("Monitors")
        <PANEL> "Monitors: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Monitors control panel"
    <END IF>

    <IF> InControlPanelFolder("Monitors")
        <SKIP IF> ActiveWindow('MACS',"Control Panels") OR ActiveWindow('MACS',"Monitors")
        <PANEL> "Apple menu: choose control panels"

        <SKIP IF> ActiveWindow('MACS',"Monitors")
        <MAKE SURE> ActiveWindow('MACS',"Control Panels"),"Auto open: Control Panels folder seq"
        <PANEL> "Monitors control panel: opening"

        <MAKE SURE> ActiveWindow('MACS',"Monitors"), "Auto open: Monitors seq"
        <PANEL> "Monitor resolution: click Options"
        <PANEL> "Monitor resolution: click resolution"

```

```

    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I adjust the memory used for a monitor?" ,"How do I adjust the memory used for a monitor?"
    <PANEL> "Monitor memory: intro"
    <IF> NOT InControlPanelFolder("Monitors")
        <PANEL> "Monitors: segue to install"
        <JUMP SEQUENCE> "Subsequence: Install Monitors control panel"
    <END IF>

    <IF> InControlPanelFolder("Monitors")
        <SKIP IF> ActiveWindow('MACS','Control Panels') OR ActiveWindow('MACS','Monitors')
        <PANEL> "Apple menu: choose control panels"

        <SKIP IF> ActiveWindow('MACS','Monitors')
        <MAKE SURE> ActiveWindow('MACS','Control Panels'),"Auto open: Control Panels folder seq"
        <PANEL> "Monitors control panel: opening"

        <MAKE SURE> ActiveWindow('MACS','Monitors'), "Auto open: Monitors seq"
        <PANEL> "Monitor resolution: click Options"
        <PANEL> "Monitor memory: click choice"
    <END IF>
<END SEQUENCE>

<DEFINE SEQUENCE> "Key features of System 7.5" ,"Key features of System 7.5"
    <SEQUENCE PROMPT SET> "Key Features"
        <PANEL> "System 7.5: features1"
        <PANEL> "System 7.5: features2"
        <PANEL> "System 7.5: features3"
        <PANEL> "System 7.5: features4"
    <END SEQUENCE>

<DEFINE SEQUENCE> "Tips for efficient Macintosh use" ,"Tips for efficient Macintosh use"
    <SEQUENCE PROMPT SET> "Prompt Override: 35"
        <PANEL> "Efficient use: intro"
        <PANEL> "Efficient use: tips1"
        <PANEL> "Efficient use: tips2"
        <PANEL> "Efficient use: tips3"
        <PANEL> "Efficient use: tips4"
        <PANEL> "Efficient use: tips5"
        <PANEL> "Efficient use: tips6"
    <END SEQUENCE>

<DEFINE SEQUENCE> "How do I create a folder?" ,"How do I create a folder?"
    <SEQUENCE PROMPT SET> "Standard Prompts"
        <PANEL> "create folder: intro"
        <PANEL> "File: choose New Folder"
        <PANEL> "folder: name it"
        <PANEL> "create folder: tip"
    <END SEQUENCE>

```

Remaining sequences are not accessed by a Topic Area

<DEFINE SEQUENCE> "How do I control the pointer with the keyboard?" , "How do I control the pointer with the keyboard?"

<IF> NOT InControlPanelFolder("Easy Access")
<PANEL> "Easy Access: segue to install"
<JUMP SEQUENCE> "Subsequence: Install Easy Access control panel"
<END IF>

<IF> InControlPanelFolder("Easy Access")
<PANEL> "Mouse Keys: intro"
<SKIP IF> ActiveWindow('MACS', 'Control Panels') OR ActiveWindow('MACS', 'Easy Access')
<PANEL> "Apple menu: choose Control Panels"

<SKIP IF> ActiveWindow('MACS', 'Easy Access')
<MAKE SURE> ActiveWindow('MACS', 'Control Panels'), "Auto open: Control Panels folder seq"
<PANEL> "Easy Access: open"

<MAKE SURE> ActiveWindow('MACS', 'Easy Access'), "Auto open: Easy Access seq"
<PANEL> "Mouse Keys: on or off"
<MAKE SURE> ActiveWindow('MACS', 'Easy Access'), "Oops: Easy Access CP not active"
<MAKE SURE> OpenWindow('MACS', 'Easy Access'), "Oops: Easy Access CP not open"
<PANEL> "Mouse Keys: diagram"

<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I copy a picture?" , "How do I copy a picture?"

<PANEL> "Paint app: select picture"
<PANEL> "Edit menu: choose Copy"

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I install file sharing software?" , "How do I install file sharing software?"

<INSERT SEQUENCE> "Subsequence: Install Sharing Software"

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I quit a program?" , "How do I quit a program?"

<PANEL> "any program: make active"
<PANEL> "File menu: choose quit"

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I manage Power Macintosh memory?" , "How do I manage Power Macintosh memory?"

<SEQUENCE PROMPT SET> "Standard Prompts"
<PANEL> "Power Mac: memory intro"
<PANEL> "Power Mac: VM tips1"
<PANEL> "Power Mac: tips2"

<END SEQUENCE>

<DEFINE SEQUENCE> "How do I write notes while using any program?" , "How do I write notes while using any program?"

<SEQUENCE PROMPT SET> "Standard Prompts"
<PANEL> "notes: intro"

```

    <PANEL> "Sticky Memos: def1"
    <PANEL> "Sticky Memos: def2"
    <PANEL> "Note Pad: def"
<END SEQUENCE>

<DEFINE SEQUENCE> "How do I disable buttons on the computer's front?" , "How do I disable buttons on the computer's front?"
  <SEQUENCE PROMPT SET> "Standard Prompts"
    <PANEL> "Buttons off: intro"
    <IF> NOT InControlPanelFolder("Button Disabler")
      <PANEL> "Button Disabler: NoCanDo"
    <ELSE>
      <SKIP IF> ActiveWindow('MACS', "Control Panels") OR ActiveWindow('MACS', "Button Disabler")
    <PANEL> "Apple menu: choose Control Panels"
    <SKIP IF> ActiveWindow('MACS', "Button Disabler")
    <MAKE SURE> ActiveWindow('MACS', "Control Panels"), "Auto open: Control Panels folder seq"
    <PANEL> "Button Disabler: open"
    <MAKE SURE> ActiveWindow('MACS', "Button Disabler"), "Auto open: Button Disabler seq"
    <PANEL> "Button Disabler: click"
  <END IF>
<END SEQUENCE>

```