

#####

```
#      File:          Auto Open Sequences
#
#      Contains:       AppleScript autoopen sequences for Macintosh Guide Database
#
#      Coded by:       Kay Burnett, James Miyake, Shemin Gau
#      Content by:     Jose Arcellana, Jeremy Hewes
#
#      Copyright:      ©1992-1994 by Apple Computer, Inc., all rights reserved.
#
```

#####

<DEFINE SEQUENCE> "Auto open: AppleCD Audio Player seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: AppleCD Audio Player"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the AppleCD Audio Player.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open AppleCD Audio Player")

<PANEL PROMPT> "AG Opened Audio Player"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Apple Menu Options seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: Apple Menu Options"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the Apple Menu Options control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open Apple Menu Options CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: AutoRemounter seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: AutoRemounter"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the AutoRemounter control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open AutoRemounter CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Chooser seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: Chooser"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the Chooser.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open Chooser")

<PANEL PROMPT> "AG Opened Chooser"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: CloseView seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: CloseView"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the CloseView control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open CloseView CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Color seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: Color"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the Color control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open Color CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Date & Time seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: Date & Time"
<FORMAT> "Full"
Please wait a moment. Apple Guide is assisting you by opening the Date & Time control panel.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Date & Time CP")
<PANEL PROMPT> "AG Opened CP"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Easy Access seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: Easy Access"
<FORMAT> "Full"
Please wait a moment. Apple Guide is assisting you by opening the Easy Access control panel.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Easy Access CP")
<PANEL PROMPT> "AG Opened CP"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Extensions Manager seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: Extensions Manager"
<FORMAT> "Full"
Please wait a moment. Apple Guide is assisting you by opening the Extensions Manager control panel.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Extensions Manager CP")
<PANEL PROMPT> "AG Opened CP"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: File Sharing Monitor seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: File Sharing Monitor"
<FORMAT> "Full"
Please wait a moment. Apple Guide is assisting you by opening the File Sharing Monitor control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

```
<On Panel Show>          DoAppleScript(":Open AppleScripts:Open File Sharing Monitor CP")
    <PANEL PROMPT>        "AG Opened CP"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Find File seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>       "Auto open: Find File"
    <FORMAT> "Full"
    Please wait a moment. Apple Guide is assisting you by opening Find File.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show>          DoAppleScript(":Open AppleScripts:Open Find File")
    <PANEL PROMPT>        "AG Opened Find File"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: General Controls seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>       "Auto open: General Controls"
    <FORMAT> "Full"
    Please wait a moment. Apple Guide is assisting you by opening the General Controls
    control panel.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show>          DoAppleScript(":Open AppleScripts:Open General Controls CP")
    <PANEL PROMPT>        "AG Opened CP"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Desktop Patterns seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>       "Auto open: Desktop Patterns"
    <FORMAT> "Full"
    Please wait a moment. Apple Guide is assisting you by opening the Desktop Patterns
    control panel.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show>          DoAppleScript(":Open AppleScripts:Open Desktop Patterns CP")
    <PANEL PROMPT>        "AG Opened CP"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Key Caps seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>       "Auto open: Key Caps"
```

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the Key Caps desk accessory.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open Key Caps")

<PANEL PROMPT> "AG Opened Key Caps"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Keyboard seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: Keyboard"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the Keyboard control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open Keyboard CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Labels seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: Labels"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the Labels control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open Labels CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "AG open Launcher seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "AG open Launcher"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the Launcher control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open Launcher CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

```
<DEFINE SEQUENCE> "Auto open: Macintosh Easy Open Setup seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: Macintosh Easy Open Setup"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the Macintosh Easy Open
                     control panel.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Macintosh Easy Open Setup")
                 <PANEL PROMPT> "AG Opened CP"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Map seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: Map"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the Map control panel.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Map CP")
                 <PANEL PROMPT> "AG Opened CP"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Memory seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: Memory"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the Memory control
                     panel.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Memory CP")
                 <PANEL PROMPT> "AG Opened CP"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Monitors seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: Monitors"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the Monitors control
                     panel.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Monitors CP")
```

```

        <PANEL PROMPT>      "AG Opened CP"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Mouse seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: Mouse"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the Mouse control panel.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Mouse CP")
        <PANEL PROMPT>      "AG Opened CP"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Network seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: Network"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the Network control
                     panel.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Network CP")
        <PANEL PROMPT>      "AG Opened CP"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Numbers seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: Numbers"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the Numbers control
                     panel.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Numbers CP")
        <PANEL PROMPT>      "AG Opened CP"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: PC Exchange seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: PC Exchange"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the PC Exchange control
                     panel.

```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open PC Exchange CP")
    <PANEL PROMPT> "AG Opened CP"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Sharing Setup seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: Sharing Setup"
    <FORMAT> "Full"
    Please wait a moment. Apple Guide is assisting you by opening the Sharing Setup control
    panel.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Sharing Setup CP")
    <PANEL PROMPT> "AG Opened CP"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Sound seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: Sound"
    <FORMAT> "Full"
    Please wait a moment. Apple Guide is assisting you by opening the Sound control panel.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Sound CP")
    <PANEL PROMPT> "AG Opened CP"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Startup Disk seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: Startup Disk"
    <FORMAT> "Full"
    Please wait a moment. Apple Guide is assisting you by opening the Startup Disk
    control panel.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Startup Disk CP")
    <PANEL PROMPT> "AG Opened CP"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Text seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: Text"
```


<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the Text control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open Text CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Users & Groups seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: Users & Groups"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the Users & Groups control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open Users & Groups CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Views seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: Views"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the Views control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open Views CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: WindowShade seq"

<Seq Nav Button Set> NONE

<DEFINE PANEL> "Auto open: WindowShade"

<FORMAT> "Full"

Please wait a moment. Apple Guide is assisting you by opening the WindowShade control panel.

<3D BUTTON> 1070,1072, Center, GoBack()

<On Panel Show> DoAppleScript(":Open AppleScripts:Open WindowShade CP")

<PANEL PROMPT> "AG Opened CP"

<END PANEL>

<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Startup Disk window seq"

```

<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: Startup Disk window"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the Startup Disk
                     window.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show>      DoAppleScript(":Open AppleScripts:Open Startup Disk window")
                     <PANEL PROMPT>      "AG Opened window"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Control Panels folder seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: Control Panels folder"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the Control Panels
                     folder.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show>      DoAppleScript(":Open AppleScripts:Open Control Panels folder")
                     <PANEL PROMPT>      "AG Opened folder"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: System folder seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: System folder"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the System folder.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show>      DoAppleScript(":Open AppleScripts:Open System folder")
                     <PANEL PROMPT>      "AG Opened folder"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Fonts folder seq"
<Seq Nav Button Set>  NONE
<DEFINE PANEL>      "Auto open: Fonts folder"
                     <FORMAT> "Full"
                     Please wait a moment. Apple Guide is assisting you by opening the Fonts folder.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show>      DoAppleScript(":Open AppleScripts:Open Fonts folder")
                     <PANEL PROMPT>      "AG Opened folder"
<END PANEL>
<END SEQUENCE>

```

<DEFINE SEQUENCE> "Auto open: Extensions folder seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: Extensions folder"
<FORMAT> "Full"
Please wait a moment. Apple Guide is assisting you by opening the Extensions folder.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Extensions folder")
<PANEL PROMPT> "AG Opened folder"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: System window seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: System window"
<FORMAT> "Full"
Please wait a moment. Apple Guide is assisting you by opening the System window.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open System")
<PANEL PROMPT> "AG Opened window"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Apple Menu Items folder seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: Apple Menu Items folder"
<FORMAT> "Full"
Please wait a moment. Apple Guide is assisting you by opening the Apple Menu Items folder.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Apple Menu Items folder")
<PANEL PROMPT> "AG Opened folder"
<END PANEL>
<END SEQUENCE>

<DEFINE SEQUENCE> "Auto open: Launcher Items folder seq"
<Seq Nav Button Set> NONE
<DEFINE PANEL> "Auto open: Launcher Items folder"
<FORMAT> "Full"
Please wait a moment. Apple Guide is assisting you by opening the Launcher Items folder.

<3D BUTTON> 1070,1072, Center, GoBack()
<On Panel Show> DoAppleScript(":Open AppleScripts:Open Launcher Items folder")

```
<PANEL PROMPT>      "AG Opened folder"
<END PANEL>
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Auto open: Button Disabler seq"
```

```
<Seq Nav Button Set>  NONE
```

```
<DEFINE PANEL>      "Auto open: Button Disabler"
```

```
<FORMAT> "Full"
```

```
Please wait a moment. Apple Guide is assisting you by opening the Button
Disabler control panel.
```

```
<3D BUTTON> 1070,1072, Center, GoBack()
```

```
<On Panel Show>      DoAppleScript(":Open AppleScripts:Open Button Disabler CP")
```

```
<PANEL PROMPT>      "AG Opened CP"
```

```
<END PANEL>
```

```
<END SEQUENCE>
```