

#####

```
#      File:          Coaches
#
#      Contains:       Coachmark definitions for PowerTalk Guide Database
#
#      Coded by:       Kay Burnett, Shemin Gau
#      Content by:     Kay Burnett, Pete Harbeson, Stella Hackell
#
#      Copyright:      ©1993-1994 by Apple Computer, Inc., all rights reserved.
#
#####
```

```
#
#      It seems the coordinate is defined as (y,x,dy,dx)
#
```

```
#      #####
#      Window coach; name tells it
#      #####
```

```
# Circles button to turn PowerTalk on or off
<DEFINE WINDOW COACH> "powertalk setup", 'MACS', REDCIRCLE, "PowerTalk Setup", rect(58, 35, 88,
```

```
# Circles closebox for PowerTalk Setup CP
<DEFINE WINDOW COACH> "close box", 'MACS', REDCIRCLE, "PowerTalk Setup", rect(-15, -1, 5, 1
```

```
# Appletalk Active radio buttons
<DEFINE WINDOW COACH> "CoachMark: 152", 'chzr', REDCIRCLE, FRONTWINDOW, Rect(254,316,263,3
```

```
# Chooser closebox
<DEFINE WINDOW COACH> "CoachMark: 155", 'chzr', REDCIRCLE, FRONTWINDOW, Rect(-15,0,5,20)
```

```
# coach Current Date type-in field in Date & Time CP
<DEFINE WINDOW COACH> "CoachMark: 11", 'MACS', REDCIRCLE, "Date & Time", RECT(38,18,65,126)
```

```
# coach Current Time type-in field in Date & Time CP
<DEFINE WINDOW COACH> "CoachMark: 12", 'MACS', REDCIRCLE, "Date & Time", RECT(38,211,65,320
```

```
# Circle Set Time Zone in Date & Time CP
<DEFINE WINDOW COACH> "CoachMark: 12-1", 'MACS', REDCIRCLE, "Date & Time", RECT(202,20,230,163)
```

```
# coach Owner Name type-in field in Sharing Setup CP
<DEFINE WINDOW COACH> "CoachMark: 97", 'MACS', REDCIRCLE, "Sharing Setup", RECT(39,132,54,360)
```

```
# coach Owner Password type-in field in Sharing Setup CP
<DEFINE WINDOW COACH> "CoachMark: 98", 'MACS', REDCIRCLE, "Sharing Setup", RECT(59,132,74,198)
```

```
# coach Computer Name type-in field in Sharing Setup CP
<DEFINE WINDOW COACH> "CoachMark: 99", 'MACS', REDCIRCLE, "Sharing Setup", RECT(79,135,94,360)
```

```
# Circles Change Code button in Key Chain window
<DEFINE WINDOW COACH> "change code", 'MACS', REDCIRCLE, "Key Chain", rect(10, 335, 50, 380)
```

```
# Circles Add button in Key Chain window
<DEFINE WINDOW COACH> "add a service", 'MACS', REDCIRCLE, "Key Chain", rect(160, 233, 176, 290)
```

# Circles Remove button in Key Chain window <DEFINE WINDOW COACH> "remove a service",	'MACS', REDCIRCLE, "Key Chain", rect(160, 145, 176, 213)
# Coaches for Catalogs & Info Cards # <DEFINE WINDOW COACH> "catalogs icon",	'MACS', REDCIRCLE, desktop, rect(168, 578, 207, 620)
# Coaches Find pop-up menu in Find in Catalog window <DEFINE WINDOW COACH> "find in findincatalog",	'MACS', REDCIRCLE, "Find in Catalog", rect(6, 49, 29, 88)
# Coaches In pop-up menu in Find in Catalog window <DEFINE WINDOW COACH> "in in findincatalog",	'MACS', REDCIRCLE, "Find in Catalog", rect(6, 225, 29, 254)
# Coaches name type-in field in Find in Catalog window <DEFINE WINDOW COACH> "start in findincatalog",	'MACS', YELLOWX, "Find in Catalog", rect(40, 151, 55, 173)
# Coaches "Allow visitor's mailbox" checkbox in Mailbox Preferences window <DEFINE WINDOW COACH> "allow visitor",	'MACS', REDCIRCLE, "Mailbox Preferences", rect(45, 15, 100, 100)
# Coaches Edit button in Mailbox Preferences window <DEFINE WINDOW COACH> "edit button",	'MACS', REDCIRCLE, "Mailbox Preferences", rect(193, 7, 207, 100)
#<DEFINE WINDOW COACH> "tag dialog x",	'MACS', YELLOWX, "Tag", rect(26, 5, 63, 24)
#<DEFINE WINDOW COACH> "with tag dialog x",	'MACS', YELLOWX, "View with Tag", rect(26, 5, 63, 24)
# Coaches name type-in field for Tag window <DEFINE WINDOW COACH> "tag dialog circle",	'MACS', REDCIRCLE, "Tag", rect(32, 280, 54, 305)
# Coaches name type-in field for View with Tag window <DEFINE WINDOW COACH> "with tag dialog circle",	'MACS', REDCIRCLE, "View with Tag", rect(32, 280, 54, 305)
# Coaches for Digital Signatures # <DEFINE WINDOW COACH> "get info verify",	'MACS', REDCIRCLE, FRONTWINDOW, rect(168, 195, 213, 213)
# Coaches Key Chain button in PowerTalk Setup CP <DEFINE WINDOW COACH> "key chain...",	'MACS', REDCIRCLE, "PowerTalk Setup", rect(173, 241, 188, 254)
# #####	
# Menu coach; starts with menu name plus a "-"	
# #####	
# Coaches for PowerTalk Basics <DEFINE MENU COACH> "apple-",	FRONT, REDCIRCLE, APPLE, , red, Underline
<DEFINE MENU COACH> "special-unlock key chain",	'MACS', REDCIRCLE, "Special", "Unlock Key Chain...", red, Underline
<DEFINE MENU COACH> "Menu:Front:Apple:Chooser",	FRONT, REDCIRCLE, APPLE, "Chooser", Red, Underline
# Coaches for Key Chain <DEFINE MENU COACH> "special-lock key chain",	'MACS', REDCIRCLE, "Special", "Lock Key Chain", red, Underline
<DEFINE MENU COACH> "apple-control panels",	FRONT, REDCIRCLE, APPLE, "Control Panels", red, Underline
#<DEFINE MENU COACH> "apple-key chain",	FRONT, REDCIRCLE, APPLE, "Key Chain", red, Underline
<DEFINE MENU COACH> "apple-mail and catalogs",	FRONT, REDCIRCLE, APPLE, "Mail and Catalogs", red, Underline
# Coaches for Catalogs & Info Cards topic <DEFINE MENU COACH> "catalogs-new personal",	'MACS', REDCIRCLE, "Catalogs", "New Personal Catalog", red, Underline
<DEFINE MENU COACH> "catalogs-new user",	'MACS', REDCIRCLE, "Catalogs", "New User", red, Underline
<DEFINE MENU COACH> "catalogs-new group",	'MACS', REDCIRCLE, "Catalogs", "New Group", red, Underline

```

<DEFINE MENU COACH> "apple-personal catalog",      FRONT, REDCIRCLE, APPLE, "Personal Catalog", red, Underline
<DEFINE MENU COACH> "view-",                      'MACS', REDCIRCLE, "View",,, red, Underline
<DEFINE MENU COACH> "file-print window",          'MACS', REDCIRCLE, "File", "Print Window...", red, Underline
#<DEFINE MENU COACH> "apple-find in catalog",      FRONT, REDCIRCLE, APPLE, "Find in Catalog", red, Underline

#          Coaches for Sending and Receiving
<DEFINE MENU COACH> "edit-select all",            'MACS', REDCIRCLE, "Edit", "Select All", red, Underline
<DEFINE MENU COACH> "mailbox-copy local",          'MACS', REDCIRCLE, "Mailbox", "Copy Local...", red, Underline
<DEFINE MENU COACH> "mailbox-preferences",          'MACS', REDCIRCLE, "Mailbox", "Preferences", red, Underline
<DEFINE MENU COACH> "special-visitor's mailbox", 'MACS', REDCIRCLE, "Special", "Visitor's Mailbox...", red, Underline
<DEFINE MENU COACH> "mailbox-out tray",            'MACS', REDCIRCLE, "Mailbox", "Out Tray", red, Underline
<DEFINE MENU COACH> "view-all",                   'MACS', REDCIRCLE, "View", "All", red, Underline
<DEFINE MENU COACH> "file-get info",               'MACS', REDCIRCLE, "File", "Get Info", red, Underline
<DEFINE MENU COACH> "mailbox-tag",                 'MACS', REDCIRCLE, "Mailbox", "Tag...", red, Underline
<DEFINE MENU COACH> "view-with tag",               'MACS', REDCIRCLE, "View", "with Tag...", red, Underline
<DEFINE MENU COACH> "special-i'm at",              'MACS', REDCIRCLE, "Special", "I'm at...", red, Underline

#          Coaches for Digital Signatures
<DEFINE MENU COACH> "signer-approve",              'MACS', REDCIRCLE, "Signer", "Approve/Renew Signer...", red, Underline
<DEFINE MENU COACH> "file-new request",            'cman', REDCIRCLE, "File", "New Request", red, Underline

#          Coaches for Trouble Shooting
<DEFINE MENU COACH> "Menu:MACS:File:Find",         'MACS', REDCIRCLE, "File", "Find...", Red, Underline

#          #####
#          Item coach; ends with "item"
#          #####

# Coaches type-in field for access code
<DEFINE ITEM COACH> "enter access code item",       'MACS', YELLOWX, , dialogID(-16726), rect(100, 153, 116, 167)

#          Coaches for Digital Signatures
# <DEFINE ITEM COACH> "get info tags item",         'MACS', REDCIRCLE, , dialogID(12250), rect(182, 9, 247, 21)

#          #####
#          Finder coach
#          #####

<DEFINE APPLESCRIPT COACH> "powertalk setup icon", REDCIRCLE, ":",AppleScripts:Finder Coach PowerTalk Setup"
<DEFINE APPLESCRIPT COACH> "finder applemail icon", REDCIRCLE, ":",AppleScripts:Finder Coach AppleMail Setup"
<DEFINE APPLESCRIPT COACH> "finder digisign icon",  REDCIRCLE, ":",AppleScripts:Finder Coach DigiSign Setup"
<DEFINE APPLESCRIPT COACH> "finder powertalk folder", REDCIRCLE, ":",AppleScripts:Finder Coach pt folder"
<DEFINE APPLESCRIPT COACH> "finder untitled info",  REDCIRCLE, ":",AppleScripts:Finder Coach untitled info"
<DEFINE APPLESCRIPT COACH> "Finder Desktop BootDisk", REDCIRCLE, ":",AppleScripts:Finder Desktop Bootdisk"
<DEFINE APPLESCRIPT COACH> "Finder Coach System Folder", REDCIRCLE, ":",AppleScripts:Finder Coach System Folder"
<DEFINE APPLESCRIPT COACH> "Finder Coach Date & Time", REDCIRCLE, ":",AppleScripts:Finder Coach Date & Time"
<DEFINE APPLESCRIPT COACH> "Finder Coach Sharing Setup", REDCIRCLE, ":",AppleScripts:Finder Coach Sharing Setup"

#          #####
#          New Coaches for beta
#          #####

# Coach file search Find items
<DEFINE WINDOW COACH> "Window:Find File:Find Items", 'fndf', REDCIRCLE, "Find File", Rect(7,8,29,316), TOPLEFT

```

Coach file search More or fewer choices

<DEFINE WINDOW COACH> "Window:Find File:More/Fewer Choices", 'fndf', REDCIRCLE, "Find File", Rect(-36,7,-3,261), BOTTO

Coach file search All choice buttons

<DEFINE WINDOW COACH> "Window:FindFile:MoreCriteria:Rect", 'fndf', REDCIRCLE, "Find File", Rect(37,7,70,449), TOPLEFT

ADDED IN 1.0f3 -- copied from Macintosh Guide

Coach Find File Find Button

<DEFINE WINDOW COACH> "FindFile:Find:Wind:Rect", 'fndf', REDCIRCLE, "Find File", Rect(-32,-91,-5,-9), BOTTOMRIGHT

ADDED IN 1.0f3 -- copied from Macintosh Guide

find file result window:top part

<DEFINE ITEM COACH> "Item:Find File:results:top", 'fndf', REDCIRCLE, FRONTWINDOW, DialogID(1)

Coach file search from the Apple menu

<DEFINE MENU COACH>"Menu:Front:Apple:Find File", FRONT, REDCIRCLE, APPLE, "Find File", Red, Underline

Coach closebox of active window

<DEFINE WINDOW COACH> "closebox", 'MACS', REDCIRCLE, FRONTWINDOW, CLOSEBOX