

```
#####
#      File:           Sequences
#
#      Contains:       Sequences for AppleMail Guide Database
#
#      Coded by:       Kay Burnett, Shemin Gau
#      Content by:     Kay Burnett, Pete Harbeson
#
#      Copyright:      ©1993-1994 by Apple Computer, Inc., all rights reserved.
#
#####
```

```
#
#      The beginning of the "How do I" portion
#
```

```
#      #####
#      The following sequence is for "How do I create a letter?"
#      #####
```

```
<DEFINE SEQUENCE>  "How do I create a letter?", "How do I create a letter?"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:WhichNewLetter"
  <IF> rbs("Start with a blank page", "Aplml:WhichNewLetter")
    <PANEL> "File: choose New"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
    <PANEL> "Letter: type content"
  <ELSE>
    <PANEL> "File: choose Letterheads"
    #MAKE SURE LETTERHEAD DIALOG OPEN
    <MAKE SURE> AlertDialog(3016), "Oops:Letterheads dialog not active"
    <PANEL> "Aplml:ChooseLetterhead"
    <PANEL> "Letter: type content"
  <END IF>
<END SEQUENCE>
```

```
#      #####
#      The following sequences are for "How do I address a letter?"
#      #####
```

```
<DEFINE SEQUENCE>  "How do I address a letter?", "How do I address a letter?"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:Mailer:Recipients:AddressType"

  <IF> rbs("Choose an address from my personal catalog", "Aplml:Mailer:Recipients:AddressType")
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
    <PANEL> "Letter: not open"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
```

```

<MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
    #SKIP IF RECIPIENTS Personal Catalog, Catalog Browser, Find Address, OR
    #Type-In Addressing PANEL ACTIVE
    <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
    <PANEL> "Aplml:Mailer:Recipients"
    #MAKE SURE RECIPIENTS Personal Catalog, Catalog Browser, Find Address, OR
    #Type-In Addressing PANEL ACTIVE
    <PANEL> "Aplml:Mailer:Recipients:PersCat"
    #MAKE SURE RECIPIENTS Personal Catalog PANEL IS ACTIVE
    <PANEL> "Aplml:Mailer:Recipients:ChooseAddr"
    #SKIP IF RECIPIENTS Personal Catalog PANEL NOT ACTIVE
    <JUMP SEQUENCE> "jump sequence of How do I address a letter?"
<END IF>

<IF> rbs("Choose an address from catalogs", "Aplml:Mailer:Recipients:AddressType")
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
    <PANEL> "Letter: not open"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
    #SKIP IF RECIPIENTS Personal Catalog, Catalog Browser, Find Address, OR
    #Type-In Addressing PANEL ACTIVE
    <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
    <PANEL> "Aplml:Mailer:Recipients"
    #MAKE SURE RECIPIENTS Personal Catalog, Catalog Browser, Find Address, OR
    #Type-In Addressing PANEL ACTIVE
    <PANEL> "Aplml:Mailer:Recipients:Catalogs"
    #MAKE SURE RECIPIENTS Catalog Browser PANEL IS ACTIVE
    <PANEL> "Aplml:Mailer:Recipients:PickCatalog"
    #SKIP IF RECIPIENTS Catalog Browser PANEL NOT ACTIVE
    <PANEL> "Aplml:Mailer:Recipients:ChooseAddr"
    #SKIP IF RECIPIENTS Catalog Browser PANEL NOT ACTIVE
    <JUMP SEQUENCE> "jump sequence of How do I address a letter?"
<END IF>

<IF> rbs("Search for an address", "Aplml:Mailer:Recipients:AddressType")
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
    <PANEL> "Letter: not open"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
    #SKIP IF RECIPIENTS Personal Catalog, Catalog Browser, Find Address, OR
    #Type-In Addressing PANEL ACTIVE
    <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
    <PANEL> "Aplml:Mailer:Recipients"
    #MAKE SURE RECIPIENTS Personal Catalog, Catalog Browser, Find Address, OR
    #Type-In Addressing PANEL ACTIVE
    <PANEL> "Aplml:Mailer:Recipients:Search"
    #MAKE SURE RECIPIENTS Find Address PANEL IS ACTIVE
    <PANEL> "Aplml:Mailer:Recipients:SearchWhat"
    #SKIP IF RECIPIENTS Find Address PANEL NOT ACTIVE
    <PANEL> "Aplml:Mailer:Recipients:SearchWhere"
    #SKIP IF RECIPIENTS Find Address PANEL NOT ACTIVE
    <PANEL> "Aplml:Mailer:Recipients:SearchNow"
    #SKIP IF RECIPIENTS Find Address PANEL NOT ACTIVE
    <PANEL> "Aplml:Mailer:Recipients:ChooseAddr"

```

#SKIP IF RECIPIENTS Find Address PANEL NOT ACTIVE

<JUMP SEQUENCE> "jump sequence of How do I address a letter?"

<END IF>

<IF> rbs("Type an address", "Aplml:Mailer:Recipients:AddressType")

<SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")

<PANEL> "Letter: not open"

<SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")

<MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"

<PANEL> "Aplml:expandMailer"

#SKIP IF RECIPIENTS Personal Catalog, Catalog Browser, Find Address, OR

#Type-In Addressing PANEL ACTIVE

<MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"

<PANEL> "Aplml:Mailer:Recipients"

#MAKE SURE RECIPIENTS Personal Catalog, Catalog Browser, Find Address, OR

#Type-In Addressing PANEL ACTIVE

<PANEL> "Aplml:Mailer:Recipients:Type"

#MAKE SURE RECIPIENTS Type-In Addressing PANEL IS ACTIVE

<PANEL> "Aplml:Mailer:Recipients:TypeAddress"

#SKIP IF RECIPIENTS Type-In Addressing PANEL NOT ACTIVE

<PANEL> "Aplml:Mailer:Recipients:KindTyped"

#SKIP IF RECIPIENTS Type-In Addressing PANEL NOT ACTIVE

<JUMP SEQUENCE> "jump sequence of How do I address a letter?"

<END IF>

<END SEQUENCE>

<DEFINE SEQUENCE> "jump sequence of How do I address a letter?", "jump sequence of How do I address a letter?"

<PANEL> "Aplml:Mailer:Recipients:To/CC/BCC"

<IF> rbs("Address as a main recipient", "Aplml:Mailer:Recipients:To/CC/BCC")

<PANEL> "Aplml:Mailer:Recipients:To"

<ELSE>

<IF> rbs("Address as a copied recipient", "Aplml:Mailer:Recipients:To/CC/BCC")

<PANEL> "Aplml:Mailer:Recipients:CC"

<ELSE>

<PANEL> "Aplml:Mailer:Recipients:BCC"

<END IF>

#SKIP IF RECIPIENTS Personal Catalog, Catalog Browser, Find Address, AND

#Type-In Addressing PANELS NOT ACTIVE

<PANEL> "Aplml:Mailer:Recipients:Done"

<END IF>

<END SEQUENCE>

```
# #####
# The following sequence is for "How do I expand and collapse the Mailer?"
# #####
```

<DEFINE SEQUENCE> "How do I expand and collapse the Mailer?", "How do I expand and collapse the Mailer?"

<SEQUENCE PROMPT SET> "override: ddone"

MAY NEED INTO PANEL TO AVOID BLANK PANEL BUG

<SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")

<PANEL> "Letter: not open"

<IF> MenuItemEnabled("Windows", "Collapse Mailer")

<PANEL> "Aplml:collapseMailer"

```

<ELSE>
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
<END IF>
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I work with letterheads?"
# #####

```

```

<DEFINE SEQUENCE> "How do I work with letterheads?", "How do I work with letterheads?"
<SEQUENCE PROMPT SET> "default"
<PANEL> "Aplml:ChooseLetterheadTask"

<IF> rbs("Open an existing letterhead", "Aplml:ChooseLetterheadTask")
    <PANEL> "File: choose Letterheads"
    #MAKE SURE LETTERHEAD DIALOG IS ACTIVE
    <MAKE SURE> ActiveDialog(3016), "Oops:Letterheads dialog not active"
    <PANEL> "Aplml:ChooseLetterhead"
<END IF>

<IF> rbs("Make a new letterhead", "Aplml:ChooseLetterheadTask")
    <PANEL> "File: choose New"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
    <PANEL> "Aplml:MakeALetterhead"
    <PANEL> "File: choose Save As Letterhead"
    #SKIP IF SAVE AS LETTERHEAD DIALOG NOT ACTIVE
    <SKIP IF> NOT ActiveDialog(3015)
    <PANEL> "Aplml:NameLetterhead"
<END IF>

<IF> rbs("Choose a letterhead to use all the time", "Aplml:ChooseLetterheadTask")
    <PANEL> "File: choose Letterheads"
    #MAKE SURE LETTERHEAD DIALOG IS ACTIVE
    <MAKE SURE> ActiveDialog(3016), "Oops:Letterheads dialog not active"
    <PANEL> "Aplml:DefaultLetterhead"
    #SKIP IF LETTERHEAD DIALOG NOT ACTIVE
    <SKIP IF> NOT ActiveDialog(3016)
    <PANEL> "Aplml:LetterheadDone"
<END IF>

<IF> rbs("Delete a letterhead from the list of letterheads", "Aplml:ChooseLetterheadTask")
    <PANEL> "File: choose Letterheads"
    #MAKE SURE LETTERHEAD DIALOG IS ACTIVE
    <MAKE SURE> ActiveDialog(3016), "Oops:Letterheads dialog not active"
    <PANEL> "Aplml:LetterheadDelete"
    #SKIP IF LETTERHEAD DIALOG NOT ACTIVE
    <SKIP IF> NOT ActiveDialog(3016)
    <PANEL> "Aplml:LetterheadDone"
<END IF>
<END SEQUENCE>

```

```
# #####
# The following sequence is for "How do I set up AppleMail the way I want?"
# #####
```

```
<DEFINE SEQUENCE> "How do I set up AppleMail the way I want?", "How do I set up AppleMail the way I want?"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:SetPrefs intro"
  <PANEL> "Edit: choose Preferences"
  <PANEL> "Aplml:SetPrefs"
<END SEQUENCE>
```

```
# #####
# The following sequence is for "How do I include sounds and images?"
# #####
```

```
<DEFINE SEQUENCE> "How do I include sounds and images?", "How do I include sounds and images?"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:ChooseRecordOrPaste"
  <IF> rbs("Record a new sound", "Aplml:ChooseRecordOrPaste")
    <PANEL> "Aplml:RecordingInfo"
    <SKIP IF> MenuItemEnabled("Edit", "Record Sound...")
    <PANEL> "Edit: choose Record Sound"
    <SKIP IF> MenuItemEnabled("Edit", "Record Sound...")
    <PANEL> "Aplml:UseRecordBox"
  <ELSE>
    <PANEL> "Aplml:GoGetSomething"
    # SKIP IF APPLEMAIL IS THE ACTIVE APPLICATION
    <SKIP IF> ActiveAppls('lap2')
    <PANEL> "Aplml:makeActive"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Ma
    <PANEL> "Letter: not open"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
    # MAKE SURE APPLEMAIL IS ACTIVE
    <MAKE SURE> ActiveAppls('lap2'), "Oops:AppleMail not active"
    <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
    <PANEL> "Aplml:PasteWhere"
    # MAKE SURE APPLEMAIL IS ACTIVE
    <MAKE SURE> ActiveAppls('lap2'), "Oops:AppleMail not active"
    <PANEL> "Edit: choose Paste"
  <END IF>
<END SEQUENCE>
```

```
# #####
# The following sequence is for "How do I play sounds or movies?"
# #####
```

```
<DEFINE SEQUENCE> "How do I play sounds or movies?", "How do I play sounds or movies?"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:PlaySoundOrMovie"
```

```

<IF> rbs("Play a sound", "Aplml:PlaySoundOrMovie")
    <PANEL> "Aplml:PlaySound"
<ELSE>
    <PANEL> "Aplml:PlayMovie"
    <PANEL> "Aplml:MovieTips"
<END IF>
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I include a file with a letter?"
# #####

```

```

<DEFINE SEQUENCE> "How do I include a file with a letter?", "How do I include a file with a letter?"
<SEQUENCE PROMPT SET> "default"
<PANEL> "Aplml:addEnclosure intro"
<SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
    <PANEL> "Letter: not open"
<SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
<MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
<MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
    <PANEL> "Aplml:DragEnclosure"
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I save a letter?"
# #####
##bug

```

```

<DEFINE SEQUENCE> "How do I save a letter?", "How do I save a letter?"
<SEQUENCE PROMPT SET> "default"
<PANEL> "Aplml:SaveAsWhat"

<IF> rbs("Save the letter in the usual way", "Aplml:SaveAsWhat")
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Ma
        <PANEL> "Letter: not open"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
        <PANEL> "Aplml:expandMailer"
    <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
        <PANEL> "File: choose Save"
    #MAKE SURE SAVE DIALOG ACTIVE
    <SKIP IF> NOT ActiveDialog(-6043)
        <PANEL> "Aplml:StandardFile:ChooseLocation"
    #SKIP IF SAVE DIALOG NOT ACTIVE
    <SKIP IF> NOT ActiveDialog(-6043)
        <PANEL> "Aplml:StandardFile:NameFile"
    #SKIP IF SAVE DIALOG NOT ACTIVE
    <SKIP IF> NOT ActiveDialog(-6043)
        <PANEL> "Aplml:StandardFile:ClickSave"
<END IF>

<IF> rbs("Save a copy of the letter under a new name", "Aplml:SaveAsWhat")

```

```

<SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Ma
    <PANEL> "Letter: not open"
<SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
<MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
<MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
    <PANEL> "File: choose Save As"
#MAKE SURE SAVE DIALOG ACTIVE
<MAKE SURE> AlertDialog(-6043), "Oops:Save As dialog not active"
    <PANEL> "Aplml:StandardFile:ChooseLocation"
#SKIP IF SAVE DIALOG NOT ACTIVE
<SKIP IF> NOT AlertDialog(-6043)
    <PANEL> "Aplml:StandardFile:NameFile"
#SKIP IF SAVE DIALOG NOT ACTIVE
<SKIP IF> NOT AlertDialog(-6043)
    <PANEL> "Aplml:StandardFile:ClickSave"
<END IF>

<IF> rbs("Save the letter as a letterhead", "Aplml:SaveAsWhat")
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Ma
        <PANEL> "Letter: not open"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
        <PANEL> "Aplml:expandMailer"
    <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
        <PANEL> "File: choose Save As Letterhead"
    #MAKE SURE SAVE AS LETTERHEAD DIALOG ACTIVE
    <MAKE SURE> AlertDialog(3015), "Oops:Save As Letterhead dialog not active"
        <PANEL> "Aplml:NameLetterhead"
    <END IF>

<IF> rbs("Save the letter as a text file", "Aplml:SaveAsWhat")
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Ma
        <PANEL> "Letter: not open"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
        <PANEL> "Aplml:expandMailer"
    <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
        <PANEL> "File: choose Save As Text"
    #MAKE SURE SAVE DIALOG ACTIVE
    <MAKE SURE> AlertDialog(-6043), "Oops:Save As Text dialog not active"
        <PANEL> "Aplml:StandardFile:ChooseLocation"
    #SKIP IF SAVE DIALOG NOT ACTIVE
    <SKIP IF> NOT AlertDialog(-6043)
        <PANEL> "Aplml:StandardFile:NameFile"
    #SKIP IF SAVE DIALOG NOT ACTIVE
    <SKIP IF> NOT AlertDialog(-6043)
        <PANEL> "Aplml:StandardFile:ClickSave"
    <END IF>
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I save a letter using a new name?"
# #####

```

```

<DEFINE SEQUENCE> "How do I save a letter using a new name?", "How do I save a letter using a new name?"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:SaveAsIntro"
  <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
    <PANEL> "Letter: not open"
  <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
  <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
  <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
    <PANEL> "File: choose Save As"
  #MAKE SURE SAVE DIALOG ACTIVE
  <MAKE SURE> ActiveDialog(-6043), "Oops:Save As dialog not active"
    <PANEL> "Aplml:StandardFile:ChooseLocation"
  #SKIP IF SAVE DIALOG NOT ACTIVE
  <SKIP IF> NOT ActiveDialog(-6043)
    <PANEL> "Aplml:StandardFile:NameFile"
  #SKIP IF SAVE DIALOG NOT ACTIVE
  <SKIP IF> NOT ActiveDialog(-6043)
    <PANEL> "Aplml:StandardFile:ClickSave"
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I send a letter?"
# #####

```

```

<DEFINE SEQUENCE> "How do I send a letter?", "How do I send a letter?"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:BeforeSending"
  <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
    <PANEL> "Letter: not open"
  <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
  <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
  <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
    <PANEL> "Mail: choose Send"
  #SKIP IF THE SEND DIALOG NOT ACTIVE
  <SKIP IF> NOT ActiveDialog(-16722)
    <PANEL> "Aplml:SendOptions"
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I reply to a letter?"
# #####

```

MAY NEED INTRO PANEL

```

<DEFINE SEQUENCE> "How do I reply to a letter?", "How do I reply to a letter?"
  <SEQUENCE PROMPT SET> "default"
  ## MAY NEED INTRO PANEL TO AVOID BLANK PANEL BUG
  # <SKIP IF> MenuItemEnabled("Mail", "Reply")
  # <PANEL> "Letter: existing not open"

```



```

# <MAKE SURE> MenuItemEnabled("Mail", "Reply"), "Oops:Letter existing not active"
<SKIP IF> MenuItemEnabled("Mail", "Forward")
    <PANEL> "Letter: existing not open"
<MAKE SURE> MenuItemEnabled("Mail", "Forward"), "Oops:Letter existing not active"
    <PANEL> "Mail: choose Reply"
<PANEL> "Aplml:ReplyOptions"
<PANEL> "Mail: choose Send"
#SKIP IF THE SEND DIALOG NOT ACTIVE
<SKIP IF> NOT ActiveDialog(-16722)
    <PANEL> "Aplml:SendOptions"
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I forward a letter?"
# #####

```

```

<DEFINE SEQUENCE> "How do I forward a letter?", "How do I forward a letter?"
    <SEQUENCE PROMPT SET> "default"
    <PANEL> "Aplml:Forward intro"
    <SKIP IF> MenuItemEnabled("Mail", "Forward")
        <PANEL> "Letter: existing not open"
    <MAKE SURE> MenuItemEnabled("Mail", "Forward"), "Oops:Letter existing not active"
        <PANEL> "Mail: choose Forward"
    <SKIP IF> ActiveDialog(-16722)
    <PANEL> "Mail: choose Send"
    #SKIP IF THE SEND DIALOG NOT ACTIVE
    <SKIP IF> NOT ActiveDialog(-16722)
        <PANEL> "Aplml:SendOptions"
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I save an address?"
# #####

```

```

<DEFINE SEQUENCE> "How do I save an address?", "How do I save an address?"
    <SEQUENCE PROMPT SET> "default"
    ## MAY NEED INTRO PANEL TO AVOID BLANK PANEL BUG
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
        <PANEL> "Letter: not open"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
        <PANEL> "Aplml:expandMailer"
    <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
        <PANEL> "Aplml:PickAddress"
    <PANEL> "Aplml:DragAddress"
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I sign a letter?"
# #####

```

```

<DEFINE SEQUENCE> "How do I sign a letter?", "How do I sign a letter?"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:BeforeSigning"
  <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
    <PANEL> "Letter: not open"
  <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer")
  <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <PANEL> "Aplml:expandMailer"
  <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Mailer not expanded"
    <PANEL> "Mail: choose Send"
  #SKIP IF SEND DIALOG NOT ACTIVE
  <SKIP IF> NOT ActiveDialog(-16722)
    <PANEL> "Aplml:ClickSign"
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I obtain an approved Signer file?"
# #####

```

```

<DEFINE SEQUENCE> "How do I obtain an approved Signer file?", "How do I obtain an approved Signer file?"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "howdoi: obtain a signer file: begin"
<END SEQUENCE>

```

```

# #####
# The following sequence is for "How do I organize letters?"
# #####

```

```

<DEFINE SEQUENCE> "How do I organize letters?", "How do I organize letters?"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:AboutTags"

  <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
    <PANEL> "Letter: existing not open"
  <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
  <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter existing not active"
  <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Letter existing not active"
    <PANEL> "Letter: existing not open"
  <MAKE SURE> MenuItemEnabled("Mail", "Forward"), "Oops:Letter existing not active"
    <PANEL> "Mail: choose Tag Letter"
  #SKIP IF TAG DIALOG NOT ACTIVE
  <MAKE SURE> ActiveDialog(-16732), "Oops:Tag Letter not chosen"
    <PANEL> "Aplml:TagLetter"
  #SKIP IF TAG DIALOG NOT ACTIVE
  <SKIP IF> NOT ActiveDialog(-16732)
    <PANEL> "Aplml:ClickTag"
  #SKIP IF TAG DIALOG NOT ACTIVE
  <SKIP IF> NOT ActiveDialog(-16732)
    <PANEL> "Aplml:DoneTagging"
<END SEQUENCE>

```

```
# #####
# The following sequence is for "How do I open a file sent with a letter?"
# #####
```

```
<DEFINE SEQUENCE> "How do I open a file sent with a letter?", "How do I open a file sent with a letter?"
    <SEQUENCE PROMPT SET> "default"
    <PANEL> "ApImI:OpenEnclosure"
<END SEQUENCE>
```

```
# #####
# The following sequence is for "How do I open the next letter in my In Tray?"
# #####
```

```
<DEFINE SEQUENCE> "How do I open the next letter in my In Tray?", "How do I open the next letter in my In Tray?"
    <SEQUENCE PROMPT SET> "default"
    <PANEL> "Mail: choose Open Next Letter"
<END SEQUENCE>
```

```
# #####
# The following sequence is for "How do I delete a letter?"
# #####
```

```
<DEFINE SEQUENCE> "How do I delete a letter?", "How do I delete a letter?"
    <SEQUENCE PROMPT SET> "default"
    <PANEL> "File: choose Delete"
<END SEQUENCE>
```

```
# #####
# The following sequence is for "How do I print a letter?"
# #####
```

```
<DEFINE SEQUENCE> "How do I print a letter?", "How do I print a letter?"
    <SEQUENCE PROMPT SET> "default"

    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
        <PANEL> "Letter: not open"
    <SKIP IF> MenuItemEnabled("Windows", "Collapse Mailer") OR MenuItemEnabled("Windows", "Expand Mailer")
    <MAKE SURE> MenuItemEnabled("Windows", "Expand Mailer"), "Oops:Letter not active"
    <MAKE SURE> MenuItemEnabled("Windows", "Collapse Mailer"), "Oops:Letter not active"
        <PANEL> "Letter: not open"
    <PANEL> "File: choose Print"
    #SKIP IF PRINT OPTIONS DIALOG NOT ACTIVE
    <SKIP IF> NOT ActiveDialog(-8191)
        <PANEL> "ApImI:PrintOptions"
<END SEQUENCE>
```

```
#
```

```
# The beginning of the "Shortcuts" portion
#
```

```
# #####
# The following sequence is for "Tips for addressing a letter"
# #####
```

```
<DEFINE SEQUENCE> "shortcuts for addressing a letter", "Shortcuts for addressing a letter"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:AddrTips"
  <PANEL> "Aplml:AddrTips2"
  <PANEL> "Aplml:AddrTips3"
  <PANEL> "Aplml:AddrTips4"
<END SEQUENCE>
```

```
# #####
# The following sequence is for "Shortcuts for using the Mailer"
# #####
```

```
<DEFINE SEQUENCE> "shortcuts for using the Mailer", "Shortcuts for using the Mailer"
  <SEQUENCE PROMPT SET> "default"
  <PANEL> "Aplml:MailerTips1"
  <PANEL> "Aplml:MailerTips2"
  <PANEL> "Aplml:MailerTips3"
  <PANEL> "Aplml:MailerTips4"
<END SEQUENCE>
```

```
# #####
# The following sequence is for "Definition of Mailer"
# This sequence is used in Huh? button for AppleMail
# #####
```

```
<DEFINE SEQUENCE> "Definition of Mailer", "Mailer"
  <SEQUENCE PROMPT SET> "end"
```

```
<DEFINE PANEL> "Mailer: def"
  <FORMAT> "full"
  You use the Mailer to address and send correspondence from an application program other than the
  Finder. With PowerTalk software, Macintosh developers can add the Mailer to any program and use it to
  send documents created in that program.
```

```
<END PANEL>
```

```
<END SEQUENCE>
```

```
<DEFINE SEQUENCE> "Definition of Blind Copy (BCC)", "Blind Copy (BCC)"
  <SEQUENCE PROMPT SET> "end"
```

```
<DEFINE PANEL> "Blind Copy (BCC): def"
```

<FORMAT> "full"

Names of BCC recipients don't appear in the Recipients boxes of anyone except the sender.

<END PANEL>

<END SEQUENCE>