

```
#####
#       File:           Panels.nml
#
#       Contains:       Panel Definitions for the ShortCuts Database
#
#       Coded by:       Kay Burnett, James Miyake
#       Content by:     Jose Arcellana, Jeremy Hewes
#
#       Copyright:      ©1992-1994 by Apple Computer, Inc., all rights reserved.
#
#####
```

```
<DEFINE FORMAT>      "Tag", Column(6,0,54), "Espy Sans Bold", 10, PLAIN, , RIGHT,

<DEFINE FORMAT>      "Body", Column(6,65,330), "Espy Serif", 10, PLAIN, , SYSTEM,

<DEFINE TRANSPARENT FORMAT>      "Top", Column(11,18,338), "Espy Sans Bold", 10, PLAIN, , SYSTEM,

<DEFINE TRANSPARENT FORMAT>      "Bottom", Column(34,85,338), "Espy Sans", 10, PLAIN, , SYSTEM,

<DEFINE FORMAT>      "Full", Column(6,11,330), "Espy Serif", 10, PLAIN, , SYSTEM,

<DEFINE PANEL>       "Standard file.panel 1"
                     <FORMAT> "Top"
                       To cancel
```

To move up one level

```
<FORMAT> "Bottom"
—         or
```

— or click the disk icon

(or use the pop-up menu)

```
<FORMAT>      "ResetZero"
<PICT> 998, Point(4,68)
<PICT> 1000, Point(86,33)
<PICT> 1000, Point(86,103)
<PICT> 1002, Point(138,33)
<PICT> 1004, Point(204,33)
<PICT> 1006, Point(137,103)
<PICT> 1008, Point(0,0)
<PICT> 1010, Point(0,172)
```

```
<END PANEL>
```

```
<DEFINE PANEL>      "Standard file.panel 1a"
```

<FORMAT> "Top"
To move to the desktop level

To select an item by name

<FORMAT> "Bottom"
—

Begin typing the name

<FORMAT> "ResetZero"
<PICT> 1000, Point(86,33)
<PICT> 1012, Point(137,33)
<PICT> 998, Point(5,67)
<PICT> 1008, Point(0,0)
<PICT> 1010, Point(0,172)

<END PANEL>

<DEFINE PANEL> "Standard file.panel 2"
<FORMAT> "Top"
To select the next or previous item

To display, instead of open, the original of an
alias

<FORMAT> "Bottom"
or

+ open the alias

<FORMAT> "ResetZero"
<PICT> 998, Point(3,65)
<PICT> 1014, Point(149,32)
<PICT> 1006, Point(89,32)
<PICT> 1016, Point(89,103)
<PICT> 1008, Point(0,0)
<PICT> 1010, Point(0,172)

<END PANEL>

<DEFINE PANEL> "Standard file.panel 2a"
<FORMAT> "Top"
To open the selected item

To eject the selected disk

<FORMAT> "Bottom"
or or —
or —

—

<FORMAT> "ResetZero"
<PICT> 1018, Point(69,33)

```

<PICT> 1000, Point(236,33)
<PICT> 1020, Point(286,33)
<PICT> 1008, Point(0,0)
<PICT> 1000, Point(102,61)
<PICT> 1014, Point(153,61)
<PICT> 998, Point(3,95)
<PICT> 1000, Point(86,132)
<PICT> 1022, Point(137,132)
<PICT> 1024, Point(158,33)
<PICT> 1010, Point(0,172)

```

<END PANEL>

```

<DEFINE PANEL>      "Standard file.panel 3"
                    <FORMAT> "Top"
To create a new folder (in Save dialog boxes
                        only)

```

To make the directory or the name box active
(in Save dialog boxes only)

```

<FORMAT> "Bottom"

```

—

```

<FORMAT>      "ResetZero"
<PICT> 1008, Point(0,0)
<PICT> 1000, Point(86,33)
<PICT> 1026, Point(137,33)
<PICT> 998, Point(3,65)
<PICT> 1028, Point(86,118)
<PICT> 1010, Point(0,172)

```

<END PANEL>

```

<DEFINE PANEL>      "Shortcuts Access"
                    <FORMAT> "Full"
You can use keyboard commands to work quickly in the Finder. Click a category below.
(Other keyboard commands are listed in the menus.)
<FORMAT>      "ResetZero"
<3D BUTTON> 1030,1032, Point(27,58), LaunchNewSequence("shortcuts: Working with icons")
<3D BUTTON> 1034,1036, Point(238,136), LaunchNewSequence("shortcuts: Miscellaneous options")
<3D BUTTON> 1038,1040, Point(132,58), LaunchNewSequence("shortcuts: Working with windows")
<3D BUTTON> 1042,1044, Point(24,136), LaunchNewSequence("shortcuts: Using directory dialog
boxes")
<3D BUTTON> 1046,1048, Point(130,136), LaunchNewSequence("shortcuts: Restarting the computer")
<3D BUTTON> 1050,1052, Point(237,58), LaunchNewSequence("shortcuts: Working with list views")

```

<END PANEL>

<DEFINE PANEL> "Working with windows.panel 1"
 <FORMAT> "Top"
 To close all disk and folder windows

To move a window without making it active

 <FORMAT> "Bottom"
 + Close or

 + click any window's close box

 + drag the window

 <FORMAT> "ResetZero"
 <PICT> 998, Point(4,95)
 <PICT> 1016, Point(85,32)
 <PICT> 1016, Point(85,61)
 <PICT> 1000, Point(85,130)
 <PICT> 1008, Point(0,0)
 <PICT> 1054, Point(0,174)

<END PANEL>

<DEFINE PANEL> "Working with windows.panel 2"
 <FORMAT> "Top"
 To open a pop-up menu of the folders and
 disk that
 contain this folder

 <FORMAT> "Bottom"

 + point to the window title

 and drag through the menu

 <FORMAT> "ResetZero"
 <PICT> 1000, Point(86,48)
 <PICT> 1008, Point(0,0)
 <PICT> 1054, Point(0,174)

<END PANEL>

<DEFINE PANEL> "Working with windows.panel 3"

<FORMAT> "Top"
To close a window after opening one of its
icons

To zoom a window to the full size of the
screen it's on

<FORMAT> "Bottom"
+ Open or
+ double-click the icon

+ click the zoom box

<FORMAT> "ResetZero"
<PICT> 1016, Point(86,33)
<PICT> 1016, Point(86,63)
<PICT> 1016, Point(86,132)
<PICT> 998, Point(3,95)
<PICT> 1008, Point(0,0)
<PICT> 1054, Point(0,174)

<END PANEL>

<DEFINE PANEL> "Working with icons.panel 1"
<FORMAT> "Top"
To open an icon

To copy an icon into another folder (instead
of
moving it)

<FORMAT> "Bottom"
Double-click the icon

+ drag the icon

<FORMAT> "ResetZero"
<PICT> 998, Point(3,65)
<PICT> 1016, Point(89,117)
<PICT> 1008, Point(0,0)
<PICT> 1056, Point(0,174)

<END PANEL>

<DEFINE PANEL> "Working with icons.panel 1a"
<FORMAT> "Top"
To clean up selected icons

To clean up and sort icons

```
<FORMAT> "Bottom"  
+ Clean Up
```

+ Clean Up

```
<FORMAT>      "ResetZero"  
<PICT> 1008, Point(0,0)
```

<PICT> 1058, Point(88,33)
<PICT> 998, Point(3,65)
<PICT> 1016, Point(88,103)
<PICT> 1056, Point(0,174)

<END PANEL>

<DEFINE PANEL> "Working with icons.panel 2"
<FORMAT> "Top"
To edit the name of the selected icon

To cancel moving or copying an icon as
you're
dragging it

<FORMAT> "Bottom"
or

Drag the icon to the menu bar

<FORMAT> "ResetZero"
<PICT> 998, Point(3,65)
<PICT> 1018, Point(78,33)
<PICT> 1008, Point(0,0)
<PICT> 1024, Point(165,33)
<PICT> 1056, Point(0,174)

<END PANEL>

<DEFINE PANEL> "Selecting icons.panel 1"
<FORMAT> "Top"
To select an icon by name

To select the next icon alphabetically

<FORMAT> "Bottom"
Begin typing the name

<FORMAT> "ResetZero"
<PICT> 998, Point(3,65)
<PICT> 1008, Point(0,0)
<PICT> 1028, Point(89,103)
<PICT> 1056, Point(0,174)

<END PANEL>

<DEFINE PANEL> "Selecting icons.panel 2"

<FORMAT> "Top"
To select the previous icon alphabetically

To select an icon to the left or right (in icon
views only)

<FORMAT> "Bottom"
—

or

<FORMAT> "ResetZero"
<PICT> 1008, Point(0,0)
<PICT> 998, Point(3,65)
<PICT> 1058, Point(89,33)
<PICT> 1028, Point(151,33)
<PICT> 1060, Point(89,103)
<PICT> 1062, Point(152,103)
<PICT> 1056, Point(0,174)

<END PANEL>

<DEFINE PANEL> "Selecting icons.panel 3"
<FORMAT> "Top"
To select an icon above or below (in any
view)

To select more than one icon

<FORMAT> "Bottom"
or

+ click the icons

or drag to enclose the icons

<FORMAT> "ResetZero"
<PICT> 998, Point(3,65)
<PICT> 1008, Point(0,0)
<PICT> 1006, Point(89,33)
<PICT> 1014, Point(152,33)
<PICT> 1058, Point(89,103)
<PICT> 1056, Point(0,174)

<END PANEL>

<DEFINE PANEL> "Selecting icons.panel 4"
<FORMAT> "Top"
To select no icon (making the desktop active)

<FORMAT> "Bottom"

Click an icon on the desktop,
then click the desktop pattern

```
<FORMAT>      "ResetZero"  
<PICT> 1008, Point(0,0)  
<PICT> 1056, Point(0,174)  
  
<END PANEL>  
  
<DEFINE PANEL>      "Outline view.panel 1"
```

<FORMAT> "Top"
To change how items are listed

To expand the contents of the selected folder

<FORMAT> "Bottom"
Click a column heading

—
<FORMAT> "ResetZero"

<PICT> 998, Point(3,65)
<PICT> 1008, Point(0,0)
<PICT> 1000, Point(89,104)
<PICT> 1062, Point(142,104)
<PICT> 1064, Point(0,177)

<END PANEL>

<DEFINE PANEL> "Outline view.panel 3"
<FORMAT> "Top"
To expand all the contents of the selected
folder

To collapse all the contents of the selected
folder

<FORMAT> "Bottom"
— — or
+ click the triangle

— — or
+ click the triangle

<FORMAT> "ResetZero"

<PICT> 998, Point(3,97)
<PICT> 1000, Point(86,33)
<PICT> 1016, Point(137,33)
<PICT> 1062, Point(186,33)
<PICT> 1016, Point(86,61)
<PICT> 1000, Point(86,130)
<PICT> 1016, Point(137,130)
<PICT> 1060, Point(187,130)
<PICT> 1016, Point(86,159)
<PICT> 1008, Point(0,0)
<PICT> 1064, Point(0,177)

<END PANEL>

<DEFINE PANEL> "Outline view.panel 4"

<FORMAT> "Top"

To expand or collapse the contents of every
folder
in the window

<FORMAT> "Bottom"

Choose Select All, then expand or
collapse the contents

<FORMAT> "ResetZero"

<PICT> 1008, Point(0,0)
<PICT> 1064, Point(0,177)

<END PANEL>

<DEFINE PANEL> "Outline view.panel 2"
<FORMAT> "Top"
To collapse the contents of the selected
folder

To move an item to the top level in the
window

<FORMAT> "Bottom"
—

Drag the icon to top of window (below title bar)

<FORMAT> "ResetZero"
<PICT> 998, Point(3,65)
<PICT> 1000, Point(86,33)
<PICT> 1060, Point(136,33)
<PICT> 1008, Point(0,0)
<PICT> 1064, Point(0,177)

<END PANEL>

<DEFINE PANEL> "Miscellaneous options.panel 1"
<FORMAT> "Top"
To make the desktop active

To skip the warning message and to delete
locked files in the Trash

<FORMAT> "Bottom"
— —

or click the desktop pattern

+ Empty Trash

<FORMAT> "ResetZero"
<PICT> 998, Point(2,97)
<PICT> 1008, Point(0,0)
<PICT> 1000, Point(86,33)
<PICT> 1058, Point(136,33)
<PICT> 1006, Point(195,33)
<PICT> 1016, Point(86,144)
<PICT> 1066, Point(0,177)

<END PANEL>

<DEFINE PANEL> "Miscellaneous options.panel 1a"

<FORMAT> "Top"
To reverse the current setting of "Always
snap to grid" (in the Views control panel)
while moving an icon

To erase a disk automatically when you
insert it

<FORMAT> "Bottom"
+ drag the icon

Hold down
— —
while inserting the disk

<FORMAT> "ResetZero"
<PICT> 1000, Point(86,47)
<PICT> 1008, Point(0,0)
<PICT> 998, Point(3,81)
<PICT> 1000, Point(95,144)
<PICT> 1016, Point(149,144)
<PICT> 1028, Point(204,144)
<PICT> 1066, Point(0,187)

<END PANEL>

<DEFINE PANEL> "Miscellaneous options.panel 2"
<FORMAT> "Top"
To take a snapshot of the screen
<FORMAT> "Bottom"
— —

<FORMAT> "ResetZero"
<PICT> 1008, Point(0,0)
<PICT> 1000, Point(86,33)
<PICT> 1058, Point(136,33)
<PICT> 1068, Point(195,33)
<PICT> 1066, Point(0,177)

<END PANEL>

<DEFINE PANEL> "Miscellaneous options.panel 3"

<FORMAT> "Top"
To hide a program's windows when you
switch to another program

To select an item in a list in the Chooser

<FORMAT> "Bottom"

+ make another program active

(by choosing it from the Application menu or by clicking one of its windows)

Begin typing the name

<FORMAT> "ResetZero"

<PICT> 998, Point(3,121)

<PICT> 1008, Point(0,0)

<PICT> 1016, Point(89,47)

<PICT> 1066, Point(0,177)

<END PANEL>

<DEFINE PANEL> "Miscellaneous options.panel 4"

<FORMAT> "Top"

To make the next list active in the Chooser

To make the previous list active in the
Chooser

<FORMAT> "Bottom"

—

<FORMAT> "ResetZero"

<PICT> 998, Point(3,65)

<PICT> 1008, Point(0,0)

<PICT> 1028, Point(86,33)

<PICT> 1028, Point(150,104)

<PICT> 1058, Point(86,104)

<PICT> 1066, Point(0,177)

<END PANEL>

<DEFINE PANEL> "Miscellaneous options.panel 5"

<FORMAT> "Top"
To choose Guest when connecting to
another computer

To choose Registered User when connecting
to another computer

<FORMAT> "Bottom"

—

—

<FORMAT> "ResetZero"

<PICT> 998, Point(3,65)
<PICT> 1008, Point(0,0)
<PICT> 1000, Point(86,33)
<PICT> 1070, Point(136,33)
<PICT> 1072, Point(136,117)
<PICT> 1000, Point(86,117)
<PICT> 1066, Point(0,177)

<END PANEL>

<DEFINE PANEL> "Restarting.panel 1"
<FORMAT> "Top"
To rebuild the Desktop file

To turn off all system extensions when
starting up

<FORMAT> "Bottom"
Hold down

—

while computer starts up

Hold down

while computer starts up

<FORMAT> "ResetZero"

<PICT> 998, Point(2,106)
<PICT> 1008, Point(0,0)
<PICT> 1000, Point(95,62)
<PICT> 1016, Point(146,62)
<PICT> 1058, Point(95,152)
<PICT> 1074, Point(0,195)

<END PANEL>

<DEFINE PANEL>

"Restarting.panel 2"

<FORMAT> "Top"
To eject floppy disk (to avoid using it as the
startup disk)

To bypass internal hard disk when starting
up

<FORMAT> "Bottom"

Hold down mouse or trackball button while computer starts up

Hold down

— — —

while computer starts up

<FORMAT> "ResetZero"

<PICT> 998, Point(3,78)
<PICT> 1000, Point(95,130)
<PICT> 1058, Point(145,130)
<PICT> 1016, Point(202,130)
<PICT> 1076, Point(253,130)
<PICT> 1074, Point(0,177)
<PICT> 1008, Point(0,0)

<END PANEL>

<DEFINE PANEL> "Restarting.panel 3"
<FORMAT> "Top"
To reset the Chooser and control panel
settings (stored in parameter RAM)

<FORMAT> "Bottom"

Hold down

— — —

while computer starts up

<FORMAT> "ResetZero"

<PICT> 1000, Point(95,74)
<PICT> 1016, Point(145,74)
<PICT> 1078, Point(200,74)
<PICT> 1072, Point(235,74)
<PICT> 1008, Point(0,0)
<PICT> 1074, Point(0,177)

<END PANEL>

<DEFINE PANEL> "WorldScript shortcuts 1"

<FORMAT> "Top"
To set the language to English (if WorldScript
is installed)

To set the language to the system script

<FORMAT> "Bottom"

—

—

<FORMAT> "ResetZero"
<PICT> 998, Point(3,86)
<PICT> 1000, Point(86,48)
<PICT> 1060, Point(137,48)
<PICT> 1000, Point(86,132)
<PICT> 1062, Point(137,132)
<PICT> 1008, Point(0,0)
<PICT> 1066, Point(0,177)

<END PANEL>

<DEFINE PANEL> "WorldScript shortcuts 2"
<FORMAT> "Top"
To set the language to the next script in the
Keyboard menu

To set the language to the next language in
the current script

<FORMAT> "Bottom"

—

—

—

<FORMAT> "ResetZero"
<PICT> 998, Point(3,81)
<PICT> 1000, Point(86,48)
<PICT> 1008, Point(0,0)
<PICT> 1000, Point(86,132)
<PICT> 1016, Point(137,132)
<PICT> 1080, Point(137,48)
<PICT> 1080, Point(186,132)
<PICT> 1066, Point(0,177)

<END PANEL>