

**Telephone Set**

<u>ST EFG71891PD</u>	DTMF GENERATOR FOR BINARY CODEC HEXADECIMAL DATA
<u>ST EFG7189PD</u>	DTMF GENERATOR FOR BINARY CODEC HEXADECIMAL DATA
<u>ST L3240B1</u>	ELETRONIC TWO-TONE RINGER
<u>ST L3240D1</u>	ELETRONIC TWO-TONE RINGER
<u>ST L3280</u>	LOW VOLTAGE TELEPHONE SPEECH CIRCUIT
<u>ST L3281AB</u>	LOW VOLTAGE TELEPHONE SPEECH CIRCUITS
<u>ST L3281AD1</u>	LOW VOLTAGE TELEPHONE SPEECH CIRCUITS
<u>ST L3845B</u>	TRUNK INTERFACE
<u>ST L3845D</u>	TRUNK INTERFACE
<u>ST L3913</u>	MONOCHIP TELEPHONE
<u>ST L3914AD</u>	SPEECH AND 14 MEMORY DIALER WITH HOLD FUNCTION SPEECH CIRCUIT
<u>ST L3914AN</u>	SPEECH AND 14 MEMORY DIALER WITH HOLD FUNCTION SPEECH CIRCUIT
<u>ST L3916AD</u>	SPEECH AND 14 MEMORY DIALER WITH LED DRIVER SPEECH CIRCUIT
<u>ST L3916AN</u>	SPEECH AND 14 MEMORY DIALER WITH LED DRIVER SPEECH CIRCUIT

**Telephone Set**

<u>ST L3924AD</u>	SPEECH AND 14 MEMORY DIALER WITH HOLD FUNCTION SPEECH CIRCUIT
<u>ST L3924AN</u>	SPEECH AND 14 MEMORY DIALER WITH HOLD FUNCTION SPEECH CIRCUIT
<u>ST L3926AD</u>	SPEECH AND 14 MEMORY DIALER WITH LED DRIVER SPEECH CIRCUIT
<u>ST L3926AN</u>	SPEECH AND 14 MEMORY DIALER WITH LED DRIVER SPEECH CIRCUIT
<u>ST L3934AD</u>	SPEECH AND 14 MEMORY DIALER WITH HOLD FUNCTION SPEECH CIRCUIT
<u>ST L3934AN</u>	SPEECH AND 14 MEMORY DIALER WITH HOLD FUNCTION SPEECH CIRCUIT
<u>ST L3936AD</u>	SPEECH AND 14 MEMORY DIALER WITH LED DRIVER SPEECH CIRCUIT
<u>ST L3936AN</u>	SPEECH AND 14 MEMORY DIALER WITH LED DRIVER SPEECH CIRCUIT
<u>ST LS1240</u>	ELECTRONIC TWO-TONE RINGER
<u>ST LS1240A</u>	ELECTRONIC TWO-TONE RINGER
<u>ST LS1240D1</u>	ELECTRONIC TWO-TONE RINGER
<u>ST LS256</u>	TELEPHONE SPEECH CIRCUIT WITH MULTIFREQUENCY TONE GENERATOR INTERFACE

** To obtain a copy of a document marked with an asterisk, please contact your local Sales Office*

**Telephone Set**

<u>ST LS656AB</u>	TELEPHONE SPEECH CIRCUIT WITH MULTIFREQUENCY TONE GENERATOR INTERFACE
<u>ST LS656AD1</u>	TELEPHONE SPEECH CIRCUIT WITH MULTIFREQUENCY TONE GENERATOR INTERFACE
<u>ST M3541B1</u>	SINGLE NUMBER PULSE TONE SWITCHABLE DIALER
<u>ST M3541D</u>	SINGLE NUMBER PULSE TONE SWITCHABLE DIALER
<u>ST MK53761D</u>	REPERTORY DIALER SINGLE CHIP DTMF AND PULSE DIALER
<u>ST MK53761N00</u>	REPERTORY DIALER SINGLE CHIP DTMF AND PULSE DIALER
<u>ST MK53762D</u>	REPERTORY DIALER SINGLE CHIP DTMF AND PULSE DIALER
<u>ST MK53762N00</u>	REPERTORY DIALER SINGLE CHIP DTMF AND PULSE DIALER
<u>ST ST3854</u>	ELECTRONIC HOOK SWITCH DEVICE
<u>ST ST3917A</u>	SPEECH - TONE/PULSE DIALER - LED INDICATOR
<u>ST ST3917B</u>	SPEECH - TONE/PULSE DIALER - LED INDICATOR
<u>ST ST5080A</u>	PIAFE PROGRAMMABLE ISDN AUDIO FRONT END
<u>ST ST5088D</u>	PIAFE PROGRAMMABLE ISDN AUDIO FRONT END
<u>ST ST5088FN</u>	PIAFE PROGRAMMABLE ISDN AUDIO FRONT END

** To obtain a copy of a document marked with an asterisk, please contact your local Sales Office*

**Telephone Set**

<u>ST5090AD</u>	LOW VOLTAGE 14-BIT LINEAR CODEC WITH HIGH-PERFORMANCE AUDIO FRONT-END
<u>ST5090ADTR</u>	LOW VOLTAGE 14-BIT LINEAR CODEC WITH HIGH-PERFORMANCE AUDIO FRONT-END
<u>ST5090TQFP</u>	LOW VOLTAGE 14-BIT LINEAR CODEC WITH HIGH-PERFORMANCE AUDIO FRONT-END
<u>ST5090TQFPT R</u>	LOW VOLTAGE 14-BIT LINEAR CODEC WITH HIGH-PERFORMANCE AUDIO FRONT-END
<u>ST5092</u>	2.7V SUPPLY 14-BIT LINEAR CODEC WITH HIGH-PERFORMANCE AUDIO FRONT-END
<u>ST7162</u>	UNIVERSAL PROGRAMMABLE DUAL PLL
<u>STB4395</u>	CT2 RECEIVER/TRANSMITTER
<u>STLC5464</u>	MULTIHDLC WITH N X 64 SWITCHING MATRIX ASSOCIATED
<u>STLC7545</u>	ENHANCED V.34BIS ANALOG FRONT-END
<u>STLC7546</u>	SIMPLIFIED V.34 ANALOG FRONT-END
<u>TEA7063</u>	SPEECH CIRCUIT WITH POWER MANAGEMENT
<u>TEA7088A</u>	LOW-RANGE PHONE DEDICATED CHIP
<u>TEA7091</u>	TELEPHONE ANALOG FRONT END
<u>TEA7092</u>	TELEPHONE ANALOG FRONT END

** To obtain a copy of a document marked with an asterisk, please contact your local Sales Office*

**Telephone Set**

<u>ST TEA7530</u>	MONITOR AMPLIFIER
<u>ST TEA7532DP</u>	MONITOR AMPLIFIER
<u>ST TEA7532FP</u>	MONITOR AMPLIFIER
<u>ST TEA7533</u>	MONITOR AMPLIFIER
<u>ST TEA7540DP</u>	HANDSFREE CONTROLLER
<u>ST TEA7540FP</u>	HANDSFREE CONTROLLER