

**Non Volatile Memories****Serial EEPROM, I2C Bus, I2C Bus**

<a href="#"><u>ST M24C32</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I 2 C BUS 32K (4K X 8) EEPROM
<a href="#"><u>ST M24C32</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I 2 C BUS 32K (4K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST M24C64</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I 2 C BUS 64K (8K X 8) EEPROM
<a href="#"><u>ST M24C64</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I 2 C BUS 64K (8K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST ST24C01</u></a>	SERIAL 1K (128 X 8) EEPROM
<a href="#"><u>ST ST24C01</u></a>	SERIAL 1K (128 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST ST24C02</u></a>	SERIAL 2K (256 X 8) EEPROM
<a href="#"><u>ST ST24C02</u></a>	SERIAL 2K (256 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST ST24C04</u></a>	SERIAL 4K (512 X 8) EEPROM
<a href="#"><u>ST ST24C04</u></a>	SERIAL 4K (512 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST ST24C08</u></a>	SERIAL 8K (1K X 8) EEPROM
<a href="#"><u>ST ST24C08</u></a>	SERIAL 8K (1K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST ST24C16</u></a>	SERIAL 16K (2K X 8) EEPROM
<a href="#"><u>ST ST24C16</u></a>	SERIAL 16K (2K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST ST24E16</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I 2 C BUS 16K (2K X 8) EEPROM - BRIEF DATA


**Non Volatile Memories**
**Serial EEPROM, XI2C Bus, I2C Bus**

<a href="#"><u>ST24E16</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 16K (2K X 8) EEPROM
<a href="#"><u>ST24E256</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I 2 C BUS 256K (32K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST24E256</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 256K (32K X 8) EEPROM
<a href="#"><u>ST24E32</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I 2 C BUS 32K (4K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST24E32</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 32K (4K X 8) EEPROM
<a href="#"><u>ST24E64</u></a>	SERIAL ACCESS EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 64K (8K X 8) EEPROM
<a href="#"><u>ST24E64</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I 2 C BUS 64K (8K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST24FC21</u></a>	DUAL MODE SERIAL 1K (128X8) EEPROM - BRIEF DATA
<a href="#"><u>ST24FW21</u></a>	DUAL MODE SERIAL 1K (128X8) EEPROM - BRIEF DATA
<a href="#"><u>ST24LC21B</u></a>	DUAL MODE SERIAL 1K (128X8) EEPROM - BRIEF DATA
<a href="#"><u>ST24LW21</u></a>	DUAL MODE SERIAL 1K (128X8) EEPROM - BRIEF DATA
<a href="#"><u>ST24W01</u></a>	SERIAL 1K (128 X 8) EEPROM
<a href="#"><u>ST24W01</u></a>	SERIAL 1K (128 X 8) EEPROM - BRIEF DATA

*\* To obtain a copy of a document marked with an asterisk, please contact your local Sales Office*

**Non Volatile Memories****Serial EEPROM, I2C Bus, I2C Bus**

<a href="#"><u>ST24W02</u></a>	SERIAL 2K (256 X 8) EEPROM
<a href="#"><u>ST24W02</u></a>	SERIAL 2K (256 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST24W04</u></a>	SERIAL 4K (512 X 8) EEPROM
<a href="#"><u>ST24W04</u></a>	SERIAL 4K (512 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST24W08</u></a>	SERIAL 8K (1K X 8) EEPROM
<a href="#"><u>ST24W08</u></a>	SERIAL 8K (1K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST24W16</u></a>	SERIAL 16K (2K X 8) EEPROM
<a href="#"><u>ST24W16</u></a>	SERIAL 16K (2K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25C01</u></a>	SERIAL 1K (128 X 8) EEPROM
<a href="#"><u>ST25C01</u></a>	SERIAL 1K (128 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25C02</u></a>	SERIAL 2K (256 X 8) EEPROM
<a href="#"><u>ST25C02</u></a>	SERIAL 2K (256 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25C04</u></a>	SERIAL 4K (512 X 8) EEPROM
<a href="#"><u>ST25C04</u></a>	SERIAL 4K (512 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25C08</u></a>	SERIAL 8K (1K X 8) EEPROM
<a href="#"><u>ST25C08</u></a>	SERIAL 8K (1K X 8) EEPROM - BRIEF DATA

*\* To obtain a copy of a document marked with an asterisk, please contact your local Sales Office*

**Non Volatile Memories****Serial EEPROM, I2C Bus, I2C Bus**

<a href="#"><u>ST25C16</u></a>	SERIAL 16K (2K X 8) EEPROM
<a href="#"><u>ST25C16</u></a>	SERIAL 16K (2K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25E16</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 16K (2K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25E16</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 16K (2K X 8) EEPROM
<a href="#"><u>ST25E256</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 256K (32K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25E256</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 256K (32K X 8) EEPROM
<a href="#"><u>ST25E32</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 32K (4K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25E32</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 32K (4K X 8) EEPROM
<a href="#"><u>ST25E64</u></a>	SERIAL ACCESS EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 64K (8K X 8) EEPROM
<a href="#"><u>ST25E64</u></a>	SERIAL EXTENDED ADDRESSING COMPATIBLE WITH I2C BUS 64K (8K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25W01</u></a>	SERIAL 1K (128 X 8) EEPROM
<a href="#"><u>ST25W01</u></a>	SERIAL 1K (128 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25W02</u></a>	SERIAL 2K (256 X 8) EEPROM

\* To obtain a copy of a document marked with an asterisk, please contact your local Sales Office

**Non Volatile Memories****Serial EEPROM, XI2C Bus, I2C Bus**

<a href="#"><u>ST25W02</u></a>	SERIAL 2K (256 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25W04</u></a>	SERIAL 4K (512 X 8) EEPROM
<a href="#"><u>ST25W04</u></a>	SERIAL 4K (512 X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25W08</u></a>	SERIAL 8K (1K X 8) EEPROM
<a href="#"><u>ST25W08</u></a>	SERIAL 8K (1K X 8) EEPROM - BRIEF DATA
<a href="#"><u>ST25W16</u></a>	SERIAL 16K (2K X 8) EEPROM
<a href="#"><u>ST25W16</u></a>	SERIAL 16K (2K X 8) EEPROM - BRIEF DATA