



AN301	* THE TRIAC
<a href="#">AN302</a>	THYRISTORS AND TRIACS, AN IMPORTANT PARAMETER - THE HOLDING CURRENT
<a href="#">AN303</a>	LATCHING CURRENT
AN306	* DESIGN OF A STATIC RELAY
<a href="#">AN307</a>	USE OF TRIACS ON INDUCTIVE LOADS
<a href="#">AN308</a>	CONTROL BY A TRIAC FOR AN INDUCTIVE LOAD - HOW TO SELECT A SUITABLE CIRCUIT
AN314	* TO220AB/TO3/TOPLESS/THERMAL RESISTANCE AND MECHANICAL ASSEMBLY
<a href="#">AN316</a>	TRANSIL CLAMPING PROTECTION MODE
<a href="#">AN317</a>	PROTECTION BY TRANSIL
<a href="#">AN319</a>	RELAY DRIVE PROTECTION
<a href="#">AN320</a>	TRISIL/CROWBAR TYPE PROTECTION DIODE
<a href="#">AN328</a>	PROTECT YOUR TRIACS
AN341	* USING THE TS75320 ECHO CANCELLER IN V.32 MODEMS
AN342	* INTERFACING THE TS7524 MODEM CHIPSET TO A COMMUNICATION CONTROL PROCESSOR
AN343	* USING TS7515 SINGLE CHIP V.22/BELL 121A MODEM AROUND 80C51 MICROCONTROLLER
AN344	* HOW TO ESTABLISH A CONNECTION WITH AN UNKNOWN MODEM USING CCITT V.22 MODEM
AN345	* APPLICATION GUIDE TO USE OF THE TS7515 SINGLE CHIP FSK AND DPSK MODEM
AN346	* TS7513 V.23 MODEM PRINCIPLE AND APPLICATIONS

*\* To obtain a copy of a document marked with an asterisk, please contact your local Sales Office*



<a href="#">AN349</a>	A VERY LOW COST AND POWERFUL SOLUTION FOR V.23 APPLICATION
AN351	* NOVEL PROTECTION AND GATE DRIVES FOR MOSFETS USED IN BRIDGE LEG CONFIGURATION
AN352	* 200KHZ 15W PUSH/PULL DC/DC CONVERTER
AN356	* USE OF THE INTERNAL MOSFET DIODE IN BRIDGE LEGS FOR HIGH FREQ.APPLICATION
AN357	* HIGH VOLTAGE TRANSISTOR WITH POWERMOS EMITTER SWITCHING
AN358	* DESIGN OF LOW INDUCTIVE PCBS
AN359	* COMPACT HIGH PERFORMANCE BRUSH DC MOTOR SERVO DRIVES USING MOSFETS
AN361	* A TRANSISTOR FOR A 100KHZ CONVERTER - ETD
AN362	* FLEXIBLE LOW COST HIGH EFFICIENCY 130W SMPC USING SGSD00055/TEA2018A
AN364	* SWITCH MODE BASE DRIVER CIRCUIT WITH THE L4974 SMART POWER IC
AN366	* AN INNOVATIVE HIGH FREQUENCY HIGH CURRENT TRANSISTOR CHOPPER
AN367	* A POWER STAGE FOR A 20KHZ,10KW SWITCHED MODE POWER SUPPLY FOR THE INDUSTRY
AN368	* POWER SEMICONDUCTOR FOR HIGH FREQUENCY AD/DC CONVERTER SUPPLIED ON THE 380/440V
AN369	* OPTIMIZED POWER STAGES FOR HIGH FREQUENCY 380/440V MEDIUM POWER SWITCHING
<a href="#">AN373</a>	TECHNICAL NOTE VERTICAL DEFLECTION CIRCUITS FOR TV & MONITOR
<a href="#">AN374</a>	TDA8102A APPLICATION NOTE

*\* To obtain a copy of a document marked with an asterisk, please contact your local Sales Office*



<a href="#"><u>AN375</u></a>	TDB7910 - MEDIUM POWER SINGLE BIPOLAR OP-AMPS
<a href="#"><u>AN376</u></a>	TEA2260/TEA2261 HIGH PERFORMANCE DRIVER CIRCUITS FOR S.M.P.S
<a href="#"><u>AN377</u></a>	TEA5101A-RGB HIGH VOLTAGE AMPLIFIER BASIC OPERATION AND APPLICATIONS
<a href="#"><u>AN379</u></a>	USING THE L6204 A BIPOLAR STEPPER AND DC MOTORS DRIVER IN BCD TECHNOLOGY
<a href="#"><u>AN380</u></a>	HOW TO DRIVE DC MOTORS WITH SMART POWER ICS
<a href="#"><u>AN382</u></a>	PABX BIG COST REDUCTION AND PERFORMANCE IMPROVEMENT ARE OBTAINED WITH A NEW SLIC CHIP-SET
<a href="#"><u>AN384</u></a>	L3845 FOR PABX AND MODEM INTERFACE APPLICATION
<a href="#"><u>AN386</u></a>	* PROTECTION SOLUTIONS AND SLICS
<a href="#"><u>AN389</u></a>	AN AUTOMATIC LINE VOLTAGE SWITCHING CIRCUIT
<a href="#"><u>AN390</u></a>	HOW TO USE THE AVS KIT
<a href="#"><u>AN391</u></a>	HOW TO USE THE AVS08
<a href="#"><u>AN392</u></a>	ST6 - MICROCONTROLLER (MCU) AND TRIACS ON THE MAINS (110/220V)
<a href="#"><u>AN393</u></a>	TV EAST/WEST CORRECTION CIRCUITS
<a href="#"><u>AN394</u></a>	MICROWIRE EEPROM COMMON I/O OPERATION
<a href="#"><u>AN397</u></a>	MEMORY PRODUCT TIMING SPECIFICATIONS

*\* To obtain a copy of a document marked with an asterisk, please contact your local Sales Office*