



Bmp Wizard

Uso:

[Introduction](#)

[Script language](#)

Commands

[File menu](#)

[Edit menu](#)

[View menu](#)

[Help menu](#)

Author:

Andrea Benoni
Lungadige Trento, 50
37012 Bussolengo Verona
Italy

E_Mail
Compuserve

MC5211@MCLINK.IT
100042,1264

Run/Stop

Pressing this buttons execute current script language or stop the running one.

Shortcuts

Toolbar:



Keys: CTRL+R

Introduction:

As a graphic programs user I often need to modify/filter bitmap accessing pixel data at low level. BmpWiz accomplish this need, using a Basic like language to modify BMP. To obtain better performance script instructions are semicompiled.

There are some base filter ready to run, but it is easy to creating or derive new one.

This is a shareware software, you must register to use it , with registration you obtain new releases notification and bug-fixing, the registration cost is 40\$.

This is the 32 bit version of BmpWiz that could be used in Windows NT or Windows '95 and Windows 3.1x or Windows for Workgroup with Win32s extensions.

Script language:

BmpWiz script (BWL) is a basic like language.

There are two main difference from basic, BWL accept only one instruction each row (except expression) and variables must be declared.

Remark:

Allows explanatory remarks to be inserted in a program preceding them with a single quotation mark ['].

Variables & constants:

Variables must be defined before their use with the syntax:

var_type var_name[,var_name]

es:

float x,y

Characters allowed in a variable name are only letters.

There are two family of variables type:

Simple:

float	floating point number
string	character string

Structured:

DevCon	image
Width	image width (read only)
Height	image height (read only)
BitCount	bit number per pixel (read only)
Res	resolution
RGB	color info in RedGreenBlue format
Lum	luminosity (0-255) or (Red+Green+Blue)/3
Red	red component (0-255)
Green	green component (0-255)
Blue	blue component (0-255)
HBS	color info in HueBrightSaturation format
Hue	color (0-240)
Bri	bright (0-240)
Sat	saturation (0-240)

Structured variables could receive data using assignment.

To access single components you must specify component name after variable name separated by a dot.

es:

define a color variable

RGB pix

set pix red component to max:

pix.Red=255

HBS struct cannot be used with graphical instructions, the color information must be assigned to a RGB variable before its use.

Costants could be numbers or string, numbers must be in the n[.n] form, strings must be enclosed in double quotation marks.

Statement & functions:

Graphics commands:

DevCon=LoadImage(string Name):

Reads a bitmap from disk returning a DevCon value.

Name could be a variable or a constant that point to a file in the Windows BMP format, 1/4/8/24 bits.

Memory bitmap pointed by DevCon have the same width lenght and color limits of the BMP file.

To get a bitmap from clipboard you must specify its name as file to read (es:

lbmp=LoadImage("CLIPBOARD")), then program flow stop waiting a bitmap in the clipboard.

Reading/writing to clipboard allow to build macro like script that operate inside other graphic programs, ClpBrd.Bas demotrate this use.

DevCon=CreateImage(float Xdim,float Ydim,float bit)

Creates a bitmap in memory with the specified limits.

Return a DevCon value that must be used as reference.

In the 1/4/8 bit format a gray palette will be associated to the image.

SavelImage(DevCon img,string Name)

Saves the img memory bitmap in a file.

If file name is "CLIPBOARD" destination will be the clipboard.

RGB=GetPalette(DevCon img,float enum)

Obtains the RGB value of the **enum** element from palette associated to the img bitmap.

SetPalette(DevCon img,float enum,RGB pix)

Sets the RGB value of the **enum** element in the palette associated to the img bitmap.

Pixel access:

RGB=GetPixel(DevCon img,float x,float y)

Reads the RGB value of the x,y pixel inside img bitmap.

SetPixel(DevCon img,float x,float y, RGB pix)

Sets the RGB value of the x,y pixel inside img bitmap.

Flow:

If (cond)

...

[else

...]

endif

If **cond** is TRUE (TRUE <> 0) execute following commands until **else**, if **cond** is FALSE program flow skip to the command following **else**.

Cond could be any sequence of operator evaluated from left to right, operator inside bracket are evaluated first.

For var=(exp1) To (exp2) [Step (exp3)]

Next var

Executes a loop from **exp1** to **exp2** counting in **var**, increment is **exp3** or 1 if not specified.

Return

Terminates the program execution.

Display & I/O:**string=GetFileName(string Title)**

Asks a file name using the Windows common dialog, return a string value.

string=FileFind(string Mask)

Return a file name, command could be iterate to return all files names.

DspMes(...)

Displays a sequence of variable and constants in any order.

[if]/[val=] DspWhile(string text,float perc)

Displays a dialog with a message and a cursor with a percentage value.

Value returned is TRUE if stop button has been pressed.

Preview(DevCon img,string title,float x, float y [, float xdim,float ydim])

Displays the img bitmap in a window with the specified characteristics.

Operators:

Operators are evaluated in expression from the left to the right, operator inside bracket are evaluated first.

Arithmetic operators:

+	sum
-	subtract
*	multiply
/	divide
%	module
Sin(exp)	sin
Cos(exp)	cosin
Rand(exp)	random number in 0-exp range
Min(a,b)	minimum between a e b
Max(a,b)	maximum between a e b
Int(a)	integral part of a

Logical:

>	greater
<	less
=	equal
>=	greater or equal
<=	less or equal
<>	not equal
&	and
	or
^	xor
!	not

File menu

New

Open

Save

Save As

Print

Print Preview

Print Setup

Exit

Create a new script.

Load a script from disk.

Save current script.

Save current script with a different name.

Print current script.

Print preview.

Select printer.

Exit.

Edit menu

Undo

Undo last editing.

Cut

Cut current selection.

Copy

Copy current selection.

Paste

Paste data in clipboard.

View menu

Toolbar

Display the Toolbar.

Status Bar

Hide the Status Bar.

Help menu

Index

Using Help

About

Help index.

Help on help.

About program.

New (File menu)

Clear editing window and display a base script.

Shortcuts

Toolbar:



Keys: CTRL+N

Open (File menu)

Load a script (*.bas) file from disk.

Shortcuts

Toolbar:



Keys: CTRL+O

File Open dialog box

Permit to specify input file.

Save (File menu)

Save current script.

Shortcuts

Toolbar:



Keys: CTRL+S

Save As (File menu)

Save current script with a different name, display the Save As Dialog.

File Save As dialog box

Permit to specify output file.

Exit (File menu)

Exit from the program.

Shortcuts

Mouse:	Double-click the application's Control menu button.
Keys:	ALT+F4

Undo/Can't Undo command (Edit menu)

Undo last editing.

Shortcuts

Keys: CTRL+Z or
 ALT-BACKSPACE

Redo (Edit menu)

Replay editing.

Cut (Edit menu)

Shortcuts

Toolbar:



Keys: CTRL+X

Copy (Edit menu)

Shortcuts

Toolbar:



Keys: CTRL+C

Paste (Edit menu)

Shortcuts









Toolbar:



Keys: CTRL+V

Toolbar



-  New create a new script.
-  Open load a script from disk.
-  Save memorize a script on disk.
-  Print the active document.
-  Run/Stop current script.
-  Cut.
-  Copy.
-  Paste.

Status Bar



Codice	Significato
CAP	Caps lock.
NUM	Num lock.
SCRL	Scroll lock.

Index (Help menu)

Help index.

Using Help (Help menu)

Help on help.

About (Help menu)

Program information.

Context Help command



Shortcut

Keys: SHIFT+F1

No Help Available

Print command (File menu)

Use this command to print a document. This command presents a Print dialog box, where you may specify the range of pages to be printed, the number of copies, the destination printer, and other printer setup options.

Shortcuts

Toolbar:



Keys: CTRL+P

Print dialog box

The following options allow you to specify how the document should be printed:

Printer

This is the active printer and printer connection. Choose the Setup option to change the printer and printer connection.

Setup

Displays a Print Setup dialog box, so you can select a printer and printer connection.

Print Range

Specify the pages you want to print:

- All** Prints the entire document.
- Selection** Prints the currently selected text.
- Pages** Prints the range of pages you specify in the From and To boxes.

Copies

Specify the number of copies you want to print for the above page range.

Collate Copies

Prints copies in page number order, instead of separated multiple copies of each page.

Print Quality

Select the quality of the printing. Generally, lower quality printing takes less time to produce.

Print Progress Dialog

The Printing dialog box is shown during the time that <<YourApp>> is sending output to the printer. The page number indicates the progress of the printing.

To abort printing, choose Cancel.

Print Preview command (File menu)

Use this command to display the active document as it would appear when printed. When you choose this command, the main window will be replaced with a print preview window in which one or two pages will be displayed in their printed format. The print preview toolbar offers you options to view either one or two pages at a time; move back and forth through the document; zoom in and out of pages; and initiate a print job.

Print Preview toolbar

The print preview toolbar offers you the following options:

Print

Bring up the print dialog box, to start a print job.

Next Page

Preview the next printed page.

Prev Page

Preview the previous printed page.

One Page / Two Page

Preview one or two printed pages at a time.

Zoom In

Take a closer look at the printed page.

Zoom Out

Take a larger look at the printed page.

Close

Return from print preview to the editing window.

Print Setup command (File menu)

Use this command to select a printer and a printer connection. This command presents a Print Setup dialog box, where you specify the printer and its connection.

Print Setup dialog box

The following options allow you to select the destination printer and its connection.

Printer

Select the printer you want to use. Choose the Default Printer; or choose the Specific Printer option and select one of the current installed printers shown in the box. You install printers and configure ports using the Windows Control Panel.

Orientation

Choose Portrait or Landscape.

Paper Size

Select the size of paper that the document is to be printed on.

Paper Source

Some printers offer multiple trays for different paper sources. Specify the tray here.

Options

Displays a dialog box where you can make additional choices about printing, specific to the type of printer you have selected.

Network...

Choose this button to connect to a network location, assigning it a new drive letter.

Page Setup command (File menu)

<< Write application-specific help here. >>

