Appendix A

Sources of Linux Information

This appendix contains information on various sources of Linux information, such as online documents, books, and more. Many of these documents are available either in printed form, or electronically from the Internet or BBS systems. Many Linux distributions also include much of this documentation in the distribution itself, so after you have installed Linux these files may be present on your system.

A.1 Online Documents

These documents should be available on any of the Linux FTP archive sites (see Appendix C for a list). If you do not have direct access to FTP, you may be able to locate these documents on other online services (such as CompuServe, local BBS's, and so on). If you have access to Internet mail, you can use the `ftpmail` service to receive these docucments. See Appendix C for more information.

In particular, the following documents may be found on `sunsite.unc.edu` in the directory `/pub/Linux/docs`. Many sites mirror this directory; however, if you're unable to locate a mirror site near you, this is a good one to fall back on.

You can also access Linux files and documentation using `gopher`. Just point your `gopher` client to port 70 on `sunsite.unc.edu`, and follow the menus to the Linux archive. This is a good way to browse Linux documentation interactively.

The Linux Frequently Asked Questions List

: The Linux Frequently Asked Questions list, or "FAQ", is a list of common questions (and answers!) about Linux. This document is meant to provide a general source of information about Linux, common problems and solutions, and a list of other sources of information. Every new Linux user should read this document. It is available in a number of formats, including plain ASCII, PostScript, and Lout typesetter format. The Linux FAQ is maintained by Ian Jackson, `ijackson@nyx.cs.du.edu`.

The Linux META-FAQ

The META-FAQ is a collection of "metaquestions" about Linux; that is, sources of information about the Linux system, and other general topics. It is a good starting place for the Internet user wishing to find more information about the system. It is maintained by Michael K. Johnson, `johnsonm@sunsite.unc.edu`.

The Linux INFO-SHEET

The Linux INFO-SHEET is a technical introduction to the Linux system. It gives an overview of the system's features and available software, and also provides a list of other sources of Linux information. The format and content is similar in nature to the META-FAQ; incidentally, it is also maintained by Michael K. Johnson.

The Linux Software Map

The Linux Software Map is a list of many applications available for Linux, where to get them, who maintains them, and so forth. It is far from complete—to compile a complete list of Linux software would be nearly impossible. However, it does include many of the most popular Linux software packages. If you can't find a particular application to suit your needs, the LSM is a good place to start. It is maintained by Lars Wirzenius, `lars.wirzenius@helsinki.fi`.

The Linux HOWTO Index

The Linux HOWTOs are a collection of "how to" documents, each describing in detail a certain aspect of the Linux system. They are maintained by Matt Welsh, `mdw@sunsite.unc.edu`. The HOWTO Index lists the HOWTO documents which are available (several of which are listed below).

The Linux Installation HOWTO

The Linux Installation HOWTO describes how to obtain and install a distribution of Linux, similar to the information presented in Chapter 2.

The Linux Distribution HOWTO

This document is a list of Linux distributions available via mail order and anonymous FTP. It also includes information on other Linux-related goodies and services. Appendix B contains a list of Linux vendors, many of which are listed in the *Distribution HOWTO*.

The Linux XFree86 HOWTO

This document describes how to install and configure the X Window System software for Linux. See the section "5.1" for more about the X Window System.

The Linux Mail, News, and UUCP HOWTOs

These three HOWTO documents describe configuration and setup of electronic mail, news, and UUCP communications on a Linux system. Because these three subjects are often intertwined, you may wish to read all three of these HOWTOs together.

The Linux Hardware HOWTO

This HOWTO contains an extensive list of hardware supported by Linux. While this list is far from complete, it should give you a general picture of which hardware

devices should be supported by the system.

The Linux SCSI HOWTO
: The Linux SCSI HOWTO is a complete guide to configuration and usage of SCSI devices under Linux, such as hard drives, tape drives and CD-ROM.

The Linux NET-2-HOWTO
: The Linux NET-2-HOWTO describes installation, setup, and configuration of the "NET-2" TCP/IP software under Linux, including SLIP. If you want to use TCP/IP on your Linux system, this document is a must read.

The Linux Ethernet HOWTO
: Closely related to the NET-2-HOWTO, the Ethernet HOWTO describes the various Ethernet devices supported by Linux, and explains how to configure each of them for use by the Linux TCP/IP software.

The Linux Printing HOWTO
: This document describes how to configure printing software under Linux, such as `lpr`. Configuration of printers and printing software under UNIX can be very confusing at times; this document sheds some light on the subject.

Other online documents
: If you browse the `docs` subdirectory of any Linux FTP site, you'll see many other documents which are not listed here: A slew of FAQ's, interesting tidbits, and other important information. This miscellany is difficult to categorize here; if you don't see what you're looking for on the list above, just take a look at one of the Linux archive sites listed in Appendix C.

A.2 Linux Documentation Project Manuals

The Linux Documentation Project is working on developing a set of manuals and other documentation for Linux, including man pages. These manuals are in various stages of development, and any help revising and updating them is greatly appreciated. If you have questions about the LDP, please contact Matt Welsh (`mdw@sunsite.unc.edu`).

These books are available via anonymous FTP from a number of Linux archive sites, including `sunsite.unc.edu` in the directory `/pub/Linux/docs/LDP`. A number of commercial distributors are selling printed copies of these books; in the future, you may be able to find the LDP manuals on the shelves of your local bookstore.

Linux Installation and Getting Started, by Matt Welsh
: A new user's guide for Linux, covering everything the new user needs to know to get started. You happen to hold this book in your hands.

The Linux System Administrators' Guide, by Lars Wirzenius

This is a complete guide to running and configuring a Linux system. There are many issues relating to systems administration which are specific to Linux, such as needs for supporting a user community, filesystem maintenance, backups, and more. This guide covers them all.

The Linux Network Administrators' Guide, by Olaf Kirch

An extensive and complete guide to networking under Linux, including TCP/IP, UUCP, SLIP, and more. This book is a very good read; it contains a wealth of information on many subjects, clarifying the many confusing aspects of network configuration.

The Linux Kernel Hackers' Guide, by Michael Johnson

The gritty details of kernel hacking and development under Linux. Linux is unique in that the complete kernel source is available. This book opens the doors to developers who wish to add or modify features within the kernel. This guide also contains comprehensive coverage of kernel concepts and conventions used by Linux.

A.3 Books and Other Published Works

Linux Journal is a monthly magazine for and about the Linux community, written and produced by a number of Linux developers and enthusiasts. It is distributed worldwide, and is an excellent way to keep in touch with the dynamics of the Linux world, especially if you don't have access to USENET news.

At the time of this writing, subscriptions to *Linux Journal* are US$19/year in the United States, US$24 in Canada, and US$29 elsewhere. To subscribe, or for more information, write to Linux Journal, PO Box 85867, Seattle, WA, 98145-1867, USA, or call +1 206 527-3385. Their FAX number is +1 206 527-2806, and e-mail address is `linux@ssc.com`. You can also find a *Linux Journal* FAQ and sample articles via anonymous FTP on `sunsite.unc.edu` in `/pub/Linux/docs/linux-journal`.

As we have said, not many books have been published dealing with Linux specifically. However, if you are new to the world of UNIX, or want more information than is presented here, we suggest that you take a look at the following books which are available.

A.3.1 Using UNIX

Title: *Learning the UNIX Operating System*
Author: Grace Todino & John Strang
Publisher: O'Reilly and Associates, 1987
ISBN: 0-937175-16-1, $9.00

A good introductory book on learning the UNIX operating system. Most of the information should be applicable to Linux as well. I suggest reading this book if you're

new to UNIX and really want to get started with using your new system.

Title: *Learning the* `vi` *Editor*
Author: Linda Lamb
Publisher: O'Reilly and Associates, 1990
ISBN: 0-937175-67-6, $21.95

This is a book about the `vi` editor, a powerful text editor found on every UNIX system in the world. It's often important to know and be able to use `vi`, because you won't always have access to a "real" editor such as Emacs.

A.3.2 Systems Administration

Title: *Essential System Administration*
Author: Æleen Frisch
Publisher: O'Reilly and Associates, 1991
ISBN: 0-937175-80-3, $29.95

From the O'Reilly and Associates Catalog, "Like any other multi-user system, UNIX requires some care and feeding. *Essential System Administration* tells you how. This book strips away the myth and confusion surrounding this important topic and provides a compact, manageable introduction to the tasks faced by anyone responsible for a UNIX system." I couldn't have said it better myself.

Title: *TCP/IP Network Administration*
Author: Craig Hunt
Publisher: O'Reilly and Associates, 1990
ISBN: 0-937175-82-X, $24.95

A complete guide to setting up and running a TCP/IP network. While this book is not Linux-specific, roughly 90% of it is applicable to Linux. Coupled with the Linux NET-2-HOWTO and *Linux Network Administrator's Guide*, this is a great book discussing the concepts and technical details of managing TCP/IP.

Title: *Managing UUCP and Usenet*
Author: Tim O'Reilly and Grace Todino
Publisher: O'Reilly and Associates, 1991
ISBN: 0-937175-93-5, $24.95

This book covers how to install and configure UUCP networking software, including configuration for USENET news. If you're at all interested in using UUCP or accessing USENET news on your system, this book is a must-read.

A.3.3 The X Window System

Title: *The X Window System: A User's Guide*
Author: Niall Mansfield
Publisher: Addison-Wesley
ISBN: 0-201-51341-2, ??

A complete tutorial and reference guide to using the X Window System. If you installed X windows on your Linux system, and want to know how to get the most out of it, you should read this book. Unlike some windowing systems, a lot of the power provided by X is not obvious at first sight.

A.3.4 Programming

Title: *The C Programming Language*
Author: Brian Kernighan and Dennis Ritchie
Publisher: Prentice-Hall, 1988
ISBN: 0-13-110362-8, $25.00

This book is a must-have for anyone wishing to do C programming on a UNIX system. (Or any system, for that matter.) While this book is not obstensibly UNIX-specific, it is quite applicable to programming C under UNIX.

Title: *The Unix Programming Environment*
Author: Brian Kernighan and Bob Pike
Publisher: Prentice-Hall, 1984
ISBN: 0-13-937681-X, ??

An overview to programming under the UNIX system. Covers all of the tools of the trade; a good read to get acquainted with the somewhat amorphous UNIX programming world.

Title: *Advanced Programming in the UNIX Environment*
Author: W. Richard Stevens
Publisher: Addison-Wesley

ISBN: 0-201-56317-7, $50.00

This mighty tome contains everything that you need to know to program UNIX at the system level—file I/O, process control, interprocess communication, signals, terminal I/O, the works. This book focuses on various UNI standards, including POSIX.1, which Linux mostly adheres to.

A.3.5 Kernel Hacking

Title: *The Design of the UNIX Operating System*
Author: Maurice J. Bach
Publisher: Prentice-Hall, 1986
ISBN: 0-13-201799-7, ??

This book covers the algorithms and internals of the UNIX kernel. It is not specific to any particular kernel, although it does lean towards System V-isms. This is the best place to start if you want to understand the inner tickings of the Linux system.

Title: *The Magic Garden Explained*
Author: Berny Goodheart and James Cox
Publisher: Prentice-Hall, 1994
ISBN: 0-13-098138-9, ??

This book describes the System V R4 kernel in detail. Unlike Bach's book, which concentrates heavily on the algorithms which make the kernel tick, this book presents the SVR4 implementation on a more technical level. Although Linux and SVR4 are distant cousins, this book can give you much insight into the workings of an actual UNIX kernel implementation. This is also a very modern book on the UNIX kernel—published in 1994.

Appendix B

Linux Vendor List

This appendix lists contact information for a number of vendors which sell Linux on diskette, tape, and CD-ROM. Many of them provide Linux documentation, support, and other services as well. This is by no means a complete listing; if you purchased this book in printed form, it's very possible that the vendor or publishing company also provides Linux software and services.

The author makes no guarantee as to the accuracy of any of the information listed in this Appendix. This information is included here only as a service to readers, not as an advertisement for any particular organization.

Fintronic Linux Systems
1360 Willow Rd., Suite 205
Menlo Park, CA 94025 USA
Tel: +1 415 325-4474
Fax: +1 415 325-4908
`linux@fintronic.com`

InfoMagic, Inc.
PO Box 30370
Flagstaff, AZ 86003-0370 USA
Tel: +1 800 800-6613, +1 602 526-9565
Fax: +1 602 526-9573
`Orders@InfoMagic.com`

Lasermoon Ltd
2a Beaconsfield Road, Fareham,
Hants, England. PO16 0QB.
Tel: +44 (0) 329 826444.
Fax: +44 (0) 329 825936.
`info@lasermoon.co.uk`

Linux Journal
P.O. Box 85867
Seattle, WA 98145-1867 USA
Tel: +1 206 527-3385
Fax: +1 206 527-2806
`linux@ssc.com`

Linux Systems Labs
18300 Tara Drive
Clinton Twp, MI 48036 USA
Tel: +1 313 954-2829, +1 800 432-0556
Fax: +1 313 954-2806
`info@lsl.com`

Morse Telecommunication, Inc.
26 East Park Avenue, Suite 240
Long Beach, NY 11561 USA
Tel: +1 800 60-MORSE
Fax: +1 516 889-8665
`Linux@morse.net`

Nascent Technology
Linux from Nascent CDROM
P.O. Box 60669
Sunnyvale CA 94088-0669 USA
Tel: +1 408 737-9500
Fax: +1 408 241-9390
`nascent@netcom.com`

Red Hat Software
P.O. Box 4325
Chapel Hill, NC 27515 USA
Tel: +1 919 309-9560
`redhat@redhat.com`

SW Technology
251 West Renner Suite 229
Richardson, TX 75080 USA
Tel: +1 214 907-0871
`swt@netcom.com`

Takelap Systems Ltd.
The Reddings, Court Robin Lane,
Llangwm, Usk, Gwent, United Kingdom NP5 1ET.

Tel: +44 (0)291 650357
Fax: +44 (0)291 650500
info@ddrive.demon.co.uk

Trans-Ameritech Enterprises, Inc.
2342A Walsh Ave
Santa Clara, CA 95051 USA
Tel: +1 408 727-3883
roman@trans-ameritech.com

Unifix Software GmbH
Postfach 4918
D-38039 Braunschweig
Germany
Tel: +49 (0)531 515161
Fax: +49 (0)531 515162

Yggdrasil Computing, Incorporated
4880 Stevens Creek Blvd., Suite 205
San Jose, CA 95129-1034 USA
Tel: +1 800 261-6630, +1 408 261-6630
Fax: +1 408 261-6631
info@yggdrasil.com

Appendix C

FTP Tutorial and Site List

FTP ("File Transfer Protocol") is the set of programs that are used for transferring files between systems on the Internet. Most UNIX, VMS, and MS-DOS systems on the Internet have a program called `ftp` which you use to transfer these files, and if you have Internet access, the best way to download the Linux software is by using `ftp`. This appendix covers basic `ftp` usage—of course, there are many more functions and uses of `ftp` than are given here.

At the end of this appendix there is a listing of FTP sites where Linux software can be found. Also, if you don't have direct Internet access but are able to exchange electronic mail with the Internet, information on using the `ftpmail` service is included below.

If you're using an MS-DOS, UNIX, or VMS system to download files from the Internet, then `ftp` is a command-driven program. However, there are other implementations of `ftp` out there, such as the Macintosh version (called `Fetch`) with a nice menu-driven interface, which is quite self-explanatory. Even if you're not using the command-driven version of `ftp`, the information given here should help.

`ftp` can be used to both upload (send) or download (receive) files from other Internet sites. In most situations, you're going to be downloading software. On the Internet there are a large number of publicly-available **FTP archive sites**, machines which allow anyone to `ftp` to them and download free software. One such archive site is `sunsite.unc.edu`, which has a lot of Sun Microsystems software, and acts as one of the main Linux sites. In addition, FTP archive sites **mirror** software to each other—that is, software uploaded to one site will be automatically copied over to a number of other sites. So don't be surprised if you see the exact same files on many different archive sites.

C.1 Starting `ftp`

Note that in the example "screens" printed below I'm only showing the most important information, and what you see may differ. Also, commands in *italics* represent commands that you type; everything else is screen output.

To start `ftp` and connect to a site, simply use the command

`ftp` ⟨*hostname*⟩

where ⟨*hostname*⟩ is the name of the site you are connecting to. For example, to connect to the mythical site `shoop.vpizza.com` we can use the command

```
ftp shoop.vpizza.com
```

C.2 Logging In

When `ftp` starts up we should see something like

```
Connected to shoop.vpizza.com.
220 Shoop.vpizza.com FTPD ready at 15 Dec 1992 08:20:42 EDT
Name (shoop.vpizza.com:mdw):
```

Here, `ftp` is asking us to give the username that we want to login as on `shoop.vpizza.com`. The default here is `mdw`, which is my username on the system I'm using FTP from. Since I don't have an account on `shoop.vpizza.com` I can't login as myself. Instead, to access publicly-available software on an FTP site you login as `anonymous`, and give your Internet e-mail address (if you have one) as the password. So, we would type

```
Name (shoop.vpizza.com:mdw):  anonymous
331-Guest login ok, send e-mail address as password.
Password:  mdw@sunsite.unc.edu
230- Welcome to shoop.vpizza.com.
230- Virtual Pizza Delivery[tm]:  Download pizza in 30 cycles or less
230- or you get it FREE!
ftp>
```

Of course, you should give your e-mail address, instead of mine, and it won't echo to the screen as you're typing it (since it's technically a "password"). `ftp` should allow us to login and we'll be ready to download software.

C.3 Poking Around

Okay, we're in. `ftp>` is our prompt, and the `ftp` program is waiting for commands. There are a few basic commands you need to know about. First, the commands

`ls` ⟨*file*⟩

and

`dir` ⟨*file*⟩

both give file listings (where ⟨*file*⟩ is an optional argument specifying a particular filename to list). The difference is that `ls` usually gives a short listing and `dir` gives a longer listing (that is, with more information on the sizes of the files, dates of modification, and so on).

The command

`cd` ⟨*directory*⟩

will move to the given directory (just like the `cd` command on UNIX or MS-DOS systems). You can use the command

`cdup`

to change to the parent directory[1].

The command

`help` ⟨*command*⟩

will give help on the given `ftp` ⟨*command*⟩ (such as `ls` or `cd`). If no command is specified, `ftp` will list all of the available commands.

If we type `dir` at this point we'll see an initial directory listing of where we are.

```
ftp> dir
200 PORT command successful.
150 Opening ASCII mode data connection for /bin/ls.
total 1337


dr-xr-xr-x  2 root     wheel         512 Aug 13 13:55 bin
drwxr-xr-x  2 root     wheel         512 Aug 13 13:58 dev
drwxr-xr-x  2 root     wheel         512 Jan 25 17:35 etc
drwxr-xr-x 19 root     wheel        1024 Jan 27 21:39 pub
drwxrwx-wx  4 root     ftp-admi     1024 Feb  6 22:10 uploads
drwxr-xr-x  3 root     wheel         512 Mar 11  1992 usr

226 Transfer complete.
921 bytes received in 0.24 seconds (3.7 Kbytes/s)
ftp>
```

Each of these entries is a directory, not an individual file which we can download (specified by the `d` in the first column of the listing). On most FTP archive sites, the publicly available software is under the directory `/pub`, so let's go there.

[1] The directory above the current one.

```
ftp> cd pub
ftp> dir
200 PORT command successful.
150 ASCII data connection for /bin/ls (128.84.181.1,4525) (0 bytes).
total 846

-rw-r--r--   1 root     staff        1433 Jul 12  1988 README
-r--r--r--   1 3807     staff       15586 May 13  1991 US-DOMAIN.TXT.2
-rw-r--r--   1 539      staff       52664 Feb 20  1991 altenergy.avail
-r--r--r--   1 65534    65534       56456 Dec 17  1990 ataxx.tar.Z
-rw-r--r--   1 root     other     2013041 Jul  3  1991 gesyps.tar.Z
-rw-r--r--   1 432      staff       41831 Jan 30  1989 gnexe.arc
-rw-rw-rw-   1 615      staff       50315 Apr 16  1992 linpack.tar.Z
-r--r--r--   1 root     wheel       12168 Dec 25  1990 localtime.o
-rw-r--r--   1 root     staff        7035 Aug 27  1986 manualslist.tblms
drwxr-xr-x   2 2195     staff         512 Mar 10 00:48 mdw
-rw-r--r--   1 root     staff        5593 Jul 19  1988 t.out.h

226 ASCII Transfer complete.
2443 bytes received in 0.35 seconds (6.8 Kbytes/s)
ftp>
```

Here we can see a number of (interesting?) files, one of which is called `README`, which we should download (most FTP sites have a `README` file in the `/pub` directory).

C.4 Downloading files

Before downloading files, there are a few things that you need to take care of.

- **Turn on hash mark printing.** *Hash marks* are printed to the screen as files are being transferred; they let you know how far along the transfer is, and that your connection hasn't hung up (so you don't sit for 20 minutes, thinking that you're still downloading a file). In general, a hash mark appears as a pound sign (`#`), and one is printed for every 1024 or 8192 bytes transferred, depending on your system.

  To turn on hash mark printing, give the command `hash`.

  ```
  ftp> hash
  Hash mark printing on (8192 bytes/hash mark).
  ftp>
  ```

- **Determine the type of file which you are downloading.** As far as FTP is concerned, files come in two flavors: *binary* and *text*. Most of the files which you'll be downloading are binary files: that is, programs, compressed files, archive files, and so on. However, many files (such as `README`s and so on) are text files.

Why does the file type matter? Only because on some systems (such as MS-DOS systems), certain characters in a text file, such as carriage returns, need to be converted so that the file will be readable. While transferring in binary mode, no conversion is done—the file is simply transferred byte after byte.

The commands `bin` and `ascii` set the transfer mode to binary and text, respectively. *When in doubt, always use binary mode to transfer files.* If you try to transfer a binary file in text mode, you'll corrupt the file and it will be unusable. (This is one of the most common mistakes made when using FTP.) However, you can use text mode for plain text files (whose filenames often end in `.txt`).

For our example, we're downloading the file `README`, which is most likely a text file, so we use the command

```
ftp> ascii
200 Type set to A.
ftp>
```

- **Set your local directory.** Your *local directory* is the directory on your system where you want the downloaded files to end up. Whereas the `cd` command changes the remote directory (on the remote machine which you're FTPing to), the `lcd` command changes the local directory.

  For example, to set the local directory to `/home/db/mdw/tmp`, use the command

```
ftp> lcd /home/db/mdw/tmp
Local directory now /home/db/mdw/tmp
ftp>
```

Now you're ready to actually download the file. The command

`get` ⟨*remote-name*⟩ ⟨*local-name*⟩

is used for this, where ⟨*remote-name*⟩ is the name of the file on the remote machine, and ⟨*local-name*⟩ is the name that you wish to give the file on your local machine. The ⟨*local-name*⟩ argument is optional; by default, the local filename is the same as the remote one. However, if for example you're downloading the file `README`, and you already have a `README` in your local directory, you'll want to give a different ⟨*local-filename*⟩ so that the first one isn't overwritten.

For our example, to download the file `README`, we simply use

```
ftp> get README
200 PORT command successful.
150 ASCII data connection for README (128.84.181.1,4527) (1433 bytes).
#
226 ASCII Transfer complete.
local:  README remote:  README
1493 bytes received in 0.03 seconds (49 Kbytes/s)
ftp>
```

C.5 Quitting FTP

To end your FTP session, simply use the command

```
quit
```

The command

```
close
```

can be used to close the connection with the current remote FTP site; the `open` command can then be used to start a session with another site (without quitting the FTP program altogether).

```
ftp> close
221 Goodbye.
ftp> quit
```

C.6 Using `ftpmail`

`ftpmail` is a service which allows you to obtain files from FTP archive sites via Internet electronic mail. If you don't have direct Internet access, but are able to send mail to the Internet (from a service such as CompuServe, for example), `ftpmail` is a good way to get files from FTP archive sites. Unfortunately, `ftpmail` can be slow, especially when sending large jobs. Before attempting to download large amounts of software using `ftpmail`, be sure that your mail spool will be able to handle the incoming traffic. Many systems keep quotas on incoming electronic mail, and may delete your account if your mail exceeds this quota. Just use common sense.

`sunsite.unc.edu`, one of the major Linux FTP archive sites, is home to an `ftpmail` server. To use this service, send electronic mail to

```
ftpmail@sunsite.unc.edu
```

with a message body containing only the word:

```
help
```

This will send you back a list of `ftpmail` commands and a brief tutorial on using the system.

For example, to get a listing of Linux files found on `sunsite.unc.edu`, send mail to the above address containing the text

```
open sunsite.unc.edu
cd /pub/Linux
dir
quit
```

You may use the `ftpmail` service to connect to any FTP archive site; you are not limited to `sunsite.unc.edu`. The next section lists a number of Linux FTP archives.

C.7 Linux FTP Site List

Table C.1 is a listing of the most well-known FTP archive sites which carry the Linux software. Keep in mind that many other sites mirror these, and more than likely you'll run into Linux on a number of sites not on this list.

Site name	IP Address	Directory
tsx-11.mit.edu	18.172.1.2	/pub/linux
sunsite.unc.edu	152.2.22.81	/pub/Linux
nic.funet.fi	128.214.6.100	/pub/OS/Linux
ftp.mcc.ac.uk	130.88.200.7	/pub/linux
fgb1.fgb.mw.tu-muenchen.de	129.187.200.1	/pub/linux
ftp.informatik.tu-muenchen.de	131.159.0.110	/pub/Linux
ftp.dfv.rwth-aachen.de	137.226.4.105	/pub/linux
ftp.informatik.rwth-aachen.de	137.226.112.172	/pub/Linux
ftp.ibp.fr	132.227.60.2	/pub/linux
kirk.bu.oz.au	131.244.1.1	/pub/OS/Linux
ftp.uu.net	137.39.1.9	/systems/unix/linux
wuarchive.wustl.edu	128.252.135.4	/systems/linux
ftp.win.tue.nl	131.155.70.100	/pub/linux
ftp.ibr.cs.tu-bs.de	134.169.34.15	/pub/os/linux
ftp.denet.dk	129.142.6.74	/pub/OS/linux

Table C.1: Linux FTP Sites

`tsx-11.mit.edu`, `sunsite.unc.edu`, and `nic.funet.fi` are the "home sites" for the Linux software, where most of the new software is uploaded. Most of the other sites on the list mirror some combination of these three. To reduce network traffic, choose a site that is geographically closest to you.

Appendix D

Linux BBS List

Printed here is a list of bulletin board systems (BBS) which carry Linux software. Zane Healy (`healyzh@holonet.net`) maintains this list. If you know of or run a BBS which provides Linux software which isn't on this list, you should get in touch with him.

The Linux community is no longer an Internet-only society. In fact, it is now estimated that the majority of Linux users don't have Internet access. Therefore, it is especially important that BBSs continue to provide and support Linux to users worldwide.

D.1 United States

Citrus Grove Public Access, 916-381-5822. ZyXEL 16.8/14.4 Sacramento, CA. Internet: `citrus.sac.ca.us`
Higher Powered BBS, 408-737-7040. ? CA. RIME ->HIGHER
hip-hop, 408-773-0768. 19.2k Sunnyvale, CA. USENET access
hip-hop, 408-773-0768. 38.4k Sunnyvale, CA.
Unix Online, 707-765-4631. 9600 Petaluma, CA. USENET access
The Outer Rim, 805-252-6342. Santa Clarita, CA.
Programmer's Exchange, 818-444-3507. El Monte, CA. Fidonet
Programmer's Exchange, 818-579-9711. El Monte, CA.
Micro Oasis, 510-895-5985. 14.4k San Leandro, CA.
Test Engineering, 916-928-0504. Sacramento, CA.
Slut Club, 813-975-2603. USR/DS 16.8k HST/14.4K Tampa, FL. Fidonet 1:377/42
Lost City Atlantis, 904-727-9334. 14.4k Jacksonville, FL. FidoNet
Aquired Knowledge, 305-720-3669. 14.4k v.32bis Ft. Lauderdale, FL. Internet, UUCP
The Computer Mechanic, 813-544-9345. 14.4k v.32bis St. Petersburg, FL. Fidonet, Sailnet, MXBBSnet
AVSync, 404-320-6202. Atlanta, GA.
Information Overload, 404-471-1549. 19.2k ZyXEL Atlanta, GA. Fidonet 1:133/308
Atlanta Radio Club, 404-850-0546. 9600 Atlanta, GA.

Rebel BBS, 208-887-3937. 9600 Boise, ID.
Rocky Mountain HUB, 208-232-3405. 38.4k Pocatello, ID. Fionet, SLNet, CinemaNet
EchoMania, 618-233-1659. 14.4k HST Belleville, IL. Fidonet 1:2250/1, f'req LINUX
UNIX USER, 708-879-8633. 14.4k Batavia, IL. USENET, Internet mail
PBS BBS, 309-663-7675. 2400 Bloomington, IL.
Third World, 217-356-9512. 9600 v.32 IL.
Digital Underground, 812-941-9427. 14.4k v.32bis IN. USENET
The OA Southern Star, 504-885-5928. New Orleans, LA. Fidonet 1:396/1
Channel One, 617-354-8873. Boston, MA. RIME ->CHANNEL
VWIS Linux Support BBS, 508-793-1570. 9600 Worcester, MA.
WayStar BBS, 508-481-7147. 14.4k V.32bis USR/HST Marlborough, MA. Fidonet 1:333/14
WayStar BBS, 508-481-7293. 14.4k V.32bis USR/HST Marlborough, MA. Fidonet 1:333/15
WayStar BBS, 508-480-8371. 9600 V.32bis or 14.4k USR/HST Marlborough, MA. Fidonet 1:333/16
Programmer's Center, 301-596-1180. 9600 Columbia, MD. RIME
Brodmann's Place, 301-843-5732. 14.4k Waldorf, MD. RIME ->BRODMANN, Fidonet
Main Frame, 301-654-2554. 9600 Gaithersburg, MD. RIME ->MAINFRAME
1 Zero Cybernet BBS, 301-589-4064. MD.
WaterDeep BBS, 410-614-2190. 9600 v.32 Baltimore, MD.
Harbor Heights BBS, 207-663-0391. 14.4k Boothbay Harbor, ME.
Part-Time BBS, 612-544-5552. 14.4k v.32bis Plymouth, MN.
The Sole Survivor, 314-846-2702. 14.4k v.32bis St. Louis, MO. WWIVnet, WWIVlink, etc
MAC's Place, 919-891-1111. 16.8k, DS modem Dunn, NC. RIME ->MAC
Digital Designs, 919-423-4216. 14.4k, 2400 Hope Mills, NC.
Flite Line, 402-421-2434. Lincoln, NE. RIME ->FLITE, DS modem
Legend, 402-438-2433. Lincoln, NE. DS modem
MegaByte Mansion, 402-551-8681. 14.4 V,32bis Omaha, NE.
Mycroft QNX, 201-858-3429. 14.4k NJ.
Steve Leon's, 201-886-8041. 14.4k Cliffside Park, NJ.
Dwight-Englewood BBS, 201-569-3543. 9600 v.42 Englewood, NJ. USENET
The Mothership Cnection, 908-940-1012. 38.4k Franklin Park, NJ.
The Laboratory, 212-927-4980. 16.8k HST, 14.4k v.32bis NY. FidoNet 1:278/707
Valhalla, 516-321-6819. 14.4k HST v.32 Babylon, NY. Fidonet (1:107/255), UseNet (`die.linet.org`)
Intermittent Connection, 503-344-9838. 14.4k HST v.32bis Eugene, OR. 1:152/35
Horizon Systems, 216-899-1086. USR v.32 Westlake, OH.
Horizon Systems, 216-899-1293. 2400 Westlake, OH.
Centre Programmers Unit, 814-353-0566. 14.4k V.32bis/HST Bellefonte, PA.
Allentown Technical, 215-432-5699. 9600 v.32/v.42bis Allentown, PA. WWIVNet 2578
Tactical-Operations, 814-861-7637. 14.4k V32bis/V42bis State College, PA. Fidonet 1:129/226, `tac_ops.UUCP`
North Shore BBS, 713-251-9757. Houston, TX.
The Annex, 512-575-1188. 9600 HST TX. Fidonet 1:3802/217
The Annex, 512-575-0667. 2400 TX. Fidonet 1:3802/216

Walt Fairs, 713-947-9866. Houston, TX. FidoNet 1:106/18
CyberVille, 817-249-6261. 9600 TX. FidoNet 1:130/78
splat-ooh, 512-578-2720. 14.4k Victoria, TX.
splat-ooh, 512-578-5436. 14.4k Victoria, TX.
alaree, 512-575-5554. 14.4k Victoria, TX.
Ronin BBS, 214-938-2840. 14.4 HST/DS Waxahachie (Dallas), TX. RIME, Intelec, Smartnet, etc.
VTBBS, 703-231-7498. Blacksburg, VA.
MBT, 703-953-0640. Blacksburg, VA.
NOVA, 703-323-3321. 9600 Annandale, VA. Fidonet 1:109/305
Rem-Jem, 703-503-9410. 9600 Fairfax, VA.
Enlightend, 703-370-9528. 14.4k Alexandria, VA. Fidonet 1:109/615
My UnKnown BBS, 703-690-0669. 14.4k V.32bis VA. Fidonet 1:109/370
Georgia Peach BBS, 804-727-0399. 14.4k Newport News, VA.
Top Hat BBS, 206-244-9661. 14.4k WA. Fidonet 1:343/40
victrola.sea.wa.us, 206-838-7456. 19.2k Federal Way, WA. USENET

D.2 Outside of the United States

Galaktische Archive, 0043-2228303804. 16.8 ZYX Wien, Austria. Fidonet 2:310/77 (19:00-7:00)
Linux-Support-Oz, +61-2-418-8750. v.32bis 14.4k Sydney, NSW, Austrailia. Internet/Usenet, E-Mail/News
500cc Formula 1 BBS, +61-2-550-4317. V.32bis Sydney, NSW, Australia.
Magic BBS, 403-569-2882. 14.4k HST/Telebit/MNP Calgary, AB, Canada. Internet/Usenet
Logical Solutions, 299-9900 through 9911. 2400 AB, Canada.
Logical Solutions, 299-9912, 299-9913. 14.4k Canada.
Logical Solutions, 299-9914 through 9917. 16.8k v.32bis Canada.
V.A.L.I.S., 403-478-1281. 14.4k v.32bis Edmonton, AB, Canada. USENET
The Windsor Download, (519)-973-9330. v32bis 14.4 ON, Canada.
r-node, 416-249-5366. 2400 Toronto, ON, Canada. USENET
Synapse, 819-246-2344. 819-561-5268 Gatineau, QC, Canada. RIME->SYNAPSE
Radio Free Nyongwa, 514-524-0829. v.32bis ZyXEL Montreal, QC, Canada. USENET, Fidonet
DataComm1, +49.531.132-16. 14.4 HST Braunschweig, NDS, Germany. Fido 2:240/550, LinuxNet
DataComm2, +49.531.132-17. 14.4 HST Braunschweig, NDS, Germany. Fido 2:240/551, LinuxNet
Linux Server /Braukmann, +49.441.592-963. 16.8 ZYX Oldenburg, NDS, Germany. Fido 2:241/2012, LinuxNet
MM's Spielebox, +49.5323.3515. 14.4 ZYX Clausthal-Zfd., NDS, Germany. Fido 2:241/3420
MM's Spielebox, +49.5323.3516. 16.8 ZYX Clausthal-Zfd., NDS, Germany. Fido 2:241/3421
MM's Spielebox, +49.5323.3540. 9600 Clausthal-Zfd., NDS, Germany. Fido 2:241/3422
Bit-Company / J. Bartz, +49.5323.2539. 16.8 ZYX MO Clausthal-Zfd., NDS, Germany. Fido 2:241/3430

Fractal Zone BBS /Maass, +49.721.863-066. 16.8 ZYX Karlsruhe, BW, Germany. Fido 2:241/7462

Hipposoft /M. Junius, +49.241.875-090. 14.4 HST Aachen, NRW, Germany. Fido 2:242/6, 4:30-7,8-23:30

UB-HOFF /A. Hoffmann, +49.203.584-155. 19.2 ZYX+ Duisburg, Germany. Fido 2:242/37

FORMEL-Box, +49.4191.2846. 16.8 ZYX Kaltenkirchen, SHL, Germany. Fido 2:242/329, LinuxNet (6:00-20:00)

BOX/2, +49.89.601-96-77. 16.8 ZYX Muenchen, BAY, Germany. Fido 2:246/147, info magic: LINUX (22-24,0:30-2,5-8)

Die Box Passau 2+1, +49.851.555-96. 14.4 V32b Passau, BAY, Germany. Fido 2:246/200 (8:00-3:30)

Die Box Passau Line 1, +49.851.753-789. 16.8 ZYX Passau, BAY, Germany. Fido 2:246/2000 (8:00-3:30)

Die Box Passau Line 3, +49.851.732-73. 14.4 HST Passau, BAY, Germany. Fido 2:246/202 (5:00-3:30)

Die Box Passau ISDN, +49.851.950-464. 38.4/64k V.110/X.75 Passau, BAY, Germany. Fido 2:246/201 (8:00-24:00,1:00-3:30)

Public Domain Kiste, +49.30.686-62-50. 16.8 ZYX BLN, Germany. Fido 2:2403/17

CS-Port / C. Schmidt, +49.30.491-34-18. 19.2 Z19 Berlin, BLN, Germany. Fido 2:2403/13

BigBrother / R. Gmelch, +49.30.335-63-28. 16.8 Z16 Berlin, BLN, Germany. Fido 2:2403/36.4 (16-23:00)

CRYSTAL BBS, +49.7152.240-86. 14.4 HST Leonberg, BW, Germany. Fido 2:2407/3, LinuxNet

Echoblaster BBS #1, +49.7142.213-92. HST/V32b Bietigheim, BW, Germany. Fido 2:2407/4, LinuxNet (7-19,23-01h

Echoblaster BBS #2, +49.7142.212-35. V32b Bietigheim, BW, Germany. Fido 2:2407/40, LinuxNet (20h-6h)

LinuxServer / P. Berger, +49.711.756-275. 16.8 HST Stuttgart, BW, Germany. Fido 2:2407/34, LinuxNet (8:3-17:5,19-2)

Rising Sun BBS, +49.7147.3845. 16.8 ZYX Sachsenheim, BW, Germany. Fido 2:2407/41, LinuxNet (5:30-2:30)

bakunin.north.de, +49.421.870-532. 14.4 D 2800 Bremen, HB, Germany. `kraehe@bakunin.north.de`

oytix.north.de, +49.421.396-57-62. ZYX HB, Germany. `mike@oytix.north.de`, login as `gast`

Fiffis Inn BBS, +49-89-5701353. 14.4-19.2 Munich, Germany. FidoNet 2:246/69,Internet,USENET,LinuxNet

The Field of Inverse Chaos, +358 0 506 1836. 14.4k v32bis/HST Helsinki, Finland. USENET; ichaos.nullnet.fi

Modula BBS, +33-1 4043 0124. HST 14.4 v.32bis Paris, France.

Modula BBS, +33-1 4530 1248. HST 14.4 V.32bis Paris, France.

STDIN BBS, +33-72375139. v.32bis Lyon, Laurent Cas, France. FidoNet 2:323/8

Le Lien, +33-72089879. HST 14.4/V32bis Lyon, Pascal Valette, France. FidoNet 2:323/5

Basil, +33-1-44670844. v.32bis Paris, Laurent Chemla, France.

Cafard Naum, +33-51701632. v.32bis Nantes, Yann Dupont, France.

DUBBS, +353-1-6789000. 19.2 ZyXEL Dublin, Ireland. Fidonet 2:263/167

Galway Online, +353-91-27454. 14.4k v32b Galway, Ireland. RIME, `@iol.ie`
Nemesis' Dungeon, +353-1-324755 or 326900. 14.4k v32bis Dublin, Ireland. Fidonet 2:263/150
nonsolosoftware, +39 51 6140772. v.32bis, v.42bis Italy. Fidonet 2:332/407
nonsolosoftware, +39 51 432904. ZyXEL 19.2k Italy. Fidonet 2:332/417
Advanced Systems, +64-9-379-3365. ZyXEL 16.8k Auckland, New Zealand. Singet, INTLnet, Fidonet
Thunderball Cave, 472567018. Norway. RIME ->CAVE
DownTown BBS Lelystad, +31-3200-48852. 14.4k Lelystad, Netherlands. Fido 2:512/155, UUCP
MUGNET Intl-Cistron BBS, +31-1720-42580. 38.4k Alphen a/d Rijn, Netherlands. UUCP
The Controversy, (65)560-6040. 14.4k V.32bis/HST Singapore. Fidonet 6:600/201
Pats System, +27-12-333-2049. 14.4k v.32bis/HST Pretoria, South Africa. Fidonet 5:71-1/36
Gunship BBS, +46-31-693306. 14.4k HST DS Gothenburg Sweden.
Baboon BBS, +41-62-511726. 19.2k Switzerland. Fido 2:301/580 and /581
The Purple Tentacle, +44-734-590990. HST/V32bis Reading, UK. Fidonet 2:252/305
A6 BBS, +44-582-460273. 14.4k Herts, UK. Fidonet 2:440/111
On the Beach, +444-273-600996. 14.4k/16.8k Brighton, UK. Fidonet 2:441/122

Appendix E

The GNU General Public License

Printed below is the GNU General Public License (the *GPL* or *copyleft*), under which Linux is licensed. It is reproduced here to clear up some of the confusion about Linux's copyright status—Linux is *not* shareware, and it is *not* in the public domain. The bulk of the Linux kernel is copyright ©1993 by Linus Torvalds, and other software and parts of the kernel are copyrighted by their authors. Thus, Linux *is* copyrighted, however, you may redistribute it under the terms of the GPL printed below.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright ©1989, 1991 Free Software Foundation, Inc. 675 Mass Ave, Cambridge, MA 02139, USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

E.1 Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software–to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights

or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

E.2 Terms and Conditions for Copying, Distribution, and Modification

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

   Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

   You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

    a. You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

    b. You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

    c. If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

    These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

    Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

    In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

    a. Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

    b. Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c. Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

   Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE

DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

E.3 Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

> ⟨*one line to give the program's name and a brief idea of what it does.*⟩ Copyright ©19yy ⟨*name of author*⟩
>
> This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.
>
> This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.
>
> You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19yy name of author Gnomovision comes with
ABSOLUTELY NO WARRANTY; for details type `show w'.  This is free software, and
you are welcome to redistribute it under certain conditions; type `show c' for
details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items–whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

> Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.
>
> ⟨*signature of Ty Coon*⟩, 1 April 1989
> Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

Index

*, 94
- to begin command options, 87
.bash_profile, 121
.bashrc, 121
.profile, 121
.tcshrc, 121
/
    in pathnames, 79
    root directory name, 80
/Image, 126
/bin/bash, 93
/bin/csh, 93
/bin/sh, 93
/bin/tcsh, 93
/dev/console, 90
/dev/cua, 90
/dev/hd, 90
/dev/lp, 90
/dev/null, 90
/dev/pty, 90
/dev/tty, 90
/dev/ttyS, 90
/etc, 90
/etc/Image, 126
csh.login, 121
/etc/fstab, 140
/etc/getty, 143
/etc/group
    format of, 131
/etc/host.conf, 173
/etc/hosts, 172
/etc/init, 143
/etc/inittab, 143
/etc/networks, 172
/etc/passwd, 129
/etc/profile, 121
/etc/rc, 144
/etc/rc.local, 144
/etc/resolve.conf, 173
/etc/zImage, 126
/home, 91
/lib, 91
/proc, 91
    mounting of, 141
/sbin, 91
/tmp, 91
/usr, 91
/usr/X11R6/lib/X11/XF86Config, 153
/usr/X386, 91
/usr/etc, 91
/urs/g++-include, 92
/usr/include, 92
/usr/lib, 92
/usr/local, 92
/usr/man, 92
/usr/src, 92
/var, 92
/var/adm, 92
/var spool, 92
/vmlinux, 126
/zImage, 126
<, 98
>, 97
?, 95
~
    to refer to home directory, 81
386BSD, 23

account
    creating, 76
addgroup, 131
adding users, 128
    with adduser, 130

with `useradd`, 130
`adduser`, 130
`afio`, 135
alpha, 18
archiving files, 132–134
argument
command
defined, 78

`backflops`, 135
background process, 105
backgrounding jobs, 107
backups, 134–135
incremental, 135
multi-volume, 135
to floppy disk, 135
`bash`, 93
BBS list, 199–203
BBS software, 13
FidoNet, 13
beta, 18
`bg`, 108
`/bin`, 89
books, 185–188
boot floppy, 61, 145
creating, 126
boot scripts, 143
booting, 49, 125–127
from maintenance floppy, 145
problems, 63–65, 71
with LILO, 126–127
booting Linux
with boot floppy, 126
booting non-Linux systems, 126
Bourne again shell, 93
Bourne shell, 7, 93
broadcast address
defined, 168
bugs, 18

C News, 180
C Shell (`csh`), 7, 93
`cat`, 89
to view file contents, 86
`cd`, 82–83, 87

`chfn`, 131
`chmod`, 102
`chsh`, 131
client
news
defined, 180
Coherent, 24
command
argument
defined, 78
defined, 78
`command not found` error message, 78
commands
- to begin options, 87
grouping with shell scripts, 117
summary of basic, 87–89
commercial support, 32
`compress`, 133
compressing files, 132–134
configuration scripts
for TCP/IP, 169
console
defined, 77
device name for, 90
virtual, 77
copy files, 85
copying Linux, 15–17, 23, 204–210
copyright, 15–17, 204–210
core dumps, 6
`cp`, 85, 88
`csh`, 7
current working directory
defined, 81

databases, 14
debugging
core dumps, 6
delete
directory, 86
files, 86
deleting users, 130
`deluser`, 130
`/dev`, 90
`/dev/sd`, 90

`/dev/sr`, 90
`/dev/st`, 90
development
  alpha, 18
  beta, 18
  conventions, 18
device driver, 90
devices
  `/dev/console`, 90
  `/dev/cua`, 90
  `/dev/hd`, 90
  `/dev/lp`, 90
  `/dev/null`, 90
  `/dev/pty`, 90
  `/dev/sd`, 90
  `/dev/sr`, 90
  `/dev/st`, 90
  `/dev/tty`, 90
  `/dev/ttyS`, 90
  accessing, 90
  console, 90
  `fd`, 90
  floppy disk, 90
  hard drives, 90
  null, 90
  parallel ports, 90
  pseudo-terminals, 90
  SCSI, 90
  serial ports, 90
  virtual consoles, 90
`dip`, 174
  chat script for, 177–179
  connecting to SLIP server with, 177–179
  dynamic IP address with, 176
  static IP address with, 175
directory
  `.` to refer to, 82
  `/etc`, 90
  `/home`, 91
  `/lib`, 91
  `/proc`, 91
  `/sbin`, 91
  `/tmp`, 91
  `/usr`, 91
  `/usr/X386`, 91
  `/usr/bin`, 91
  `/usr/etc`, 91
  `/urs/g++-include`, 92
  `/usr/include`, 92
  `/usr/lib`, 92
  `/usr/local`, 92
  `/usr/man`, 92
  `/usr/src`, 92
  `/var`, 92
  `/var/adm`, 92
  `/var spool`, 92
  `/bin`, 89
  creating, 84
  current working
    defined, 81
  defined, 79
  delete, 86
  `/dev`, 90
  home
    `~` to refer to, 81
    defined, 80
  listing contents of, 83–84
  nesting, 79
  parent, 79
    `..` to refer to, 82
  permisions
    execute, 100
    read, 100
    write, 100
  permissions
    changing, 102
    dependencies of, 101
  root
    defined, 80
  structure, 80
    moving around in with `cd`, 82
  tree, 80
  working
    defined, 81
disabling users, 130
disasters
  recovery from, 145–147
    with maintenance floppy, 145

distributions, 18, 35–44
  Internet, getting from the, 36
  list, 189–191
  mail order, 37
  online sources, 37
documentation, 182–188
  books, 30, 185–188
  Frequently Asked Questions, 182
  HOWTO documents, 183
  info files, 8
  Linux Documentation Project, 30, 184–185
  Linux Software Map, 15
  online, 29, 182–184
    FAQ, 29
    HOWTO documents, 29
  `texinfo`, 8
Doom, 15

e-mail, 179–180
  mailer
    defined, 179
  transport
    defined, 179
`e2fsck`, 142, 146
`echo`, 89
editor
  defined, 110
editors, 6
`efsck`, 142
`elm`, 179
Emacs, 6, 110
emergencies
  recovery from, 145–147
    with maintenance floppy, 145
end-of-text signal, 96
environment
  customizing, 117–121
  variables
    `PATH`, 120
EOT (end of text) signal, 96
error messages
  error messages
    `command not found`, 78
ethernet, 12
  supported cards, 167
executable
  defined, 83
executables, 5
`exit`, 78
`export`, 119

FAQ, 29
`fdisk`, 48, 53–56
  under MS-DOS, 48
features
  kernel, 4–6
  system, 4–6
`fg`, 108
FidoNet, 13
file
  copy, 85
  delete, 86
  executable
    defined, 83
  move, 85
filename
  defined, 79
filenames
  wildcard characters in, 94–96
files
  appeding to, 99
  archiving, 132–134
  backing up, 134–135
  compressing, 132–134
  defined, 79
  device, 90
  hidden
    not matched by wildcards, 95
  inode numbers of, 103
  links, 103–104
  listing, 83–84
  listing permissions of with `ls`, 100
  MS-DOS, 165
  owership of by group, 100
  owership of by user, 100
  permisions
    execute, 100

read, 100
write, 100
permissions
changing, 102
defined, 100
dependencies of, 101
group, 131
interpreting, 100
permissions of, 100–102
recovering, 147
viewing contents of, 86
filesystem
exploring, 89–93
filesystems, 5, 45, 46, 140–142
`/etc/fstab`, 140
checking, 141
creating, 57
fixing corrupted, 146
mounting, 140–141
on floppy disk, 135
root, 46
unmounting, 142
unmounting with `shutdown` or `halt`, 141
filter
defined, 98
`find`
for incremental backups, 135
`FIPS`, 47
floating-point math, 5
floppy disk
boot/root, 145
device names for, 90
maintenance, 145
unmounting, 136
floppy disks
as backup medium, 135
file systems on, 135
forground process, 105
free software, 15
Free Software Foundation, 15, 204
Frequently Asked Questions, 182
`fsck`, 142, 146
FTP
anonymous, 36
archive site list, 198
using, 192–198
`ftpmail`, 197
fullname
setting with `chfn`, 131
functionality, 19

games, 15
Doom, 15
gateway address
defined, 169
`gcc`
upgrading, 139
`gdb`, 10
General Public License, 15–17, 204–210
getting help, 28
`getty`, 143
GNU, 6
General Public License, 15–17, 204–210
`gprof`, 10
`grep`, 89
`groff`, 7
group ID
defined, 129
`groupadd`, 131
groups, 100, 131
adding, 131
deleting, 131
`groups`, 131
`gzip`, 133

hacker, 17
`halt`, 128
hard drive
problems, 67
hard drives
device names for, 90
hardware
problems, 65–69
conflicts, 65–67
hard drive, 67–68
SCSI, 68–69
hardware support, 24–28
CD-ROM, 27

controller, 25
CPU, 25
drive space, 26
ethernet cards, 28, 167
hard drive, 25
memory, 25
mice, 27
modems, 28
monitor, 26
motherboard, 25
printers, 27
SCSI, 26, 27
tape drives, 27
video card, 26, 149
help
getting, 32–34
online, 86
home directory
~ to refer to, 81
defined, 80, 129
hostname
`hostname`, 144
defined, 76
setting, 144, 173
`hostname`, 173
HOWTO documents, 29, 183
HURD, 23

`ifconfig`, 170
`inetd`, 171
Ingres, 14
`init`, 143
initialization files
for shells, 121
initialization scripts
for shells, 121
`inittab`, 143
INN, 180
inode number
defined, 103
input
redirecting, 98
installation, 35–74
boot floppy, 61
booting Linux, 49
LILO, 61
`mke2fs`, 57
`mkswap`, 56–57
other procedures, 62
overview, 44–45
preparation, 44–49
problems, 63–74
booting, 63–65, 71
errors, 69
file permissions, 73
hardware, 65–69
LILO, 72
logging in, 73
media errors, 69
postinstallation, 71–74
repartitioning, 45, 47–49
Internet, 12, 36
mailing lists, 32
IP address
defined, 168
IRQ, 66

job
background, 105, 107, 108
kill, 107
defined, 105
forground, 105
interupt, 106
inturpting, 106
kill, 106
restarting, 108
stopping, 108
suspended, 106
job control, 4, 105–110
`jobs`, 107

kernel
compiling, 137
compiling compressed image, 138
features, 4–6
sources for, 137
upgrading, 137
kernel image
compressed, 126

file name of, 126
`kill`, 107

LaTeX, 7
libraries, 10
fixing corrupted, 147
shared, 5
upgrading, 138
LILO, 61, 126–127
as boot loader, 126
installing, 127
problems booting, 63
problems installing, 72
selecting default operating system for, 127
links, 103–104
display number of, 103
hard, 103
symbolic, 104
Linux, 1–210
and cost, 23
bugs, 18
commercial support, 32
copying, 23
copyright, 15–17, 204–210
development, 18
distributions, 18
getting, 36
history, 2
installing, 35–74
philosophy, 17–20
pronunciation, 1
sources of information, 28
stability, 23
system features, 4–6
Linux Documentation Project, 30, 184–185
Linux Journal, 185
Linux Software Map, 15, 183
Linux-Activists mailing list, 32
listing directory contents, 83–84
logging in, 76
problems, 73
logging out
with `exit` command, 78
login, 76
login name
defined, 75
login shell
defined, 121, 129
setting with `chsh`, 131
`ls`, 83–84, 87
listing file permissions with, 100

mail order, 37
mailer
for e-mail, 179
mailers, 12
mailing lists, 32
Linux-Activists, 32
`mailx`, 179
maintenance floppy, 145
`man`, 86, 88
manual pages, 86
master boot record, 45
Mbase, 14
METAFONT, 9
Microsoft Windows, 14
emulator, 166
Minix, 3, 24
`mkdir`, 84, 88
`mke2fs`, 57
for floppy disk, 135
`mkswap`, 56–57, 142
money, 23
`more`, 86, 88
Motif, 11
`mount`, 140
mounting floppy disk with, 135
to mount MS-DOS partition, 165
mount point
defined, 135
move files, 85
MS-DOS, 21
accessing files from, 14, 165
emulator, 14, 166
mounting partion under Linux, 165
repartitioning, 48
running programs from Linux, 166

using Mtools to access files, 166
multitasking, 4
defined, 75
multiuser
defined, 75
`mv`, 85, 88

`named`, 172
nameserver address
defined, 169
NET-2, 166
support for serial line Internet protocol (SLIP), 166
NetBSD, 23
`netstat`, 174
network address
defined, 168
network mask
defined, 168
networking, 5, 12–13
and X Windows, 12
ethernet cards, supported, 28, 167
FTP, 12
NET-2, 166
news, 12, 180–181
NFS, 12, 171
NNTP, 12
PPP, 174
SLIP, 12, 166
TCP/IP, 166–179
UUCP, 13, 179
news, 180–181
client
defined, 180
news readers
defined, 180
`rn`, 180
`rn`, 180
server
C News, 180
defined, 180
INN, 180
UUCP, 179
news readers, 12
defined, 180
NFS, 171
null file, 90

operating sytems
booting non-Linux, 126, 127
OS/2, 22
output
redirecting, 97

parallel port
device name for, 90
parent directory, 79
`..` to refer to, 82
partition table, 45
partitions, 45, 46
`fdisk`, 48, 53–56
Linux, 51–52
size, 47
`passwd`, 79, 130
password
changing with `passwd`, 79
defined, 75
fixing root, 146
password file
format of, 129
pathname
absolute, 81
defined, 79
full, 81
relative, 81
permissions
changing, 102
defined, 100
dependencies of, 101
execute, 100
for shell scripts, 118
group, 131
interpreting, 100
of files, 100–102
problems, 73
read, 100
write, 100
pipelining
defined, 99

pipes
creating, 99
using, 98–99
POSIX.1, 4
Postgres, 14
PPP, 5, 174
process
background, 105
kill, 107
defined, 105
forground, 105
ID
defined, 105
interupt, 106
interupting, 106
kill, 106
`ps` to list, 105
programming, 10
core dumps, 6
languages, 10
libraries, 10
UNIX, 10
utilities, 10
protected mode, 5
`ps`, 105
pseudo-terminals, 90

`RAWRITE.EXE`, 36
`rc`, 144
files
defined, 169
for TCP/IP, 170
`rc.inet`, 170
`rc.inet1`, 170
sample, 170
`rc.inet2`, 170, 171
sample, 171
`rc.local`, 144
`rc.net`, 170
`rdev`, 126
reading
suggested, 185–188
redirection
non-destructive, 99
standard input, 97
standard output, 97
repartitioning, 47–49
concepts, 45
`fdisk`, 48
under MS-DOS, 48
`FIPS`, 47
`rm`, 86, 88
`rmdir`, 86, 88
`rn`, 180
root
fixing password for, 146
root account, 122–123
eithical issues, 123
privleges of, 123
using different prompt for, 123
root device
setting name of with `rdev`, 126
root directory
defined, 80
root filesystem, 46
`route`, 170
entry in `/etc/networks` required for, 172
`routed`, 171

scientific software, 15
SCSI
problems, 68–69
SCSI devices
names for, 90
security, 124
`sendmail`, 179
serial line Internet protocol, 166, 174–179
serial ports
device names for, 90
`setenv`, 119
Seyon, 13
shareware, 16
shell script, 6
defined, 117
shell scripts
comments in, 118
defined, 93
initializtion, 121

permissions for, 118
variables in, 118
shell variables
exporting to environment, 119
shells, 6, 93
Bourne again shell, 93
Bourne shell, 93
C shell, 93
defined, 77
initializtion files, 121
job control provided by, 105
prompt, 77
variables
defined, 118
wildcard characters for, 94–96
wildcard expansion, 94
`shutdown` command, 62, 128
shutting down, 128
Slackware
getting, 37–44
installing, 58–61
`slattach`, 174
SLIP, 5, 12, 166, 174–179
connecting to servier with `dip`, 177
device names for, 175
dynamic IP address with `dip`, 176
static IP address with `dip`, 175
static IP address with `slattach`, 176
`Smail`, 179
software, 6–15
`bash`, 7
installing, 136–139
`tcsh`, 7
upgrading, 136–139
where to find releases, 139
sound support, 15
sources of information, 182–188
stability, 23
standard input, 96–100
redirecting, 98
standard output, 96–100
redirecting, 97
standards, 4
startup scripts, 143
`slattach`
static IP addresses with, 176
stdin, 96
stdout, 96
superblock
defined, 146
fixing corrupted, 146
swap file, 46, 142–143
deleting, 143
swap partition
in `/etc/fstab`, 141
swap space, 5, 46
creating, 56–57
creating temporary, 143
`swapoff`, 143
`swapon`, 141, 143
`syslogd`, 171
system administration
adding users, 128
booting Linux, 125–127
duties, 125
security issues, 124
shutting down, 128
system security, 124
system-defined accounts
`root`, 122

Tanenbaum, Andy, 3
`tar`, 132
TCP/IP, 5, 12–13, 166–179
`/etc/host.conf`, 173
`/etc/hosts`, 172
`/etc/networks`, 172
`/etc/resolve.conf`, 173
broadcast address, 168
configuration scripts for, 169
configuring, 167, 168
debugging, 173
displaying routing tables, 174
gateway address, 169
hardware requirements for, 167
`ifconfig`, 170
`inetd`, 171
IP address, 168

`named`, 172
nameserver address, 169
NET-2 implementation of, 166
network address, 168
network mask, 168
over serial line, 174–179
point-to-point connection, 174
PPP, 174
`rc.inet`, 170
`rc.inet1`, 170
sample, 170
`rc.inet2`, 170
sample, 171
`rc.net`, 170
`route`, 170
`routed`, 171
SLIP, 174–179
device names for, 175
dynamic IP address with `dip`, 176
static IP address with `dip`, 175
static IP address with `slattach`, 176
`syslogd`, 171
troubleshooting, 173
Tcsh, 93
`tcsh`, 93
telecommunications, 13
`term`, 13
TEX, 7
`texinfo`, 8
text editor
comparing, 110
defined, 110
text editors, 6
text processing, 7–9
`tin`, 180
Torvalds, Linus, 3, 18
transport
for e-mail, 179
trouble
running into, 63–74

UID
defined, 129
`umount`, 142
unmounting floppy disks with, 136
UNIX
basic concepts, 75–81
commercial, 17, 20, 22–24
directory structure, 80
for the PC, 22–24
free implementations, 23
manual pages for, 86
multitasking
defined, 75
popularity, 2
wizards, 1
unmounting filesystems, 141, 142
upgrading, 20
USENET, 180–181
Linux-related newsgroups, 30
posting tips, 33
user account
creating, 76
user ID
defined, 129
`useradd`, 130
`userdel`, 130
username
defined, 129
users
adding, 128
adding with `adduser`, 130
adding with `useradd`, 130
changing fullname for, 131
changing login shell for, 131
deleting, 130
disabling, 130
full name of, 129
group ID of, 129
home directory of, 129
in groups, 100
list groups for, 131
login shell of, 129
password of, 129
setting attributes for, 130
setting guidelines for, 125
setting password for, 130
system security and, 124

user ID of, 129
username of, 129
UUCP, 13, 179

variables
environment, 119
in shell scripts, 118
shell, 118
vendor
list, 189–191
`vi`, 6, 110–116
changing text, 113–114
command mode, 110
deleting text, 112–113
edit mode, 110
including files, 116
inserting text, 111–112
last line mode, 110
moving cursor, 114
quitting, 115
saving changes, 115
shell commands from, 116
starting, 111
switching files, 115
writing changes, 115
virtual consoles, 4, 90
Volkerding, Patrick, 37

wildcard characters
`*`, 94
`?`, 95
defined, 94
in filnames, 94–96
wildcard expansion
defined, 94
Windows NT, 22
WINE, 14
word processing, 9
working directory
defined, 81

X11R6, 148
`XF86Config`, 153
XFree86, 11, 148
configuration file for, 153
configuring, 153
hardware requirements for, 149
installing, 151
RAM requirements for, 151
video chipsets supported by, 149
`xfsck`, 142
X Window System, 11–12, 148–165
defined, 148