

## Setup Wizard

- ▶ Setup Wizard: Step 1, Setup Type
- ▶ Setup Wizard: Step 2, Select Titles
- ▶ Setup Wizard: Step 3, Choose Files to Distribute
- ▶ Setup Wizard: Step 4, Program Items to be Created
- ▶ Setup Wizard: Step 5, Program Item and Icon
- ▶ Setup Wizard: Step 6, Build Disk Location
- ▶ Setup Wizard: Step 7, Build Distribution Disk(s)
- ▶ Setup Wizard: Step 8a, Copy Now or Later
- ▶ Setup Wizard Step 8b, Copy Now or Later

## Setup Wizard: Step 1, Setup Type

### ◆ Related steps

1. Select the operating system(s) you want to support.
2. Click the check box next to Lotus ScreenCam Player if you are playing an SCM file in your demo.

### **To launch your demo automatically after installation**

1. Click the check box next to Automatic Demo Launch.

When your viewer finishes the installation, your demo will launch automatically.

### **To add a splash screen prior to installation**

1. Browse to locate the Splash Screen bitmap to be displayed briefly before the installation starts.
2. Click Next.

If you have chosen to include Lotus ScreenCam Player, the Setup Wizard will prompt you to locate it.

Once you have done this, click Next to move on to [Setup Wizard: Step 2, Select Titles](#).

## Setup Wizard: Step 2, Select Titles

◆ [Related steps](#) \_\_\_\_\_

### To create an installation title

1. Type the title for your installation.

This title will appear at the top of your installation screen.

2. Press Tab. The text cursor moves to the Default Directory field.

### To create the default install directory

1. Type the subdirectory where you want to install your demo on your viewer's hard drive.

---

**Note** The viewer can change this directory during installation. Nevertheless, you should make sure to give the subdirectory a unique name that is unlikely to be the same name as a file or folder the viewer may already have on their system.

2. Press Tab. The text cursor moves to the Default Program Group Name edit field.

### To name your demo program group

The setup you produce with DemoShield's Setup Wizard will create a Program Group (Windows 3.1 and Windows NT) or Program Folder (Windows 95) on your viewer's machine.

1. Type a name for the Program Group (or Folder) that your setup will create.

This name will appear on the title bar of the Program Group (or Folder) window.

### To add an uninstaller

1. Click the box next to Select to create an Uninstall Program Item to add a special version of InstallShield Corporation's unInstallShield™ product to your viewer's demo program group (or folder).

After viewing your demo(s), your viewers can click on the Uninstall icon to quickly and easily remove all demo files from their systems.

2. Click Next.

See [Setup Wizard: Step 3, Choose Files to Distribute](#).

## Setup Wizard: Step 3, Choose Files to Distribute

### ◆ Related steps

When this dialog box appears, you will find these two files in the list of files to distribute

- DEMO.EXE (or DEMO32.EXE for the 32-bit Player)
- DS.DLL (or DS32.DLL for the 32-bit Player)

These are the DemoShield files you need to play any demo.

If you included SCM files, you will also see this file:

- SCPLAYER.EXE

If you are including AVI files in your demo(s), you must be sure your end users will have AVI support.

The Setup Wizard will not continue until you select a .DBD file.

### **To choose demo file(s) to distribute**

1. Click the Add button.

The Select Distribution Files dialog box appears.

Use this dialog box to select the DBD file(s) you want to distribute to your viewers.

2. Click on the name of the first demo file. To select more than one file, press the Ctrl key while you click a second filename.
3. Click OK.

You return to the Choose Files to Distribute dialog box.

The file(s) you selected appear in the list.

### **To choose other files to distribute**

1. Click the Add button again to select any other files you want to include on your distribution disk(s).

For example, help files, or if you are playing Screen Cam Movies in your demo, and you have not imported them into your DBD file (i.e., they are "imported by reference"), you should add these files now.

2. Click Next when you are done choosing files.

---

**Note** You may also use this dialog to remove any files you have decided not to include with your installation.

See [Setup Wizard: Step 4, Program Items to be created.](#)

## Setup Wizard: Step 4, Program Items to be created

◆ [Related steps](#) \_\_\_\_\_

### To choose the Program Item(s)

1. Select all demo (DBD), text, and help files that you wish to include in the edit field under "Program Items to be created".

---

**Note** There is no need to hold down the Shift key while selecting more than one file name from the list.

2. Click Next.

See [Setup Wizard: Step 5, Program Item and Icon](#).

## Setup Wizard: Step 5, Program Item and Icon

### ◆ Related steps

In this step, type a Program Item name for each demo (.DBD), text, and help file selected in the previous dialog.

#### **To choose Program Icon file names**

1. Click to display the list under File Name.
2. Select a file.
3. Type in the Program Item Name you wish to assign to the selected file.
4. Browse to select the Program Icon file name that you wish to assign to the selected file.

Repeat these steps for each demo (.DBD), text, and help file.

5. Click Next to continue.

See [Setup Wizard: Step 6, Build Disk Location](#).

## Setup Wizard: Step 6, Build Disk Location

### ◆ [Related steps](#)

#### To choose your distribution media

1. Click to open the list under Target Diskette(s) to choose the distribution media for your installation.

2. Choose the size of the disk(s) you will distribute, or choose CD-ROM compressed or uncompressed.

If you are distributing your demo on disks, the Setup Wizard calculates the size of your files and determines how many disks you will need. The default size for distribution disks is 1.44 megabytes.

If you are distributing your demo on a compressed CD, the Setup Wizard will create one large file to be placed on your CD that your viewer will use to install your demo files on their system.

If you select the CD uncompressed option, your viewers will be able to play your demo(s) without installing them on their systems. They will just run the demo(s) from their CD ROM drives. All support files will be referenced directly from the CD. To choose the directory where you will build your distribution files

1. Click Choose Directory to browse for the directory (or folder) in which you want the Setup Wizard to place your distribution files, and click OK. Or, if you prefer, you may type the path and name of a directory (or folder) in the edit field that appears below the Choose Directory button.

It's from this directory that you will copy the setup files for your demo to your disks or CD.

If several disks are required for your demo, DemoShield will create subdirectories for each disk. Example DISK 1, DISK 2, DISK 3, etc..

2. Click Next to continue.

See [Setup Wizard: Step 7, Build Distribution Disk\(s\)](#).

## Setup Wizard: Step 7, Build Distribution Disk(s)

### ◆ [Related steps](#)

#### To see a file summary before you build your disks

1. Click the Setup Review button on the Build Distribution Disk(s) dialog box.

The File Summary dialog box opens.

Use this dialog to review:

- The number of files you will distribute
  - The total expanded (not compressed) size of all files
  - The diskette type you entered earlier.
2. Click OK to return to the Build Distribution Disk(s) dialog box.

#### To build your distribution media

Click the Build button when you are ready to build your distribution disk(s).

The DemoShield Setup Wizard compresses your files and creates the image for each distribution disk or CD. This may take several minutes, depending on the size of your files.

See [Setup Wizard: Step 8a, Copy Now or Later](#).



## Setup Wizard: Step 8a, Copy Now or Later

◆ [Related steps](#)

### DISTRIBUTION ON CD

1. Click the Finished button.  
The Setup Wizard closes.
2. You will find your installation file (one large, compressed file) in the directory or folder you chose for Build Location in Step 6.  
The default build directory is:  
C:\PROGRAM FILES\INSTALLSHIELD\DSHIELD\WIZARD (Long filenames)  
or C:\PROGRA~1\INSTAL~1\DSHIELD\WIZARD (Windows 3.x filenames)
3. Burn your one-up CD using this installation file.

If you are distributing your demo(s) via floppy disk, and wish to copy to disk now, click Next to go to [Step 8b](#). To copy to disk later, click Finished.

## Setup Wizard: Step 8b, Copy Now or Later

### DISTRIBUTION ON DISKS

#### To copy your disks now

1. Choose the drive you will copy to. The default is A:.
2. Click to open the combo box for Floppy Drive and choose a different drive if you need to.
3. Insert the first distribution disk.
4. Click the Copy Now button.

The Wizard copies the appropriate files to the first disk.

If additional disks are required, a prompt appears telling you when to insert the next disk.

5. When you finish copying this first set of distribution disks, you can copy as many additional sets as you need without exiting the Wizard.
6. To repeat this process, click the Copy Now button.
7. Click the Finished button when you are finished.

The Setup Wizard closes.

#### To copy your disks later

1. Click the Finished button.  
The Setup Wizard closes.
2. When you are ready to copy your disks, find the directory you chose earlier for Build Location (Step 6).

The default build directory is:

C:\PROGRAM FILES\INSTALLSHIELD\DSHIELD\WIZARD (Long filenames)

or C:\PROGRA~1\INSTAL~1\DSHIELD\WIZARD (Windows 3.x filenames)

