

Sheet1

| ENTRY,C,38                     | S1,N | S2,N | S3,N | S4,N | S5,N | DEFINITION,C,6 |
|--------------------------------|------|------|------|------|------|----------------|
| 1.2 MB floppy                  | 9    | 276  | 231  | 2    | 7    | Ô,€€□à         |
| 1.44 MB microdiskette          | 4    | 276  | 11   | 5    | 2    | ž†€€□á         |
| 10Base                         | 201  | 285  | 538  | 336  | 517  | ÌŠ€€□à         |
| 2.88 MB microdiskette          | 5    | 231  | 339  | 468  | 2    | @□€€□á         |
| 3.5 inch disk                  | 11   | 2    | 231  | 4    | 9    | ù□€€□á         |
| 32-MByte barrier               | 170  | 267  | 339  | 468  | 6    | '•€€□à         |
| 360 K floppy                   | 9    | 231  | 1    | 2    | 7    | %~€€□à         |
| 4GL,3GL...                     | 141  | 42   | 278  | 489  | 327  | æš€€□á         |
| 5.25 inch disk                 | 231  | 263  | 265  | 7    | 1    | İ□€€□á         |
| 640K barrier                   | 121  | 194  | 307  | 530  | 441  | %¢€€□à         |
| 720 K microdiskette            | 2    | 231  | 5    | 1    | 11   | ±¥€€□à         |
| 80386SX                        | 350  | 347  | 102  | 12   | 12   | İš€€□à         |
| 8514/A                         | 337  | 292  | 186  | 449  | 575  | ĩ€€□á          |
| 9-track tape                   | 329  | 519  | 388  | 473  | 401  | ú€€□á          |
| A/B switch                     | 400  | 411  | 15   | 15   | 15   | đ°€€□à         |
| Abend, abort                   | 129  | 144  | 202  | 16   | 16   | Å±€€□á         |
| Access code/password           | 114  | 481  | 323  | 17   | 17   | ¿€€□à          |
| Access time                    | 23   | 127  | 98   | 102  | 65   | ä´€€□á         |
| Acronym                        | 28   | 354  | 189  | 19   | 19   | Ñ·€€□á         |
| Active hub/passive hub         | 38   | 310  | 373  | 379  | 517  | ë¹€€□à         |
| Ad hoc query                   | 139  | 489  | 436  | 21   | 21   | ´¼€€□á         |
| Ada                            | 114  | 278  | 403  | 192  | 22   | ©¾€€□à         |
| Address                        | 448  | 331  | 379  | 178  | 493  | ÇÁ€€□á         |
| AI, Artificial Intelligence    | 376  | 429  | 457  | 320  | 247  | ĩÃ€€□á         |
| ALGOL                          | 114  | 278  | 403  | 19   | 25   | òÇ€€□à         |
| Algorithm                      | 289  | 499  | 114  | 75   | 26   | ¢É€€□á         |
| Alpha/beta testing             | 269  | 481  | 27   | 27   | 27   | ÃË€€□à         |
| Alphanumeric                   | 354  | 19   | 28   | 28   | 28   | Æl€€□á         |
| ALU, Arithmetic Logic Unit     | 350  | 448  | 290  | 549  | 29   | Ýí€€□á         |
| Analog                         | 153  | 30   | 30   | 30   | 30   | °Ñ€€□à         |
| ANSI                           | 39   | 181  | 300  | 90   | 31   | □Ó€€□à         |
| Anti-static                    | 131  | 408  | 494  | 580  | 32   | fÖ€€□á         |
| Antialiasing                   | 357  | 449  | 258  | 33   | 33   | ¥Ù€€□à         |
| AOL, America Online            | 389  | 190  | 186  | 258  | 34   | -Ú€€□á         |
| API                            | 391  | 114  | 217  | 372  | 446  | æÜ€€□á         |
| APL, A Programming Language    | 114  | 28   | 328  | 36   | 36   | ¾β€€□á         |
| Archive files (*.ARC)          | 218  | 470  | 497  | 221  | 583  | šã€€□à         |
| ARCnet                         | 201  | 374  | 516  | 57   | 517  | pǎ€€□á         |
| ASCII                          | 181  | 531  | 31   | 40   | 39   | 'é€€□á         |
| ASCII text file                | 39   | 217  | 28   | 119  | 465  | ,,í€€□á        |
| ASP                            | 476  | 537  | 124  | 114  | 41   | üí€€□á         |
| Assembly language              | 327  | 325  | 110  | 354  | 42   | Æó€€□à         |
| Asterisk                       | 555  | 221  | 503  | 43   | 43   | óõ€€□à         |
| Asynchronous                   | 502  | 529  | 44   | 44   | 44   | -÷€€□á         |
| AT Command Set                 | 270  | 356  | 45   | 45   | 45   | àù€€□à         |
| Attribute                      | 217  | 170  | 158  | 46   | 46   | Êû€€□á         |
| Audit trail                    | 139  | 310  | 47   | 47   | 47   | Éý€€□á         |
| AUI, Attachment Unit Interface | 201  | 336  | 285  | 57   | 310  | å□€€□à         |

Sheet1

|                                     |     |     |     |     |     |
|-------------------------------------|-----|-----|-----|-----|-----|
| AUTOEXEC.BAT                        | 76  | 120 | 553 | 40  | 170 |
| Automatic head lock                 | 265 | 50  | 50  | 50  | 50  |
| AZERTY keyboard                     | 180 | 333 | 440 | 306 | 51  |
| Background / foreground             | 364 | 295 | 391 | 52  | 52  |
| Backup                              | 37  | 497 | 506 | 53  | 53  |
| Balun transformer                   | 105 | 526 | 538 | 38  | 310 |
| Bandwidth                           | 347 | 357 | 449 | 95  | 55  |
| Bar code                            | 533 | 56  | 56  | 56  | 56  |
| Baseband signaling                  | 78  | 285 | 526 | 201 | 310 |
| BASIC                               | 294 | 113 | 202 | 110 | 58  |
| Batch file                          | 221 | 217 | 170 | 59  | 59  |
| Battery backup                      | 102 | 408 | 438 | 76  | 60  |
| Baud                                | 356 | 433 | 69  | 61  | 61  |
| BBS, Bulletin Board System          | 174 | 356 | 476 | 504 | 170 |
| BCD                                 | 274 | 377 | 181 | 67  | 83  |
| Bell standard modems                | 356 | 90  | 44  | 502 | 244 |
| Benchmark                           | 152 | 319 | 344 | 353 | 554 |
| Bernoulli disk                      | 265 | 18  | 53  | 66  | 66  |
| Binary                              | 69  | 527 | 153 | 274 | 67  |
| BIOS                                | 359 | 127 | 372 | 458 | 411 |
| Bit                                 | 83  | 67  | 377 | 561 | 63  |
| Bit-mapped                          | 251 | 417 | 449 | 69  | 70  |
| BIX, BYTE Information Exchange      | 389 | 332 | 190 | 71  | 71  |
| BNC connector                       | 38  | 201 | 310 | 105 | 72  |
| BoCoEx & NACOMEX                    | 386 | 539 | 73  | 73  | 73  |
| BOF, TOF, EOF                       | 217 | 161 | 39  | 119 | 158 |
| Boolean or logical operators        | 26  | 153 | 247 | 75  | 75  |
| Boot                                | 68  | 108 | 553 | 49  | 117 |
| Bridge                              | 249 | 300 | 310 | 459 | 77  |
| Broadband/wideband                  | 57  | 310 | 356 | 78  | 78  |
| Bubble memory                       | 85  | 125 | 548 | 331 | 79  |
| Buffer                              | 85  | 439 | 486 | 411 | 158 |
| Bug and Debug                       | 16  | 178 | 254 | 308 | 269 |
| Bus                                 | 127 | 408 | 350 | 549 | 82  |
| Byte                                | 307 | 339 | 252 | 508 | 69  |
| C-Language                          | 42  | 325 | 246 | 532 | 84  |
| Cache memory                        | 443 | 495 | 331 | 85  | 85  |
| CAD, Computer-Aided Design          | 89  | 114 | 154 | 481 | 86  |
| Carpal Tunnel Syndrome (CTS)        | 198 | 306 | 87  | 87  | 87  |
| Carrier detect                      | 356 | 460 | 88  | 88  | 88  |
| CASE                                | 86  | 481 | 169 | 332 | 89  |
| CCITT                               | 300 | 397 | 433 | 571 | 31  |
| CD-I                                | 92  | 416 | 464 | 153 | 30  |
| CD-ROM                              | 277 | 458 | 416 | 466 | 464 |
| Cell                                | 564 | 487 | 23  | 93  | 93  |
| Centronics                          | 400 | 127 | 441 | 411 | 94  |
| CGA, Color Graphics Adapter         | 453 | 186 | 543 | 258 | 417 |
| Chip                                | 358 | 290 | 353 | 350 | 175 |
| CIS, CompuServe Information Service | 389 | 332 | 190 | 249 | 97  |

Sheet1

|                                  |     |     |     |     |                        |
|----------------------------------|-----|-----|-----|-----|------------------------|
| CISC                             | 289 | 454 | 202 | 98  | 98 ~%□€□á              |
| Click                            | 360 | 133 | 283 | 99  | 99 žŒ□€□à              |
| Client-server                    | 141 | 489 | 220 | 140 | 310 <sup>a</sup> □□€□á |
| Clip art                         | 176 | 70  | 264 | 258 | 101 Œ'□€□à             |
| Clock                            | 347 | 438 | 586 | 60  | 102 †•□€□à             |
| Clone                            | 282 | 112 | 349 | 103 | 103 ü—□€□à             |
| Cluster                          | 293 | 468 | 519 | 265 | 231 «™□€□à             |
| Coaxial cable                    | 214 | 310 | 526 | 525 | 55 -š□€□à              |
| COBOL                            | 278 | 106 | 106 | 106 | 106 Èœ□€□á             |
| Code page switching              | 186 | 170 | 258 | 107 | 107 Ěž□€□á             |
| Cold boot                        | 553 | 76  | 391 | 282 | 120 †c□€□á             |
| COM port                         | 460 | 474 | 356 | 170 | 282 ú□□€□á             |
| Compiler                         | 278 | 294 | 327 | 503 | 402 Ö!□€□á             |
| Composite monitor                | 453 | 524 | 95  | 111 | 111 Ô"□€□á             |
| Computer                         | 223 | 331 | 349 | 352 | 549 Œ«□€□á             |
| Computer languages               | 278 | 325 | 8   | 58  | 114 —®□€□á             |
| Computer program                 | 112 | 278 | 395 | 289 | 476 ä"□€□á             |
| Concatenate                      | 217 | 445 | 115 | 115 | 115 <sup>a±</sup> □€□à |
| Conditional/Unconditional branch | 114 | 289 | 354 | 116 | 116 <sup>~2</sup> □€□á |
| CONFIG.SYS                       | 120 | 76  | 553 | 40  | 170 "□€□à              |
| Contiguous                       | 241 | 331 | 118 | 118 | 118 "•□€□à             |
| Control character                | 199 | 578 | 130 | 39  | 119 ^,□€□á             |
| Control-Alt-Delete               | 76  | 391 | 170 | 553 | 282 É°□€□á             |
| Conventional memory              | 343 | 441 | 444 | 194 | 121 ¡½□€□à             |
| Convergence                      | 172 | 453 | 417 | 122 | 122 „ž□€□á             |
| Copy protection                  | 434 | 124 | 476 | 482 | 123 ŒÁ□€□á             |
| Copyright                        | 123 | 434 | 482 | 476 | 537 óÄ□€□à             |
| Core memory                      | 79  | 85  | 331 | 125 | 125 ¾Ç□€□á             |
| CP/M                             | 391 | 170 | 393 | 532 | 350 ¡É□€□à             |
| CPU, Central Processing Unit     | 350 | 68  | 290 | 448 | 96 ¡!□€□à              |
| CR, Carriage Return              | 306 | 119 | 146 | 128 | 128 ¢!□€□á             |
| Crash                            | 16  | 144 | 271 | 76  | 129 Œ□€□à              |
| CRC character                    | 401 | 433 | 576 | 130 | 130 íÓ□€□á             |
| CRT                              | 357 | 544 | 248 | 131 | 131 ŒŒ□€□à             |
| CSMA/CD                          | 285 | 310 | 201 | 379 | 82 □Ø□€□à              |
| Cursor                           | 283 | 302 | 317 | 360 | 520 ÷Ū□€□á             |
| Cybernetics                      | 24  | 457 | 134 | 134 | 134 ñÝ□€□à             |
| Cylinder                         | 265 | 231 | 519 | 135 | 135 øp□€□à             |
| Daisy chain                      | 295 | 474 | 127 | 82  | 136 øß□€□á             |
| Daisy wheel                      | 171 | 288 | 312 | 137 | 137 Ěá□€□á             |
| DAT, Digital Audio Tape          | 53  | 153 | 273 | 506 | 252 Čă□€□á             |
| Database                         | 141 | 436 | 489 | 287 | 21 ûæ□€□à              |
| Database server                  | 100 | 220 | 141 | 139 | 310 žè□€□á             |
| DBMS                             | 436 | 139 | 489 | 447 | 141 †ê□€□à             |
| DCE and DTE                      | 460 | 356 | 142 | 142 | 142 ô!□€□á             |
| DDE, Dynamic Data Exchange       | 364 | 393 | 387 | 143 | 143 ôî□€□á             |
| Deadly embrace or deadlock       | 16  | 129 | 391 | 364 | 144 Œñ□€□á             |
| Default                          | 46  | 114 | 145 | 145 | 145 "ô□€□á             |
| Delimiter                        | 445 | 503 | 146 | 146 | 146 œö□€□á             |

Sheet1

|                                   |     |     |     |     |     |        |
|-----------------------------------|-----|-----|-----|-----|-----|--------|
| Density                           | 69  | 273 | 329 | 519 | 147 | □ø□€□à |
| DES, Data Encryption Standard     | 26  | 17  | 148 | 148 | 148 | èù□€□à |
| Desktop computer                  | 311 | 349 | 350 | 406 | 149 | ¾ý□€□à |
| Device driver                     | 411 | 391 | 269 | 530 | 360 | °p□€□á |
| Device monitor                    | 342 | 391 | 523 | 393 | 364 | ó□□€□ã |
| Dhrystones                        | 554 | 65  | 344 | 353 | 319 | ´„□€□â |
| Digital                           | 30  | 138 | 154 | 153 | 153 | ¡‡□€□â |
| Digitizing tablet                 | 86  | 153 | 360 | 258 | 154 | â%□€□â |
| DIN connector                     | 72  | 474 | 165 | 306 | 359 | »□□€□â |
| Dingbats                          | 531 | 176 | 101 | 258 | 39  | Đ□□€□â |
| DIP switch                        | 424 | 408 | 411 | 269 | 157 | ü□□€□ã |
| Directory                         | 160 | 217 | 404 | 74  | 265 | ½'□€□ã |
| Directory hashing                 | 158 | 160 | 207 | 159 | 159 | ÷"□€□â |
| Directory structure               | 158 | 217 | 404 | 160 | 160 | ˆ—□€□â |
| Disc and Disk                     | 265 | 231 | 232 | 330 | 161 | @š□€□â |
| Disk cache                        | 441 | 468 | 162 | 162 | 162 | Ô>□€□â |
| Disk mirroring                    | 161 | 265 | 163 | 163 | 163 | Ûž□€□â |
| Diskless workstation              | 374 | 379 | 458 | 164 | 164 | Û¡□€□â |
| DIX connector                     | 201 | 374 | 155 | 165 | 165 | ¢□□€□ã |
| DJNR, Dow Jones News/Retrieval    | 389 | 166 | 166 | 166 | 166 | ™!□€□ã |
| DLLs, Dynamic Link Libraries      | 143 | 387 | 167 | 167 | 167 | ˆ©□€□â |
| DMA                               | 102 | 127 | 80  | 168 | 168 | øª□€□ã |
| Documentation                     | 114 | 388 | 233 | 89  | 169 | è□€□ã  |
| DOS                               | 391 | 393 | 532 | 574 | 126 | @ˆ□€□ã |
| Dot matrix printer                | 312 | 137 | 316 | 288 | 171 | Ê²□€□â |
| Dot pitch, dot box                | 357 | 417 | 453 | 172 | 172 | Ò³□€□â |
| Double precision                  | 114 | 561 | 173 | 173 | 173 | ƒµ□€□ã |
| Download and upload               | 356 | 433 | 476 | 537 | 62  | À¶□€□ã |
| DRAM, Dynamic RAM                 | 490 | 441 | 495 | 550 | 96  | è„□€□ã |
| DTP, Desktop Publishing           | 101 | 407 | 462 | 513 | 149 | ß»□€□â |
| Dumb terminal                     | 131 | 332 | 509 | 510 | 565 | ä¾□€□ã |
| Dump                              | 81  | 331 | 23  | 178 | 178 | ÎÁ□€□ã |
| DVI                               | 30  | 91  | 153 | 179 | 179 | ÖÅ□€□ã |
| Dvorak keyboard                   | 333 | 51  | 440 | 306 | 180 | ÖÈ□€□ã |
| EBCDIC                            | 63  | 28  | 31  | 39  | 181 | ál□€□â |
| Echo                              | 356 | 401 | 433 | 182 | 182 | Î□€□â  |
| Edge connector                    | 359 | 408 | 183 | 183 | 183 | ïŒ□€□â |
| EDI, Electronic Data Interchange  | 190 | 346 | 572 | 256 | 571 | □Œ□€□ã |
| EFT, Electronic Funds Transfer    | 356 | 509 | 185 | 185 | 185 | žÓ□€□ã |
| EGA, Enhanced Graphics Adapter    | 543 | 95  | 575 | 417 | 186 | ÄŒ□€□ã |
| EISA                              | 337 | 297 | 204 | 187 | 187 | Û×□€□ã |
| EL Displays                       | 248 | 544 | 188 | 188 | 188 | ‘Û□€□ã |
| Electronic forum acronyms         | 28  | 19  | 190 | 570 | 189 | ßÝ□€□ã |
| Electronic Mail, E-mail           | 310 | 184 | 572 | 346 | 256 | ·à□€□â |
| Elevator seeking                  | 310 | 18  | 565 | 265 | 585 | „ã□€□â |
| Embedded command, embedded system | 119 | 199 | 578 | 192 | 192 | œæ□€□â |
| Emoticon                          | 189 | 190 | 283 | 193 | 193 | „è□€□ã |
| EMS                               | 121 | 342 | 343 | 577 | 444 | Šë□€□ã |
| Enabled / Disabled                | 411 | 195 | 195 | 195 | 195 | Ûï□€□ã |

Sheet1

|                                   |     |     |     |     |             |
|-----------------------------------|-----|-----|-----|-----|-------------|
| End user                          | 114 | 262 | 476 | 536 | 196 ²ð□€□ã  |
| EPS, Encapsulated PostScript      | 312 | 426 | 197 | 197 | 197 ññ□€□ã  |
| Ergonomics                        | 536 | 87  | 565 | 198 | 198 ½ð□€□â  |
| Escape sequence                   | 120 | 578 | 31  | 199 | 199 <ö□€□â  |
| ESDI                              | 466 | 464 | 492 | 200 | 200 ø□€□ã   |
| Ethernet                          | 516 | 374 | 132 | 38  | 433 >ú□€□ã  |
| Execution                         | 114 | 170 | 98  | 221 | 202 ÷p□€□â  |
| Expanded memory                   | 194 | 205 | 343 | 203 | 203 †€,€□á  |
| Expansion slot                    | 359 | 183 | 408 | 582 | 297 âf,€□à  |
| Extended memory                   | 194 | 203 | 343 | 577 | 205 □†,€□à  |
| FASST                             | 200 | 466 | 464 | 206 | 206 ~,€□á   |
| FAT, File Allocation Table        | 6   | 104 | 217 | 170 | 280 ¥,€□á   |
| Fault tolerant                    | 53  | 534 | 208 | 208 | 208 °Ž,€□à  |
| FAX board                         | 210 | 356 | 90  | 209 | 209 Ž□,€□á  |
| FAX, Facsimile Communication      | 209 | 90  | 190 | 210 | 210 Ö“,€□à  |
| FCC Certification                 | 452 | 407 | 211 | 211 | 211 Ü–,€□á  |
| FDDI                              | 31  | 214 | 285 | 310 | 212 Áš,€□à  |
| Femtosecond                       | 366 | 413 | 102 | 438 | 213 ñœ,€□á  |
| Fiber Optics                      | 212 | 105 | 315 | 526 | 214 pž,€□à  |
| FIFO / LIFO                       | 114 | 350 | 493 | 23  | 215 » ,€□á  |
| Fifth generation computer         | 223 | 467 | 512 | 239 | 216 <£,€□á  |
| File                              | 139 | 158 | 160 | 404 | 74 Ž†,€□à   |
| File compression                  | 37  | 470 | 217 | 218 | 218 , ,€□á  |
| File Control Block, FCB           | 217 | 391 | 219 | 219 | 219 Ö«,€□á  |
| File server                       | 310 | 565 | 100 | 220 | 220 Ü,€□á   |
| Filename extensions               | 217 | 404 | 555 | 43  | 221 É±,€□à  |
| Firmware                          | 430 | 458 | 548 | 481 | 222 ¹,€□à   |
| First generation computer         | 467 | 512 | 239 | 216 | 223 ä¶,€□à  |
| Fixed disk                        | 231 | 265 | 224 | 224 | 224 È–,€□á  |
| Fixed point                       | 229 | 225 | 225 | 225 | 225 É, ,€□á |
| Flag                              | 471 | 226 | 226 | 226 | 226 , °,€□á |
| Flash EPROM                       | 458 | 430 | 409 | 227 | 227 Ě»,€□á  |
| Flat file                         | 139 | 217 | 141 | 228 | 228 ¾,€□á   |
| Floating point arithmetic         | 225 | 335 | 344 | 229 | 229 ¿¿,€□á  |
| Floating Point Unit, FPU          | 127 | 229 | 335 | 230 | 230 ,Â,€□á  |
| Floppy disk                       | 265 | 224 | 9   | 468 | 491 †Ä,€□à  |
| Floptical drives                  | 276 | 4   | 5   | 519 | 464 çÇ,€□à  |
| Flow chart                        | 114 | 169 | 233 | 233 | 233 ¡Ě,€□à  |
| Folio                             | 287 | 139 | 234 | 234 | 234 pĚ,€□à  |
| Font                              | 528 | 176 | 156 | 235 | 235 pì,€□á  |
| Footlambert                       | 544 | 236 | 236 | 236 | 236 'Ð,€□à  |
| Formatting                        | 207 | 468 | 237 | 237 | 237 žŇ,€□à  |
| FORTRAN                           | 319 | 278 | 321 | 238 | 238 ÐÓ,€□à  |
| Fourth generation computer        | 216 | 512 | 467 | 223 | 239 ßŒ,€□á  |
| Fractional T-1                    | 505 | 153 | 526 | 240 | 240 ëÖ,€□á  |
| Fragmentation                     | 324 | 118 | 241 | 241 | 241 ¬Ü,€□à  |
| Freeware                          | 483 | 434 | 481 | 537 | 242 »Ú,€□á  |
| FTAM                              | 217 | 256 | 243 | 243 | 243 ¹Ü,€□à  |
| Full-duplex, half-duplex, simplex | 44  | 502 | 64  | 244 | 244 pÝ,€□á  |

Sheet1

|                                    |     |     |     |     |     |         |
|------------------------------------|-----|-----|-----|-----|-----|---------|
| Function keys                      | 306 | 562 | 407 | 245 | 245 | ▯ß,€□á  |
| Function prototyping               | 84  | 110 | 246 | 246 | 246 | °á,€□á  |
| Fuzzy logic                        | 75  | 24  | 247 | 247 | 247 | Êä,€□à  |
| Gas-Plasma displays                | 314 | 417 | 544 | 248 | 248 | ▯æ,€□á  |
| Gateway                            | 394 | 310 | 77  | 459 | 571 | ýè,€□á  |
| GENie                              | 389 | 332 | 190 | 250 | 250 | Žë,€□á  |
| GIF, Graphics Interchange Format   | 433 | 176 | 449 | 70  | 251 | ší,€□á  |
| Gigabyte                           | 508 | 83  | 307 | 339 | 252 | Çď,€□à  |
| GIGO, Garbage-In, Garbage-Out      | 114 | 253 | 253 | 253 | 253 | øð,€□à  |
| Glitch                             | 81  | 129 | 308 | 254 | 254 | «ô,€□á  |
| Global                             | 114 | 487 | 562 | 255 | 255 | ,ö,€□à  |
| GOSIP                              | 572 | 346 | 243 | 190 | 394 | ¿ø,€□á  |
| GPIO, HPIB                         | 411 | 418 | 257 | 257 | 257 | Ýü,€□à  |
| Graphics mode                      | 261 | 39  | 570 | 511 | 258 | þþ,€□à  |
| Grep                               | 555 | 532 | 259 | 259 | 259 | Œ□,€□â  |
| Groupware and CSCW                 | 24  | 562 | 260 | 260 | 260 | "f,€□ã  |
| GUI, Graphical User Interface      | 283 | 463 | 558 | 261 | 261 | ô†,€□â  |
| Hacker                             | 196 | 536 | 370 | 262 | 262 | É%,€□ã  |
| Half-height                        | 9   | 161 | 265 | 518 | 231 | àŒ,€□ã  |
| Hand scanner                       | 462 | 86  | 101 | 149 | 264 | Û□,€□ã  |
| Hard disk                          | 556 | 231 | 268 | 224 | 519 | ™~,€□â  |
| Hard disk interface standards      | 492 | 284 | 200 | 464 | 31  | é•,€□ã  |
| Hard disk partition                | 6   | 135 | 265 | 469 | 267 | Ÿ™,€□ã  |
| Hardcard                           | 204 | 265 | 408 | 268 | 268 | ▯,€□â   |
| Hardware                           | 411 | 481 | 150 | 269 | 269 | ÔŸ,€□â  |
| Hayes-compatible                   | 45  | 356 | 270 | 270 | 270 | Š,€□ã   |
| Head crash                         | 129 | 161 | 271 | 271 | 271 | É¢,€□ã  |
| Heap                               | 241 | 331 | 272 | 272 | 272 | ì▯,€□â  |
| Helical-scan recording             | 53  | 437 | 497 | 273 | 273 | ŕí,€□ã  |
| Hexadecimal                        | 67  | 69  | 181 | 83  | 274 | ™ª,€□ã  |
| HGC, Hercules Graphics Card        | 186 | 417 | 449 | 275 | 275 | š,€□â   |
| High density diskette              | 2   | 1   | 232 | 491 | 4   | ä¯,€□â  |
| High Sierra specification          | 458 | 92  | 277 | 277 | 277 | ¿±,€□ã  |
| High-level language                | 238 | 325 | 114 | 278 | 278 | ď³,€□â  |
| Home computer                      | 407 | 311 | 349 | 112 | 406 | ,',€□ã  |
| HPFS, High Performance File System | 207 | 393 | 217 | 280 | 280 | ▯·,€□â  |
| Hypertext software                 | 481 | 281 | 281 | 281 | 281 | š¹,€□ã  |
| IBM-compatible                     | 112 | 170 | 269 | 481 | 282 | º¼,€□ã  |
| Icon                               | 193 | 261 | 360 | 258 | 283 | «¾,€□ã  |
| IDE, Integrated Drive Electronics  | 266 | 200 | 466 | 492 | 284 | ▯Á,€□â  |
| IEEE 802 Standards                 | 394 | 57  | 201 | 132 | 310 | æÃ,€□â  |
| Index                              | 217 | 139 | 298 | 286 | 286 | Á/£,€□ã |
| Infobase                           | 234 | 139 | 287 | 287 | 287 | žÉ,€□ã  |
| Ink jet printer                    | 312 | 171 | 288 | 288 | 288 | —Ë,€□â  |
| Instruction                        | 114 | 354 | 454 | 503 | 289 | çì,€□ã  |
| Integrated Circuit                 | 96  | 408 | 472 | 175 | 290 | þí,€□ã  |
| Interactive                        | 114 | 536 | 291 | 291 | 291 | ‡Ð,€□ã  |
| Interlaced, non-interlaced         | 13  | 357 | 544 | 575 | 292 | ÍÑ,€□ã  |
| Interleave factor                  | 265 | 519 | 104 | 231 | 468 | ÑÔ,€□â  |

Sheet1

|                                 |     |     |     |     |             |
|---------------------------------|-----|-----|-----|-----|-------------|
| Interpreter                     | 278 | 451 | 110 | 202 | 58 ÛØ,€□â   |
| Interrupt                       | 127 | 68  | 296 | 295 | 295 ÜÜ,€□ã  |
| IRQ, Interrupt Request          | 295 | 474 | 296 | 296 | 296 àÝ,€□ã  |
| ISA bus                         | 187 | 337 | 204 | 406 | 359 ©à,€□ã  |
| ISAM                            | 473 | 443 | 445 | 286 | 298 êâ,€□ã  |
| ISDN                            | 356 | 374 | 505 | 299 | 299 ýä,€□ã  |
| ISO, and its OSI                | 31  | 90  | 394 | 522 | 300 Úè,€□â  |
| Join                            | 139 | 141 | 489 | 301 | 301 ½è,€□ã  |
| Joystick                        | 133 | 317 | 360 | 520 | 302 âî,€□ã  |
| Jumper or shunt                 | 408 | 303 | 303 | 303 | 303 ¶ñ,€□â  |
| Justified                       | 562 | 304 | 304 | 304 | 304 Ûó,€□â  |
| Kermit                          | 433 | 576 | 579 | 584 | 305 êõ,€□â  |
| Keyboard and Keypad             | 440 | 333 | 51  | 180 | 306 —ø,€□ã  |
| Kilobyte                        | 339 | 252 | 508 | 83  | 307 Èû,€□ã  |
| Kludge                          | 254 | 81  | 308 | 308 | 308 €ý,€□â  |
| Laddr                           | 464 | 393 | 434 | 309 | 309 ¶ý,€□ã  |
| LAN, Local Area Network         | 373 | 334 | 214 | 220 | 552 ÿÿ,€□â  |
| Laptop computer                 | 314 | 149 | 349 | 378 | 311 Ä□f€□á  |
| Laser printer                   | 288 | 426 | 316 | 171 | 411 Óff€□á  |
| LAWN or Wireless LAN            | 310 | 201 | 313 | 313 | 313 ì†f€□à  |
| LCD                             | 311 | 357 | 544 | 314 | 314 ÇŞf€□à  |
| LED                             | 28  | 472 | 315 | 315 | 315 ÕŒf€□á  |
| Letter quality and NLQ          | 137 | 288 | 449 | 316 | 316 □□f€□á  |
| Light pen                       | 360 | 133 | 302 | 520 | 317 f□f€□à  |
| Linker                          | 395 | 110 | 202 | 42  | 318 è'f€□à  |
| Linpack                         | 65  | 152 | 344 | 353 | 554 œ'f€□á  |
| Lisp                            | 24  | 429 | 278 | 320 | 320 Ý•f€□á  |
| Livermore Loops                 | 65  | 152 | 344 | 353 | 554 f™f€□à  |
| Logical vs Physical Drives      | 265 | 322 | 322 | 322 | 322 ž>f€□á  |
| Login / Logout                  | 17  | 310 | 375 | 323 | 323 ëžf€□á  |
| Lost chains                     | 114 | 158 | 170 | 217 | 265 “,if€□à |
| Low-level language              | 42  | 84  | 278 | 325 | 325 Ççf€□à  |
| Machine dependency              | 114 | 42  | 532 | 84  | 326 Í,f€□à  |
| Machine language                | 8   | 42  | 114 | 289 | 327 Ã`f€□á  |
| Macro                           | 289 | 487 | 328 | 328 | 328 šªf€□á  |
| Mag tape                        | 53  | 388 | 473 | 506 | 14 ,f€□á    |
| Magneto-optical disc drive      | 161 | 464 | 5   | 330 | 330 ¶°f€□à  |
| Main memory                     | 79  | 125 | 441 | 549 | 331 »²f€□á  |
| Mainframe                       | 127 | 223 | 352 | 112 | 467 ¿µf€□á  |
| Maltron Keyboard                | 306 | 180 | 440 | 51  | 333 •,f€□à  |
| MAN, Metropolitan Area Network  | 552 | 310 | 373 | 214 | 334 Õ°f€□à  |
| Math Coprocessor                | 350 | 229 | 96  | 335 | 335 ã»f€□á  |
| MAU or MSAU                     | 516 | 3   | 201 | 565 | 336 ”,if€□á |
| MCA, Micro Channel Architecture | 187 | 151 | 13  | 55  | 337 ìÃf€□á  |
| MDA, Monochrome Display Adapter | 172 | 275 | 417 | 449 | 338 øÃf€□á  |
| Megabyte                        | 252 | 508 | 83  | 307 | 339 ,Çf€□à  |
| Memory chip                     | 96  | 472 | 480 | 340 | 340 ¹Èf€□á  |
| Memory paging                   | 546 | 194 | 530 | 444 | 341 æËf€□á  |
| Memory resident                 | 523 | 151 | 342 | 342 | 342 ›İf€□à  |

Sheet1

|                                      |     |     |     |     |              |
|--------------------------------------|-----|-----|-----|-----|--------------|
| Memory, Extended vs Expanded         | 121 | 194 | 203 | 205 | 577 ØÐf€□à   |
| MFLOPS                               | 65  | 152 | 229 | 554 | 344 ÈÓf€□à   |
| MFM, Modified Frequency Modulation   | 456 | 492 | 266 | 345 | 345 ÅÕf€□à   |
| MHS, Message Handling System         | 256 | 572 | 190 | 394 | 571 ü×f€□à   |
| MHz, megahertz                       | 438 | 127 | 102 | 55  | 347 öØf€□á   |
| Mickey                               | 360 | 133 | 348 | 348 | 348 ÊÛf€□à   |
| Microcomputer                        | 149 | 311 | 407 | 421 | 279 ŒÛf€□à   |
| Microprocessor                       | 127 | 96  | 472 | 349 | 350 „Ɔf€□à   |
| MIDI adapter                         | 153 | 351 | 351 | 351 | 351 ñáf€□á   |
| Minicomputer                         | 332 | 349 | 112 | 467 | 352 šäf€□á   |
| MIPS                                 | 65  | 152 | 290 | 344 | 554 ‘æf€□á   |
| Mnemonic                             | 289 | 42  | 327 | 19  | 354 jéf€□á   |
| MNP, Microcom Networking Protocol    | 356 | 433 | 355 | 355 | 355 ‡ëf€□à   |
| Modem                                | 61  | 174 | 64  | 355 | 419 Ýîf€□à   |
| Monitor                              | 131 | 363 | 524 | 544 | 357 ”ðf€□á   |
| MOS, PMOS, NMOS, CMOS                | 472 | 441 | 96  | 358 | 358 ±òf€□à   |
| Motherboard                          | 96  | 183 | 204 | 408 | 297 Éõf€□á   |
| Mouse                                | 133 | 101 | 348 | 302 | 520 °÷f€□á   |
| MPC, Multimedia PC                   | 92  | 282 | 361 | 361 | 361 áûf€□à   |
| MTBF                                 | 265 | 269 | 362 | 362 | 362 ðþf€□à   |
| Multi-sync monitor                   | 357 | 544 | 363 | 363 | 363 ç□f€□â   |
| Multitasking                         | 127 | 431 | 532 | 393 | 558 ø,f€□â   |
| Named pipes                          | 373 | 310 | 393 | 415 | 365 °„f€□ã   |
| Nanosecond                           | 413 | 213 | 102 | 438 | 366 Î...f€□ã |
| NAPLPS                               | 433 | 31  | 251 | 367 | 367 Îˆf€□â   |
| Native mode                          | 42  | 110 | 327 | 431 | 368 ´Šf€□ã   |
| NCGA                                 | 65  | 434 | 369 | 369 | 369 •□f€□ã   |
| Nerd                                 | 262 | 81  | 370 | 370 | 370 Š‘f€□â   |
| NetBEUI                              | 375 | 372 | 150 | 35  | 371 ©”f€□ã   |
| NetBIOS                              | 35  | 68  | 310 | 374 | 371 Ñ–f€□ã   |
| Network                              | 334 | 310 | 552 | 397 | 373 Ž™f€□â   |
| Network interface card               | 372 | 165 | 201 | 38  | 516 æšf€□â   |
| Network Operating System, NOS        | 220 | 310 | 372 | 323 | 373 œ□f€□ã   |
| Neural networking                    | 24  | 376 | 376 | 376 | 376 ‡f€□ã    |
| Nibble or nybble                     | 83  | 69  | 63  | 561 | 377 ö£f€□â   |
| NiCad batteries                      | 311 | 378 | 378 | 378 | 378 ¢¥f€□â   |
| Node                                 | 373 | 408 | 509 | 565 | 379 ¥§f€□â   |
| Notebook PC                          | 421 | 407 | 349 | 380 | 380 ¶ˆf€□ã   |
| NSTL                                 | 481 | 65  | 381 | 381 | 381 □ªf€□â   |
| NTSC                                 | 399 | 449 | 453 | 382 | 382 ¾¬f€□ã   |
| Null                                 | 39  | 119 | 384 | 383 | 383 Ò¯f€□ã   |
| Null modem cable                     | 460 | 474 | 356 | 383 | 384 â²f€□â   |
| OCR, Optical Character Recognition   | 264 | 462 | 385 | 385 | 385 ¼’f€□ã   |
| OEM, Original Equipment Manufacturer | 539 | 73  | 386 | 386 | 386 Œ·f€□ã   |
| OLE, Object Linking and Embedding    | 143 | 487 | 562 | 387 | 387 ”¹f€□ã   |
| On-line / Off-line                   | 411 | 169 | 329 | 14  | 388 ´¼f€□â   |
| On-line services                     | 356 | 373 | 190 | 388 | 389 ...¿f€□â |
| OOP, Object-oriented programming     | 100 | 489 | 114 | 390 | 390 ãÁf€□ã   |
| Operating system                     | 170 | 393 | 532 | 574 | 126 ,Äf€□â   |



Sheet1

|                                    |     |     |     |     |              |
|------------------------------------|-----|-----|-----|-----|--------------|
| Orphan/widow                       | 562 | 392 | 392 | 392 | 392 —Åf€□ã   |
| OS/2                               | 391 | 170 | 350 | 364 | 280 ëÇf€□ã   |
| OSI Model                          | 300 | 433 | 522 | 285 | 90 ¹Ëf€□ã    |
| Overlay                            | 546 | 318 | 114 | 331 | 395 ÓÎf€□ã   |
| Packet                             | 485 | 397 | 396 | 396 | 396 éİf€□ã   |
| Packet switching networks          | 396 | 571 | 552 | 572 | 397 ‡Öf€□ã   |
| Pair-kerning                       | 420 | 528 | 176 | 398 | 398 ãÔf€□ã   |
| PAL and SECAM                      | 382 | 449 | 399 | 399 | 399 Ç×f€□ã   |
| Parallel port                      | 94  | 474 | 15  | 400 | 400 ½Ûf€□ã   |
| Parity bit                         | 130 | 433 | 401 | 401 | 401 ÜÛf€□ã   |
| Parse                              | 503 | 110 | 114 | 402 | 402 ½Ɓf€□ã   |
| Pascal                             | 25  | 84  | 114 | 403 | 403 ¢àf€□ã   |
| Pathname                           | 160 | 158 | 217 | 555 | 404 ñâf€□ã   |
| PC Forth                           | 405 | 391 | 405 | 405 | 405 %oàf€□ã  |
| PC, PC-XT, PC-AT                   | 350 | 349 | 231 | 407 | 149 úçf€□ã   |
| PC, Personal Computer              | 149 | 349 | 421 | 311 | 112 Đéf€□ã   |
| PCB, Printed Circuit Board         | 290 | 183 | 96  | 303 | 408 ‡ìf€□ã   |
| PCMCIA 2.0                         | 290 | 227 | 409 | 409 | 409 ½îf€□ã   |
| Perfor & pin feed                  | 171 | 521 | 418 | 410 | 410 Íñf€□ã   |
| Peripheral device                  | 195 | 269 | 388 | 150 | 411 ...ôf€□ã |
| PGA, Professional Graphics Adapter | 13  | 412 | 412 | 412 | 412 ¶ïf€□ã   |
| Picosecond                         | 213 | 366 | 102 | 438 | 413 é÷f€□ã   |
| PIF, Program Information File      | 558 | 114 | 414 | 414 | 414 Œùf€□ã   |
| Pipe                               | 365 | 391 | 170 | 393 | 415 ...ûf€□ã |
| Pit                                | 92  | 91  | 416 | 416 | 416 ¿ýf€□ã   |
| Pixel                              | 172 | 449 | 122 | 417 | 417 ÿÿf€□ã   |
| Plotter                            | 411 | 521 | 257 | 418 | 418 Ä□„€□á   |
| Pocket modem                       | 356 | 474 | 419 | 419 | 419 „„„€□à   |
| Points and picas                   | 398 | 528 | 420 | 420 | 420 ÷†„€□á   |
| Portable computer                  | 311 | 349 | 407 | 380 | 149 ...Š„€□à |
| Portrait and landscape             | 562 | 176 | 422 | 422 | 422 ÛŒ„€□á   |
| POS, Point of Sale                 | 56  | 385 | 423 | 423 | 423 ã□„€□á   |
| POS, Programmable Option Select    | 157 | 337 | 303 | 424 | 424 Á',€□á   |
| POST                               | 127 | 168 | 441 | 458 | 76 £•„€□á    |
| PostScript                         | 197 | 312 | 426 | 426 | 426 ´™„€□à   |
| Precedence                         | 503 | 427 | 427 | 427 | 427 Íœ„€□á   |
| Prodigy                            | 389 | 258 | 95  | 428 | 428 < „€□à   |
| PROLOG                             | 24  | 320 | 278 | 429 | 429 ĩ¢„€□à   |
| PROM, EPROM, and EEPROM            | 458 | 96  | 441 | 430 | 430 Û¥„€□à   |
| Protected memory                   | 350 | 364 | 432 | 444 | 431 û§„€□á   |
| Protected mode                     | 444 | 546 | 364 | 127 | 431 Ä©„€□á   |
| Protocol                           | 61  | 305 | 576 | 579 | 584 µ¬„€□á   |
| Public domain                      | 242 | 483 | 114 | 124 | 434 Æ®„€□à   |
| Pull-down menu                     | 557 | 435 | 435 | 435 | 435 „ °„€□à  |
| QBE, Query By Example              | 489 | 139 | 141 | 21  | 436 ®±„€□à   |
| QIC, Quarter inch cartridge tape   | 53  | 329 | 497 | 37  | 437 —´„€□à   |
| Quartz crystal                     | 102 | 347 | 60  | 438 | 438 ~¶„€□à   |
| Queue                              | 80  | 215 | 439 | 439 | 439 ¡¹„€□à   |
| QWERTY keyboard                    | 51  | 333 | 306 | 180 | 440 °„€□á    |

Sheet1

|                                   |     |     |     |     |               |
|-----------------------------------|-----|-----|-----|-----|---------------|
| RAM                               | 96  | 495 | 550 | 175 | 490 €ç,,€□à   |
| RAM disk / VDISK                  | 121 | 194 | 205 | 441 | 442 Á,,€□á    |
| Random access                     | 298 | 441 | 473 | 443 | 443 ìÃ,,€□á   |
| Real mode                         | 432 | 364 | 546 | 121 | 127 ôÅ,,€□á   |
| Record                            | 139 | 141 | 446 | 445 | 445 åÈ,,€□á   |
| Record locking                    | 139 | 141 | 217 | 310 | 445 Äì,,€□à   |
| Referential integrity             | 141 | 489 | 447 | 447 | 447 àĬ,,€□à   |
| Register                          | 23  | 493 | 289 | 127 | 448 €Ö,,€□á   |
| Resolution                        | 417 | 172 | 316 | 55  | 449 ▯Ö,,€□á   |
| Rewritable optical disk           | 92  | 450 | 450 | 450 | 450 æ×,,€□à   |
| REXX                              | 59  | 113 | 294 | 451 | 451 ¼Ú,,€□á   |
| RFI, Radio Frequency Interference | 211 | 349 | 350 | 452 | 452 ŸƮ,,€□à   |
| RGB monitor                       | 111 | 357 | 509 | 524 | 453 Ùà,,€□à   |
| RISC technology                   | 98  | 289 | 454 | 454 | 454 êâ,,€□à   |
| RJ-11, RJ-45                      | 526 | 356 | 538 | 455 | 455 »â,,€□á   |
| RLL, Run Length Limited           | 345 | 492 | 266 | 456 | 456 □è,,€□á   |
| Robotics                          | 24  | 134 | 376 | 457 | 457 ½ë,,€□à   |
| ROM, Read Only Memory             | 68  | 430 | 441 | 227 | 458 Ûí,,€□à   |
| Router                            | 77  | 249 | 300 | 433 | 571 ĩ,,€□à    |
| RS-232 interface                  | 109 | 384 | 474 | 142 | 460 šò,,€□à   |
| RSA factor                        | 135 | 265 | 293 | 468 | 461 ôô,,€□á   |
| Scanner                           | 264 | 176 | 411 | 462 | 462 «÷,,€□á   |
| Scroll                            | 283 | 360 | 463 | 463 | 463 °ú,,€□á   |
| SCSI                              | 31  | 92  | 266 | 466 | 464 ™ý,,€□à   |
| SDF, Standard Data Format         | 217 | 40  | 445 | 139 | 465 àÿ,,€□á   |
| SDLP                              | 92  | 200 | 464 | 433 | 466 Ô□,,€□ă   |
| Second generation computer        | 512 | 239 | 112 | 223 | 216 '...',€□ă |
| Sector                            | 161 | 293 | 461 | 519 | 104 Á±,,€□â   |
| Segment                           | 314 | 315 | 395 | 546 | 469 î‰,,€□ă   |
| Self-extracting program           | 37  | 218 | 470 | 470 | 470 Ě<,,€□ă   |
| Semaphore                         | 226 | 471 | 471 | 471 | 471 ĵŽ,,€□â   |
| Semiconductor                     | 408 | 350 | 96  | 358 | 472 -□,,€□ă   |
| Sequential access                 | 217 | 298 | 443 | 14  | 473 â',€□â    |
| Serial port                       | 109 | 400 | 460 | 419 | 474 î',€□ă    |
| Shadow RAM                        | 18  | 68  | 441 | 475 | 475 ±",€□ă    |
| Shareware                         | 537 | 41  | 124 | 114 | 476 □—,,€□â   |
| Sheet feeder                      | 521 | 477 | 477 | 477 | 477 Û™,,€□ă   |
| Shell                             | 391 | 393 | 478 | 478 | 478 ®>,,€□â   |
| SIG, Special Interest Group       | 62  | 479 | 479 | 479 | 479 ‡Ž,,€□ă   |
| SIP, DIP, SIMM                    | 340 | 18  | 408 | 441 | 480 Æ,,€□ă    |
| Software                          | 222 | 269 | 458 | 476 | 481 —£,,€□ă   |
| Software piracy                   | 123 | 124 | 434 | 482 | 482 Î▯,,€□ă   |
| Software virus                    | 481 | 114 | 434 | 242 | 62 ùš,,€□ă    |
| Source code                       | 114 | 499 | 113 | 484 | 484 Ò«,,€□â   |
| Source routing                    | 77  | 459 | 373 | 310 | 485 š,,€□ă    |
| Spool                             | 52  | 411 | 486 | 486 | 486 Á°,€□â    |
| Spreadsheet                       | 93  | 114 | 564 | 487 | 487 ç²,,€□ă   |
| SPS, Stand-by Power Supply        | 60  | 501 | 534 | 488 | 488 °μ,,€□ă   |
| SQL, Structured Query Language    | 139 | 436 | 141 | 447 | 100 ÿ,,€□â    |

Sheet1

|                                   |     |     |     |     |               |
|-----------------------------------|-----|-----|-----|-----|---------------|
| SRAM, Static RAM                  | 175 | 441 | 495 | 550 | 96 ‡»„€□ã     |
| SS/DD, DS/DD, DS/HD               | 5   | 9   | 231 | 276 | 491 ì½„€□ã    |
| ST506 and ST412                   | 200 | 284 | 266 | 466 | 492 ~Á„€□ã    |
| Stack                             | 215 | 23  | 448 | 331 | 493 æÄ„€□ã    |
| Static electricity                | 32  | 580 | 494 | 494 | 494 äÆ„€□ã    |
| Static-column RAM                 | 441 | 96  | 175 | 495 | 495 ``Ê„€□ã   |
| Stopbits                          | 474 | 109 | 356 | 62  | 496 ãĬ„€□ã    |
| Streaming tape                    | 53  | 437 | 329 | 497 | 497 ‡Ĭ„€□ã    |
| Structured programming            | 114 | 233 | 498 | 498 | 498 □Ń„€□ã    |
| Subroutine or subprogram          | 114 | 484 | 499 | 499 | 499 ëÓ„€□ã    |
| Super VGA                         | 417 | 449 | 541 | 542 | 575 ÂÕ„€□ã    |
| Surge protector                   | 488 | 534 | 501 | 501 | 501 £×„€□ã    |
| Synchronous                       | 44  | 529 | 502 | 502 | 502 ĵÚ„€□ã    |
| Syntax                            | 110 | 402 | 289 | 427 | 114 □Û„€□ã    |
| SysOp                             | 62  | 504 | 504 | 504 | 504 □Ý„€□ã    |
| T-1                               | 240 | 153 | 526 | 505 | 505 Äß„€□ã    |
| Tape backup                       | 53  | 329 | 497 | 14  | 506 óâ„€□ã    |
| TCP/IP                            | 433 | 394 | 507 | 507 | 507 èå„€□ã    |
| Terabyte                          | 83  | 307 | 339 | 252 | 508 Èè„€□ã    |
| Terminal                          | 131 | 177 | 510 | 565 | 509 ¹é„€□ã    |
| Terminal emulation                | 177 | 331 | 509 | 510 | 510 ìè„€□ã    |
| Text mode                         | 39  | 258 | 28  | 511 | 511 ãî„€□ã    |
| Third generation computer         | 239 | 216 | 467 | 223 | 512 %oñ„€□ã   |
| TIFF                              | 176 | 462 | 513 | 513 | 513 Šó„€□ã    |
| Time slicing                      | 364 | 331 | 514 | 514 | 514 đđ„€□ã    |
| Token-passing                     | 38  | 374 | 516 | 515 | 515 îö„€□ã    |
| Token-ring                        | 526 | 201 | 374 | 38  | 485 ~ø„€□ã    |
| Topology                          | 310 | 38  | 201 | 516 | 517 ›ù„€□ã    |
| Tower case                        | 149 | 263 | 349 | 518 | 518 žp„€□ã    |
| Track                             | 293 | 468 | 329 | 14  | 92 ý€...€□à   |
| Trackball                         | 133 | 302 | 317 | 360 | 520 %of...€□á |
| Tractor feed mechanism            | 410 | 418 | 477 | 521 | 521 □.....€□á |
| TRON Project                      | 90  | 300 | 394 | 522 | 522 ,^...€□á  |
| TSR                               | 114 | 342 | 530 | 523 | 523 Ÿ<...€□á  |
| TTL monitor                       | 111 | 357 | 453 | 524 | 524 ×Ž...€□á  |
| Twinaxial cable                   | 105 | 526 | 525 | 525 | 525 º□...€□á  |
| Twisted pair                      | 105 | 201 | 214 | 516 | 538 Ě□...€□á  |
| Two's complement                  | 67  | 527 | 527 | 527 | 527 ×“...€□á  |
| Typeface                          | 312 | 398 | 420 | 528 | 528 ®•...€□á  |
| UART,USRT,USART                   | 96  | 44  | 502 | 529 | 529 ê—...€□á  |
| UMA and UMBs                      | 441 | 341 | 523 | 150 | 10 Ê™...€□á   |
| Unicode                           | 39  | 181 | 531 | 531 | 531 •œ...€□á  |
| UNIX                              | 574 | 391 | 393 | 170 | 532 — ...€□à  |
| UPC, Universal Product Code       | 56  | 423 | 533 | 533 | 533 Í¢...€□à  |
| UPS, Uninterruptible Power Supply | 208 | 488 | 501 | 378 | 534 á¥...€□à  |
| Upward compatible                 | 481 | 411 | 114 | 535 | 535 ”’...€□á  |
| User-friendly                     | 196 | 198 | 262 | 536 | 536 ©ª...€□à  |
| User-supported software           | 124 | 476 | 41  | 114 | 537 Á«...€□à  |
| UTP                               | 526 | 54  | 455 | 538 | 538 ™...€□á   |

Sheet1

|                                 |     |     |     |     |     |           |
|---------------------------------|-----|-----|-----|-----|-----|-----------|
| VAR, Value Added Reseller       | 73  | 386 | 539 | 539 | 539 | Ë°...€□à  |
| VBI, Vertical Blanking Interval | 460 | 540 | 540 | 540 | 540 | Í±...€□à  |
| VESA                            | 500 | 417 | 544 | 541 | 541 | Ô´...€□á  |
| VGA boards                      | 68  | 449 | 550 | 542 | 542 | ¼¶...€□á  |
| VGA, Video Graphics Array       | 575 | 186 | 542 | 172 | 543 | %°...€□á  |
| Video Display Technology        | 131 | 188 | 314 | 315 | 544 | £½...€□á  |
| Virtual disk                    | 121 | 194 | 205 | 441 | 545 | âÄ...€□á  |
| Virtual memory                  | 342 | 395 | 469 | 318 | 546 | £Ä...€□á  |
| Voice mail                      | 190 | 547 | 547 | 547 | 547 | ÍÆ...€□à  |
| Volatile memory                 | 222 | 430 | 441 | 548 | 548 | ,É...€□á  |
| Von Neuman architecture         | 29  | 127 | 331 | 352 | 332 | ÜÊ...€□á  |
| VRAM, Video RAM                 | 448 | 441 | 96  | 175 | 490 | Î...€□à   |
| Wait state                      | 127 | 202 | 551 | 551 | 551 | ¬Ñ...€□à  |
| WAN, Wide Area Network          | 397 | 334 | 310 | 373 | 552 | ²Ó...€□á  |
| Warm boot                       | 76  | 120 | 391 | 108 | 282 | ¶Ö...€□á  |
| Whetstones                      | 344 | 65  | 319 | 152 | 353 | □Ü...€□á  |
| Wildcards                       | 221 | 404 | 43  | 259 | 555 | □Ü...€□á  |
| Winchester disk                 | 268 | 224 | 265 | 556 | 556 | Ÿß...€□á  |
| Window                          | 194 | 364 | 435 | 558 | 557 | ±â...€□à  |
| Windows                         | 391 | 261 | 258 | 364 | 557 | ªå...€□á  |
| Wire wrap                       | 408 | 559 | 559 | 559 | 559 | ¬ç...€□à  |
| WNIM                            | 44  | 373 | 552 | 310 | 560 | Úè...€□á  |
| Word                            | 69  | 83  | 331 | 441 | 82  | □ê...€□á  |
| Word Processing                 | 114 | 245 | 407 | 562 | 562 | èì...€□à  |
| Word wrap                       | 562 | 563 | 563 | 563 | 563 | Óî...€□á  |
| Worksheet                       | 487 | 221 | 93  | 564 | 564 | ³ì...€□á  |
| Workstation                     | 164 | 373 | 374 | 509 | 565 | âñ...€□á  |
| Worm                            | 483 | 81  | 254 | 566 | 566 | šó...€□á  |
| WORM disk                       | 91  | 92  | 567 | 567 | 567 | Öö...€□à  |
| Write precompensation           | 135 | 265 | 519 | 568 | 568 | Ÿø...€□á  |
| Write-protect                   | 231 | 329 | 5   | 569 | 569 | ´ü...€□à  |
| WYSIWYG                         | 562 | 261 | 570 | 570 | 570 | áp...€□á  |
| X.25                            | 90  | 459 | 552 | 433 | 397 | j□...€□â  |
| X.400                           | 346 | 256 | 394 | 90  | 571 | Š.....€□â |
| xBase                           | 139 | 141 | 573 | 573 | 573 | °‡...€□â  |
| XENIX                           | 532 | 391 | 393 | 282 | 574 | %...€□ã   |
| XGA, Extended Graphics Adapter  | 449 | 543 | 13  | 186 | 292 | ÂŠ...€□ã  |
| Xmodem                          | 579 | 433 | 305 | 584 | 130 | □...€□â   |
| XMS                             | 343 | 194 | 444 | 150 | 121 | ö□...€□â  |
| XON / XOFF                      | 119 | 411 | 578 | 578 | 578 | –“...€□ã  |
| Ymodem                          | 584 | 433 | 576 | 305 | 579 | °–...€□ã  |
| ZAP                             | 139 | 494 | 32  | 340 | 580 | íš...€□â  |
| Zero suppression                | 357 | 581 | 581 | 581 | 581 | è□...€□â  |
| Zero-slot or RS-232 LAN         | 204 | 460 | 374 | 310 | 582 | èž...€□â  |
| ZIP file                        | 37  | 218 | 583 | 583 | 583 | ½ ...€□ã  |
| Zmodem                          | 576 | 433 | 305 | 579 | 434 | ¥£...€□â  |
| Zone recording                  | 519 | 161 | 18  | 191 | 265 | ¼¡...€□â  |
| Zulu time or GMT                | 102 | 438 | 347 | 586 | 586 | æ©...€□â  |