

# **RxHelp**

Alfonso Ranieri

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> RxHelp		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Alfonso Ranieri	August 17, 2024	

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>RxHelp</b>	<b>1</b>
1.1	RxHelp . . . . .	1
1.2	RxHelp - Author . . . . .	3
1.3	RxHelp - Warning, Requirements, Installation and Distribution . . . . .	3

# Chapter 1

## RxHelp

### 1.1 RxHelp

RxHelp  
Copyright © 2000–2004 Alfonso Ranieri

Author      WRID

RxHelp is a little tool to obtain help information from an ARexx library.

RxHelp can't work with any library, but just with libraries designed for that.

If you are a programmer interested in adding RxHelp support in your libraries, fill free to write me and ask how to.

RxHelp might obtain information only about ARexx libraries currently linked in the ARexx libraries list.

RxHelp may only be used from a shell.

RxHelp template is:

NAME/M/A,LIB=LIBRARY/S,VER=VERBOSE/S,HTML/S,NC=NTCONVERT/S,  
HY=HYPER/S,I=INDEX/S,NA=NOACTIVATE/S,PS=PUBSCREEN/K

- NAME  
one or more arguments describing what you want to obtain help for; they may be functions names or libraries name, if LIBRARY is supplied; libraries may be supplied with or without ".library"; also help for RxMUI external classes that are also ARexx libraries (e.g. SpeedBar.rmxec) may be asked for
  - LIBRARY  
a switch keyword to inform RxHelp that NAME are library names rather than functions names
-

- VERBOSE  
a switch keyword that makes RxHelp print out more information
- HTML  
a switch keyword that makes RxHelp print out HTML information; this is only valid if LIBRARY is supplied
- NTCONVERT  
a switch keyword that makes RxHelp not convert the library name
- HYPER  
a switch keyword that makes RxHelp use an hyper help rather than print out text; at the moment, RxHelp opens an AmigaGuide window, searching in the drawer specified in "ENV:RxHelp/path" or in HELP:
- INDEX  
a switch keyword that makes RxHelp open the "Main" node rather than the function node if HYPER is supplied
- NOACTIVATE  
a switch keyword that makes RxHelp not activate the AmigaGuide window
- PUBSCREEN  
the name of a public screen where to open the AmigaGuide window

Examples:

```
RxHelp bhooo  
rxhelp: function 'bhooo' not found
```

```
RxHelp socket  
rxsocket.library/SOCKET(<family>,<type>,[protocol])
```

```
RxHelp rxsocket LIB  
rxsocket.library functions help
```

```
RxHelp rxsocket.library LIB  
as ^
```

```
RxHelp rxsocket LIB HTML  
rxsocket.library functions help in HTML format
```

```
RxHelp socket GUIDE  
open RxSocket.guide/socket, if found in the drawer ENV:RxHelp  
or "HELP"
```

```
RxHelp rxsocket LIB GUIDE  
open RxSocket.guide/Main, if found in the drawer ENV:RxHelp  
or "HELP"
```

---

## 1.2 RxHelp - Author

Author

I am Alfonso Ranieri

My e-mail address is  
alforan@tin.it

You can find the last version of RxHelp at  
<http://digilander.libero.it/asoft/>

## 1.3 RxHelp - Warning, Requirements, Installation and Distribution

Warning, Requirements, Installation and Distribution

Warning

THIS SOFTWARE AND INFORMATION ARE PROVIDED "AS IS". ALL USE  
IS AT YOUR OWN RISK, AND NO LIABILITY OR RESPONSIBILITY IS  
ASSUMED. NO WARRANTIES ARE MADE.

Requirements

The library needs AmigaOS, version 3 or higher.

Installation

Use the installation script.

Distribution

RxHelp is distributed under the terms of the  
GNU Public Licence Version II.

---