



GBLIB2.EXE

*A registration utility for Microsoft Visual Basic(tm) V3.0
By Gordon.Bamber*

Exit Help - Exit this Help System (or ALT+x)

New Users Guide

An Overview of GBLIB2.EXE

Complete Function Reference for GBLIB2.EXE

Obtaining a Registration Code

About GBLIB2.EXE

Function Reference for GBLIB2.EXE

[Back](#)

[Contents](#)

[Exit Help](#)

[Function ReadRegData](#)

[Function WriteRegData](#)

[Function MakeAKey](#)

[Subroutine ShowWinDir](#)

[Subroutine ShowSysDir](#)

[ReadRegData](#)

Back

Contents

Exit Help

Pascal Declaration

```
Function ReadRegData ( VBEXEPath, USERNAME, USERORG YMD :Pchar; var  
i_NAMELEN, i_ORGLEN :Integer ) :Integer ;Export;
```

VB Declaration

```
Declare Function ReadRegData Lib "GBLIB2.EXE" (ByVal sz_EXEPath As String, ByVal  
sz_Name As String, ByVal sz_Org As String, YMD as String, NameLen As Integer,  
OrgLen As Integer) As Integer
```

VB Usage and notes



The function returns Zero for valid information, otherwise returns 1 for unbranded files.

The EXEPath must be a valid compiled Visual Basic(tm) Version 3 program. It need not be the current program, and you can use this function to read the registration details of any branded or unbranded EXE file you like.



Note that this function does not require a registration code, as the WriteRegData function does.

The sz_Name variable **must** be 33 characters (all ASCII zeros) long.

The sz_Org variable **must** be 41 characters (all ASCII zeros) long.

The sz_YMD variable **must** be 4 characters (all ASCII zeros) long.



sz_Name, sz_Org and sz_YMD would normally be initialised with the VB String\$ statement thus:



```
Dim sz_Name as String
```

```
Dim sz_Org as String
```

```
Dim sz_YMD as String
```

```
sz_Name=String$(33,0)
```

```
sz_Org=String$(41,0)
```

```
sz_YMD=String$(4,0)
```

NameLen and OrgLen are DIMmed thus:

VB

Dim NameLen as Integer

Dim OrgLen as Integer

The function may then be called.

On return, sz_Name and sz_Org are normally trimmed to length thus:

VB

sz_Name=Left\$(sz_Name,NameLen)

sz_Org=Left\$(sz_Org,OrgLen)

●

In WriteRegData , the Users current system date was branded, along with the name and organisation information. This was done automatically by GBLIB2.EXE.

It is returned in the 4th parameter **sz_YMD**.

sz_YMD is returned as 3 ASCII codes thus:

●

YMD(1) = ASCII code representing the Year minus 108 plus 1900 (e.g. Chr\$(198) is 1990, Chr\$(199) is 1991)

●

YMD(2) = ASCII code representing the Month (e.g. 4 would be April, 5 would be May)

●

YMD(3) = ASCII code representing the Date (e.g. 1 is the 1st, 2 is the 2nd)

I know that this is a bit complicated to decode, but there were good reasons for coding the date into just 3 ASCII codes, and the REGMAX.BAS example contains VB code to make sense of sz_YMD. (I hope)



If the file is unbranded (virgin), then:

●

Return value is 1

●

sz_Name = UNLICENSED

●

sz_Org = UNLICENSED

●

sz_YMD = 3 Spaces + Chr\$(0)

Otherwise, the registration information is returned accordingly.

See.. WriteRegData

[WriteRegData](#)

Back

Contents

Exit Help

Pascal Declaration

Function WriteRegData (USERNAME, USERORG, VBEXEPATH,
CODE :Pchar) :Integer; Export;

VB Declaration

Declare Function WriteRegData Lib "GBLIB2.EXE" (ByVal sz_Name As String, ByVal sz_Org As String, ByVal sz_EXEPath As String, ByVal sz_Code as String) As Integer

VB Usage and notes

Back

The function returns Zero for success, otherwise returns 1 if either sz_Name or sz_Org had to be truncated. (they will still be written)

Note: If a bogus sz_Code is passed, then it returns 99.

The EXEPath must be a valid compiled Visual Basic(tm) Version 3 program. It need not be the current program, and an installation program, for instance, could use this function to brand any valid VB3-compiled EXE program.

Both sz_Name and sz_Org will be capitalised. (UPPERCASED)

sz_Name has a maximum length of 33 characters.

sz_Org has a maximum length of 33 characters.

Back

The Current System Date is also written to the EXE file in this routine automatically by the DLL.

sz_Code is your individual code that identifies you as a bona fide Visual Basic developer.

Clearly, if you are using GBLIB2 to help your client brand registration information, you would not want anyone else to be able to re-brand their own information on the file willy-nilly.

If you wish to use GBLIB2, therefore, you must follow the procedure outlined in APPFORM.TXT (APPFORM.BAS in the project) in order to get your own personal sz_Code, and new, personalised copy of GBLIB2.EXE.

In the spirit of FREEWARE, you will not be charged for this service, though you must pay your own email charges, if any are incurred.

There is no commercial element in the REGMAX project whatsoever.

[See..ReadRegData](#)

[MakeAKey](#)

Back

Back

Back

Pascal Declaration

```
Function MakeAKey ( Astring :Pchar ) :LongInt ;Export;
```

VB Declaration

```
Declare Function MakeAKey Lib "GDLIB2.EXE" (ByVal AString As String) As Long
```

Usage and notes

Back

This is a simple function to turn a string into (hopefully) a unique number. I am no cryptographer, so I make no apologies for the quality of the algorithm. Normally Astring would be composed of USERNAME & USERORG, and the result stored in a separate file. This can then be crosschecked with the data pulled from the EXE file if required.

ShowWinDir

Back

Back

Back

Pascal Declaration

Procedure ShowWinDir ;Export;

VB Declaration

Declare Sub ShowWinDir Lib "GDLIB2.EXE" ()

VB Usage and notes

Back

This routine merely puts up a message box containing the Users Windows directory.

This, and its partner ShowSysDir can assist in telephone helpline support, where you sometimes have to establish where the users Windows path is.

ShowSysDir

Back

Back

Back

Pascal Declaration

Procedure ShowSysDir ;Export;

VB Declaration

Declare Sub ShowSysDir Lib "GDLIB2.EXE" ()

VB Usage and notes

Exit Help

This routine merely puts up a message box containing the Users Windows\System directory.

This, and its partner ShowWinDir can assist in telephone helpline support, where you sometimes have to establish where the users Windows\System path is.

About GBLIB2.EXE

Exit Help

Exit Help (or ALT+x)

Programmer G.Bamber

Help File - G.Bamber

Exit Help

GBLIB2.EXE (c)1994 was written in Borland Turbo Pascal for Windows(tm) V1.5 by Gordon Bamber .

Exit Help

It is released as FREEWARE on the following conditions:

- 1) Copyright remains with the author
 - 2) Commercial use is prohibited without registration with the author.
 - 3) No responsibility is accepted by the author for support in its use.
 - 4) No responsibility is accepted under any circumstances by the author for any damage caused in its use.
 - 5) Subject to conditions (1) to (4), you may use it in any way you please.
 - 6) There is to be **no** condition (7)
 - 8) Source code for GBLIB2.EXE is not freeware.
-

Gordon Bamber

Gordon Bamber is a staff programmer at Maxim Training Consultants, a Brighton-based multimedia company.

He can be contacted:

1) email:

Exit Help

74437.672@compuserve.com

Exit Help

gbamber@cix.compulink.com.uk

2) Snailmail:

Exit Help

Gordon Bamber,

Exit Help

11, Helena road

Exit Help

Woodingdean,

Exit Help

Brighton, England

Exit Help

BN1 2BS

Browse Sequence

Exit Help

Exit Help

Exit Help

Exit Help

This is the start of the Browse Sequence.

Exit Help

Use the buttons [<<] and [>>] to move through the main topics in this help file.

OverView of GBLIB2

Exit Help

Exit Help

Exit Help

1) Purpose

Exit Help

The purpose of GBLIB2.EXE is to self-brand a Visual Basic V3.0 compiled EXE with registration details in such a way as to be difficult for an unscrupulous user to alter. This is an awkward issue for commercial programmers, but GBLIB2 tries to make it as simple and flexible as possible.

Exit Help

Once the EXE file is branded by GBLIB2, then even if it is copied to another computer, the brand information will be copied with it. This is something like the system used by Microsoft(tm) applications.

2) How does it work?

Exit Help

The WriteRegData routine writes an encrypted version of the registration information into a little-used area of the compiled EXE. Because it is encrypted, it is quite difficult for a hacker to alter. (Though not impossible) If you wish for better security, you could include a checksum in the registration information, though this is not built in to GBLIB2 as such.

Exit Help

If you will be using GBLIB2, then you would not want me to broadcast details here about the exact areas involved, or the encryption process, so I wont.

Exit Help

The ReadRegData routine reads these areas, and if the EXE has not been branded, returns the string UNLICENSED and the result code 1. Otherwise, it will retrieve whatever was written by WriteRegData into the EXE.

3) Is is dangerous to use?

Exit Help

Yes, it could be - unless you know what you are doing. (That is why you are reading this Help file, isnt it?) **Do not attempt to write registration information to EXE files compiled in anything other than Visual Basic.**

Exit Help

It has only been written for, and tested with Microsoft(tm) Visual Basic Professional Edition Version 3.0. That is not to say that it wont work with other flavours of VB - only that I havnt been able to test any others. If you wish to try it - back up your data first!

Exit Help

A GBLIB2-branded file works identically under Windows. The registration details are encrypted, and therefore difficult to alter/view. File-size makes no difference. (I have branded a 2MB VB EXE with no ill-effects)

4) Can a file be unbranded?

Exit Help

No. But it can be re-branded as many times as you wish. The only way to recover a virgin copy of the EXE is to recompile it with the source code in VB V3.0.

5) Have you written any other FREeware?

Exit Help

Try GBLIB1a.DLL, and SYSCOLOR.BAS. (Available on Compuserve and in VBTIPS)

See.. [Getting Started](#)

[New Users Guide to GBLIB2.EXE](#)

Exit Help

Exit Help

Exit Help

Exit Help

GBLIB2.EXE has been designed to be powerful enough for the sophisticated user, yet simple to use.

Exit Help

I suggest you look at the [Overview](#) , then the [Getting Started](#) topics.

[Overview of GBLIB2](#)

[Getting Started](#)

Getting Started

Exit Help

Exit Help

Exit Help



You will need to study the REGMAX.EXE source code - using Microsoft(tm) Visual Basic V3.0 and the project REGMAX.MAK. The file REGMAX.BAS is designed to be included in your projects, and contains all the functions necessary for normal use.

Program Structure for Normal Use. Step-By-Step

Exit Help

Include REGMAX.BAS in your project.

Exit Help

(Optional) Use the applications installation program to get the registration information from the user, and write it to the programs INI file.

Exit Help

Before the main form loads, call ReadRegData . Test USERNAME for the string UNLICENSED. If it is, then the program is unbranded.

Either Pull the information from the INI file to brand the applications EXE, using WriteRegData . (The user need not be aware that this is happening). Display the registration information from the EXE using ReadRegData .

Or Use a form like REGFORM to get the information from the user, and brand the EXE then.

Exit Help

Thereafter, when the main form loads, it will pick up the registration information automatically. If you have used an INI file, you can compare it with the INI file information to check its integrity.

Exit Help

Remember to install GBLIB2.EXE in the applications home directory, or in the Windows path on the host machine.

Exit Help

If using the EXPIRY function, install the VB3 financial DLLs as described in your Visual Basic(tm) documentation.

Other uses and ideas.

Exit Help

Read/WriteRegData can be used to store any kind of string information you like.

Exit Help

A high-score (as a string) and High-Scorer could be stored.

Exit Help

A pointer (provided it is in string form) to an array or table containing progress so far through a sequential program. (Such as an adventure game or CBT)

Exit Help

Embedded string version information. (Like Version Information in resource tables)

Remember:

Exit Help

String 1 (USERNAME) is 33 characters maximum.

Exit Help

String 2 (USERORG) is 33 characters maximum.

Use your imagination!

Fully enabling GBLIB2 for use.

Exit Help

Exit Help

Exit Help

Exit Help

Using APPFORM.BAS and REQUEST.BAS (supplied in the REGMAX project) you can acquire your own personal code that will enable you to use GBLIB2.EXE to brand any information you like.

Exit Help

In the spirit of **FREWARE**, you cannot be charged for this service.

Exit Help

The security of the code thus obtained is then solely **your responsibility**.

Exit Help

To qualify, you must be a bona fide Visual Basic(tm) V3.0 developer, who intends to use GBLIB2 in a responsible way.

Exit Help

The information in REQUEST.BAS is confidential, as is the Code Key. An agreement is included to that effect in REQUEST.BAS.

Exit Help

There are, and will be, no commercial interests whatsoever involved in the REGMAX/GBLIB2 project. The author is a commercial Visual Basic(tm) financial simulation programmer with a belief in the value of distribution via freeware of new programming ideas to other programmers, provided it does not clash with his commercial work.
