

WinCLI Help Index

Basics

[Introduction](#)

Basic introduction to WinCLI.

[Usage](#)

Using WinCLI.

Configuration

[Startup](#)

Modifying startup values.

Commands

[Internal](#)

List of all internal WinCLI commands.

Glossary

[Terms](#)

Special terms used in WinCLI.

Index

The Index contains a list of all Help topics available for WinCLI. For information on how to use the Help system, press F1 or choose Using Help from the Help menu.

Help system

The help system is a program that is part of Windows. It is designed to provide the user with information on the program they are using. To learn how to use the Help system, press F1 or choose Using Help from the Help menu.

WIN.INI (Modifying file)

The WIN.INI file contains setup and configuration information for Windows. Many applications choose to write their settings in WIN.INI as well. For more information on WIN.INI and how to modify and add sections, please refer to your Windows manual and the WININI.TXT file located in your Windows root directory.

PATH (Environment variable)

PATH is an environment variable that tells MS-DOS which user specified directories to search through if a program or batch file is not found on the current directory.

Wildcards

A wildcard is either `?` or `*`. `?` matches any one character in the file name. `*` matches any number of characters in a file name. Check your MS-DOS manual for more information on how to use wildcards.

Command.com

Command.com is the program that acts as the primary DOS shell. You use Command.com everytime you start a program, ask for a directory, or copy a file. Check your MS-DOS manual for more information.

Hidden files

A hidden file is normally invisible to commands such as DIR. However, with WinCLI you can use the ATTRIB command to view hidden files. Check your MS-DOS manual for more information on finding and removing hidden files.

Associations

Windows lets you associate a document with an application. When you select the document, the associated application is run and the document loaded. Check your Windows manual for more information on associating documents with applications.

Control Panel

The Control Panel is a program that allows you to modify and configure Windows' default settings. Check your Windows manual for more information on where to find and how to use the Control Panel.

Glossary

Associations

Command.com

Control Panel

Help system

Hidden files

Index

Path

Wildcards

WIN.INI

Introduction

What is WinCLI?

WinCLI is a command line interpreter for Windows 3. It performs most of the functions that the standard DOS prompt, Command.com, does. Why then, do you need WinCLI? Many reasons...

- 1) With WinCLI you are able to run Windows programs by typing their name instead of looking for an icon. So if you like the functionality of the DOS prompt to start programs, you can now use WinCLI to start Windows applications.
- 2) A DOS prompt in enhanced mode wastes over 640 Kb all the time. Even when if you aren't running a program. That means that your wasting precious memory that Windows could otherwise use. Even if you create a special PIF that uses only enough memory to allow simple file operations (you won't be able to run programs because it doesn't have enough memory), you are still wasting over 256 Kb. WinCLI requires less than 40 KBytes when fully loaded. Less if Windows needs memory for other things.
- 3) WinCLI works equally well on all modes of Windows. You don't need a 386 to take advantage of this DOS prompt! You can now have a complete command line even in standard mode. It also multitasks better than Command.com (because WinCLI is a well behaved Windows application) so you don't lose precious cycles.
- 4) WinCLI is a Windows application so it doesn't have to be manually closed when you quit your Windows session. You don't even have to type exit (although you can), the close menu works just fine!
- 5) WinCLI is very configurable. It supports a scrollable window with an adjustable height and width. You can place as many lines as you need to see. For example if you want to show a directory listing and then do a group of individual deletes, you just scroll up with the cursor keys to see the listing, even if it is off the visible portion of the screen! The prompt, font, and colors are also adjustable.
- 6) WinCLI is easy to use and includes a complete online Help system. In order to obtain help on a WinCLI command just type Help {Command} (where {Command} is the WinCLI command you want help on. Ex: Help Dir) at the WinCLI command line or select one of the menus.
- 7) Of course you also have all the normal features of a standard DOS shell. You can show directories, create subdirectories, rename files, delete files, and much, much more!

Usage

Although WinCLI works a lot like the standard DOS prompt, it is not an exact replacement. WinCLI will not develop into a Windows clone of Command.com, rather it will expand to incorporate features that are needed in a GUI environment.

You can run Windows or DOS programs from WinCLI just like at the DOS prompt. If you don't specify a complete path, the current directory is searched first, then the standard path. WinCLI provides a method to request that a program be run in normal, maximized, or minimized mode.

D:> @Label	Runs the REAL Label command in normal mode. This is useful if you want to run a command that has the same name as an internal command. Think of it as an override.
D:> +Notepad	Runs Notepad in maximized mode.
D:> =Notepad	Runs Notepad in minimized and active mode.
D:> -Notepad	Runs Notepad in minimized and inactive mode.

WinCLI also allows you to run programs through their associated files. For example, using the default Windows settings in the WIN.INI, typing...

```
C:\WINDOWS> Winini.txt
```

...would cause Notepad to be run and the file Winini.txt loaded. This is a very convenient way of starting programs when you know what file you want to load. For more information on associations and file extensions look in your Windows manual and in the WinIni.txt file.

You can interrupt an internal command by pressing the ESC, CTRL-C, or CTRL-Break keys.

WinCLI let's you change the directories quickly by typing their name in with out needing the Cd command. For example these two commands have the same effect:

```
D:> CD C:\Windows  
  
D:> C:\Windows
```

This is usually referred to as an *implicit directory change*.

WinCLI allows you to create a screen that is larger than the displayed area. This is done by modifying the widht and height. To scroll to the portions that are not displayed, you can use either the mouse and the scroll bars, or the keyboard.

Configuring WinCLI

WinCLI allows you to configure certain settings by adding a special section in the Windows WIN.INI file. Using NotePad or SysEdit, add an entry for WinCLI at the end of the WIN.INI file. The entry heading must be called [WINCLI].

WinCLI recognizes the following subsections:

Prompt	Check <u>Prompt</u> for more information on the settings.
Font	<u>System</u> or <u>Courier</u> . Use System on MONO, CGA, EGA, and VGA systems. Use Courier on 8514/A or SVGA systems.
Colors	<u>Normal</u> or <u>Inverse</u> . WinCLI uses the system colors for the text and the background of the shell. If you use <u>Inverse</u> WinCLI will inverse the system values you have selected. You can modify the system colors with the Windows <u>Control Panel</u> .
Height	Any value greater than <u>24</u> .
Width	Any value greater than <u>79</u> .

For example, these are the default settings:

```
[WINCLI]
Prompt=$n$g
Font=System
Colors=Normal
Height=25
Width=80
```

Attrib

Internal

Attrib {+/- R, A, H, S} {D:\Directory\File}

Displays, sets or clears a file's (or group of files') attributes. Wildcards are permitted. If no directory is specified as then the current directory is used.

A ± and a letter (R, A, H, or S) set that attribute. A - and a letter clear that attribute. If you don't include a switch (+ or -) the attributes of the file(s) are displayed similar to a directory listings.

Example:

```
Attrib +R -A *.Doc
```

or

```
Attrib *.Txt
```

or

```
Attrib
```

Avail

Internal

Avail {A B C D...}

If a drive letter is included, Avail displays available memory and free space on the specified drive. If no parameters are specified only available memory is displayed.

Example:

```
Avail
```

or

```
Avail C
```

or

```
Avail C D E
```


Cd or ChDir

Internal

Cd {D:\Directory}

Change the current directory. You may optionally include the drive you want to switch to. If no parameters are specified the current directory is displayed.

You may also change directories by just typing the name of the drive and directory you want to go to with out typing the Cd command.

Example:

```
CD C:\Windows\WinWord
```

or

```
C:\Windows\WinWord
```

Cls

Internal

Cls

Clears the display and the buffer, then it resets the prompt to the top.

Example:

```
Cls
```

Copy

Internal

Copy D:\Source_Directory[\File] {D:\Destination_Directory[\File]}

Copies files from one directory to another. Wildcards are permitted when used to refer the source, not the destination.

If a directory is specified as the source, all the files in that directory (but not the subdirectories) are copied to the destination.

If no directory is specified as the destination then the current directory is used.

Example:

```
Copy C:\Windows\Temp D:\Temp
```

or

```
Copy C:\Windows\Temp\*.bak D:\Temp
```

or

```
Copy C:\Autoexec.bat
```

Del or Erase

Internal

Del D:\Directory\File...

Deletes a file or group of files. Wildcards are permitted. If both the filename and the extension contain * as the wildcard, Delete will ask you if you are sure you want to continue.

Example:

```
Del C:\Windows\Temp\*.bak
```

or

```
Del C:\Windows\Win.syd C:\Windows\Win.bak
```

Dir

Internal

Dir {/W} {D:\Directory[\File]}

Displays a directory listing of all the files and directories matching the wildcard specification. If no parameters are entered **DIR *.*** is used.

When a directory listing fills the screen, you are asked if you want to continue with the listing. If you press N the listing will stop, anything else will let it continue.

You can use the */W* switch or the Dirw command to display a *wide* listing that only includes the file and directory names, not the size, date, and attributes.

Example:

```
Dir C:\Windows\*.EXE
```

Dirw

Internal

Dirw {D:\Directory[\File]}

Displays a wide directory listing of all the files and directories matching the wildcard specification. If no parameters are entered **DIR *.*** is used. This command is equivalent to DIR /W.

When a directory listing fills the screen, you are asked if you want to continue with the listing. If you press N the listing will stop, anything else will let it continue.

Example:

```
Dirw C:\Windows\*.EXE
```

Exit

Internal

Exit

Terminates the current WinCLI shell.

Example:

```
Exit
```

Help

Internal

Help {Keyword}

Brings up the WinCLI help system using the specified keyword. The keyword can be any of the keywords (or phrases) that appear in the help system.

Example:

Help Avail

or

Help Basics

or

Help Internal Commands

Label

Internal

Label D:{Disk label}

Creates, changes or deletes a volume label for a disk. You must specify the drive you want to change. The disk's old label will be replaced by a new label. If you don't include a new label, the old label is erased.

Example:

```
Label C:MainDisk
```

or

```
Label C:
```

More or Type

Internal

More D:Directory\File

Displays a file, preferably a text file. When the screen is full, you are asked if you want to continue. If you press N the listing will stop, anything else will let it continue.

Example:

```
More C:\Windows\Winini.txt
```

Move

Internal

Move D:\Source_Directory[\File] {D:\Destination_Directory[\File]}

Moves files from one directory to another. Wildcards are permitted when used to refer the source, not the destination.

If a directory is specified as the source, all the files in that directory (but not the subdirectories) are copied to the destination.

If no directory is specified as the destination then the current directory is used.

Move renames the files if the source and destination drive are the same. If they are not the same it copies the files and then deletes the originals.

Example:

```
Move C:\Windows\Temp C:\Trash
```

or

```
Move C:\Windows\Temp\*.bak D:\Temp
```

or

```
Move C:\Windows\Win.ini D:\Temp\WinIni.Bak
```

or

```
Move C:\Autoexec.bat
```

Md or Mkdir

Internal

Mkdir D:\Directory

Creates a new subdirectory. The name of the directory you want to create must be unique, there must not be another file or subdirectory with the same name.

Example:

```
Mkdir C:\Windows\Temp
```

Path

Internal

Path

Displays the system PATH environment variable.

Example:

```
Path
```

Prompt

Internal

Prompt {[**\$**] ASCII...}

Change the prompt string using text or optional meta-string values. If no parameters are specified, the prompt is reset to the default value of `ng`.

A meta-string is composed of the dollar sign, `$`, and one of the following characters.

<code>_</code>	Start a new line.
<code>b</code>	Sound a bell.
<code>g</code>	>, Greater than sign.
<code>l</code>	<, Less than sign.
<code>m</code>	<u>Available memory.</u>
<code>n</code>	Current drive.
<code>p</code>	<u>Current drive and path.</u>
<code>\$</code>	Dollar sign. (<code>\$\$</code> = 1 dollar sign)

Example:

Prompt

or

Prompt Hello master!\$_\$p\$g

Ren or Rename

Internal

Ren D:\Directory\Old D:\Directory\New

Renames a file or subdirectory from old to new. Old is the original name and new is the new name you want to give to the file or subdirectory.

Example:

```
Ren TestFile.1st TestFile.2nd
```

Rd or Rmdir

Internal

Rmdir D:\Directory

Removes an empty subdirectory. It must contain no files or subdirectories. If you get an error removing an empty subdirectory make sure there are no hidden files.

Example:

```
Rmdir C:\Windows\Temp
```


SysInfo

Internal

SysInfo

Displays various pieces of information on Windows and system. No parameters are required.

Example:

```
SysInfo
```

Time

Internal

Time

Displays the current system time and date. No parameters are required.

Example:

```
Time
```

Ver

Internal

Ver

Displays WinCLI version information. No parameters are required.

Example:

```
Ver
```

Verify

Internal

Verify On/Off

Turns the DOS verify flag ON or OFF. Check your DOS manual for more information.

Example:

```
Vol ON
```

or

```
Vol OFF
```

Vol

Internal

Vol {A B C D...}

Displays the volume label of the disk in the specified drive. If no drive is specified then the current drive is used.

Example:

Vol A

or

Vol

Internal Commands

<u>Attrib</u>	Displays, sets, and clears files' attributes.
<u>Avail</u>	Displays available memory and free disk space.
<u>Cd or ChDir</u>	Display or change current directory.
<u>Cls</u>	Clear the display.
<u>Copy</u>	Copy files. <u>Wildcards</u> permitted.
<u>Del or Erase</u>	Delete files. <u>Wildcards</u> permitted.
<u>Dir</u>	Display files and subdirectories in a directory. <u>Wildcards</u> permitted.
<u>Dirw</u>	Display files and subdirectories in a directory in wide format. <u>Wildcards</u> permitted.
<u>Exit</u>	Terminates current WinCLI shell.
<u>Help</u>	Invokes command specific help.
<u>Label</u>	Sets and clears volume labels.
<u>Md or MkDir</u>	Create a new subdirectory.
<u>More or Type</u>	Displays text files on the screen.
<u>Move</u>	Move files. <u>Wildcards</u> permitted.
<u>Path</u>	Display <u>PATH</u> environment variable.
<u>Prompt</u>	Change the prompt or restore it to the default value.
<u>Ren or Rename</u>	Rename a file or subdirectory.
<u>Rd or RmDir</u>	Remove a subdirectory.
<u>SysInfo</u>	Displays system information.
<u>Time</u>	Display system time and date.
<u>Ver</u>	Displays current WinCLI version information.
<u>Verify</u>	Sets and clears the DOS verify flag.
<u>Vol</u>	Displays the current volume label.

