

## **CheckBoxButton.dll**

### **DLL LOAD "CheckBoxButton"**

### **DLL GET "SHORT CheckBoxButton:ShowcButton"**

### **DLL GET "VOID CheckBoxButton:ClosecButton"**

### **DLL GET "VOID CheckBoxButton:SetFocus"**

### **short ShowcButton()**

ShowcButton is the main function for setting up and displaying the ShowcButton dialog box.

#### ***Parameter 1***

Basic Type: INTEGER

C Type: short

Parameter 1 is a value between 1 and MAXOPTION. a 1 will call a modal dialog box suspending Program execution and returning the number of the button pushed or a zero if the dialog is closed with no button push.

#### ***Parameter 2***

Basic Type: INTEGER

C Type: short

Parameter 2 is the number of Checkboxes from 0 to MAXBUTTON.

#### ***Parameter 3***

Basic Type: LONG

C Type: long

Parameter 3 is the desired width of the dialog window and buttons.

#### ***Parameter 4***

Basic Type: INTEGER

C Type: short \*

Parameter 4 is the pressed button.

#### ***Parameter 5***

Basic Type: STR\$

C Type: char \*

This is the text for the window title.

#### ***Parameter 6***

Basic Type: STR\$

C Type: char \*

This is the text that will appear above the buttons

***Parameter 7***

Basic Type: STR\$  
C Type: char \*

This is the group text modifier that will appear over groupings of buttons.

***Parameter 8***

Basic Type: STR\$  
C Type: char \*

Text for button 1.

***Parameter 9***

Basic Type: STR\$  
C Type: char \*

Text for button 2.

***Parameter 10***

Basic Type: STR\$  
C Type: char \*

Text for button 3.

***Parameter 11***

Basic Type: STR\$  
C Type: char \*

Text for button 4.

***Parameter 12***

Basic Type: STR\$  
C Type: char \*

Text for button 5.

### ***Parameter 13***

Basic Type: STR\$  
C Type: char \*

Text for button 6.

### ***Parameter 14***

Basic Type: STR\$  
C Type: char \*

Text for button 7.

### ***Parameter 15***

Basic Type: STR\$  
C Type: char \*

Text for button 8.

### ***Parameter 16***

Basic Type: STR\$  
C Type: char \*

Text for button 9.

### ***Parameter 17***

Basic Type: STR\$  
C Type: char \*

Text for button 10.

### **ClosecButton ()**

Closes the ShowcButton. There are no Parameters.

### **Setfocus()**

Will bring the ShowcButton dialog box to the foreground and activate. No parameters.