

FlaimChatOCX - Version 3.002 by Raebis

Subs and Functions

The ChatLastLine Sub is not complex. Everytime a new line of text is entered into the room, this sub is called. So to make a chatcommands, do the following;

```
Private Sub Form_Load()  
    Flaim1.Enabled = True           'This turns the OCX on  
End Sub  
  
Private Function Flaim1_ChatLastLine (Who As String, What As String)  
    If Who = Flaim1.UserSN Then    'If the Person who said something is you then  
        If What Like "clear" then Flaim1.ChatClear 'If you said "clear" then clear the chatroom  
    End If  
    If Instr("sup",LCase(What)) Then _ 'If someone said "Sup" then  
        Flaim1.ChatSend("Sup " + Who) 'Say "Sup" and their SN  
    End IF  
End Sub
```

Any Other Questions, please feel free to eMail me at raebis@n2trouble.com

Subs, Functions and Properties - 31

Enabled(Boolean)

Determines weather or not Flaim will scan the chatroom for new lines

Example: Flaim1.Enabled=True turns the OCX on while Flaim1.Enabled=False turns it off

AddRoom(ListboxOrCombobox, AddUser As Boolean)

Adds the people in the chatroom to a listbox or combobox

Example: Flaim1.AddRoom(List1,True)

ChatClear()

Clears the contents of the chatroom

Example: Flaim1.ChatClear

ChatSend(What As String)

Sends text to the chatroom

Example: Flaim1.ChatSend("Flaim by Raebis")

CloseAIM()

Closes and Logs off the AIM window

Example: Flaim1.CloseAim

CloseAllChats()

Closes all the open chatroom windows

Example: Flaim1.CloseAllChats

CloseAllIMS()

Closes all the open IM windows

Example: Flaim1.CloseAllIMS

CloseChat()

Closes the focused chatroom window

Example: Flaim1.CloseChat

CloseIM()

Closes the focused IM window

Example: Flaim1.CloseIM

CountPeople() As Integer

Returns the number of people in the room

Example: Text1.Text = Flaim1.CountPeople

GetFile(ScreenName As String)

Attempts to get a list of files from the screenname specified

Example: Flaim1.GetFile ("Axk121")

GoToRoom(RoomName As String, CloseCurrentRoom As Boolean)

Goes to a specified chatroom
Example: Call Flaim1.GoToRoom ("VB", False)

Ignore(SN As String)
Ignores a person in the chatroom
Example: Flaim1.Ignore("Lamer121")

IM(Who As String, message As String, CloseIM As Boolean)
Sends an instant message
Example: Call Flaim1.IM("Raebis", "Your OCX Rox", True)

InviteHere(Who As String, Message As String)
Invites a user to the current room
Example: Call Flaim1.InviteHere("Raebis", "Come Join me in this chat")

InviteNewRoom(Who As String, message As String, RoomName As String, CloseCurrentRoom As Boolean)
Invites a user to a new room
Example: Call Flaim1.InviteNewRoom("Raebis", "Come Join me in this chat", "VB", True)

KeyWord(KeyWord As String)
Runs a keyword in the AIM keyword box
Example: Flaim1.KeyWord("aim:gochat?roomname=vb")

MoveForm(FormhWnd As Long)
Moves the form whose hWnd you sent
Example: Flaim1.MoveForm(Me.hWnd)

Online() As Boolean
Returns true if AIM is open and online
Example: If Flaim1.Online Then MsgBox "You are online"

OpenIPS() As String
Gets a list of ip addresses of file transfers separated by commas
Example: Text1.Text = Flaim1.OpenIPS

Pause(Length As Integer)
Pauses for a specified time in seconds
Example: Flaim1.Pause(2)

PopUpBlankIM(ScreenName As String)
Makes a blank IM window appear on another user's screen
Example: Flaim1.PopUpBlankIM("Roger12")

Punt(ScreenName As String)
Kicks a person or people offline
This may not work for newer versions of AIM
Example: Flaim1.Punt("Jako103") or Flaim1.Punt("Jako103, Roaj200, Sily3...")

RoomName() As String
Returns the name of the topmost room
Example: Text1.Text=Flaim1.RoomName

SendChatToAllChatrooms(TheText As String)
Sends text to all open chatrooms
Example: Flaim1.SendChatToAllChatrooms("CloneMan is ON")

SendDistort(text As String, Length As Integer)
Sends text surrounded by a distort string
Example: Call Flaim1.SendDistort("HaHa", 10)

SendFile(ScreenName As String, FileName As String)
Sends a specified file to a specified user
Example: Call Flaim1.SendFile ("Jako121", "C:\DOWNLOADS>List.Zip")

SendLagToTopIM(NumberOfTimes As Integer)
Sends a lag string to the top IM window
Example: Flaim1.SendLagToTopIM(5)

SetNotTopmost(hWnd As Long)
Sets the window whose hWnd you sent it not on top

Example: `Flaim1.SetNotTopmost(Me.hWnd)`

`SetTopmost(hWnd As Long)`

Sets the window whose hWnd you sent it on top

Example: `Flaim1.SetTopmost (Me.hWnd)`

`UserSN()` As String

Returns the screen name of the current user

Example: `Text1.Text = Flaim1.UserSN`