

xrefattrs.doc

COLLABORATORS

	<i>TITLE :</i> xrefattrs.doc		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 22, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	xrefattrs.doc	1
1.1	xrefattrs.doc	1

Chapter 1

xrefattrs.doc

1.1 xrefattrs.doc

XRef-Tools/XRefAttrs

XRef-Tools/XRefAttrs

\$VER: xrefattrs.doc 1.1 (16.07.94)

NAME

XRefAttrs - change attributes of a/some xref file(s)

TEMPLATE

FILES/M/A,PRI/N/K,LOCK/S,UNLOCK/S,INDEX/S,NOINDEX/S

FORMAT

XRefAttrs [FILES] file [file1 [...]] [PRI priority] [LOCK|UNLOCK]
[INDEX|NOINDEX]

FUNCTION

changes a/some attribute(s) of a/some xref file(s).

INPUTS

FILES (STRINGS) - filenames of the xref files to change the attributes

PRI (NUMBER) - new priority for the xref file(s)

LOCK (BOOLEAN) - lock these xref file(s)

UNLOCK (BOOLEAN) - unlock the xref file(s)

INDEX (BOOLEAN) - generate an index for these xref file(s). The normal
compare modes are much faster as without an index !!!

NOINDEX (BOOLEAN) - removes all index array's of the xref file(s)

EXAMPLE

XRefAttrs autodoc_v40.xref PRI -1 LOCK INDEX

SEE ALSO

LoadXRef, ExpungeXRef, ParseXRef, AGuideXRefV37, AGuideXRefV39,
XRefConvert

COPYRIGHT

by Stefan Ruppert (C) 1994

HISTORY

XRefAttrs 1.1 (16.7.94) :
- created