

am1_1

COLLABORATORS

	<i>TITLE :</i> am1_1		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 22, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	am1_1	1
1.1	am1_1.guide	1
1.2	am1_1.guide/Overview	1
1.3	am1_1.guide/Legal Stuff	2
1.4	am1_1.guide/Requirements	3
1.5	am1_1.guide/Getting Started	4
1.6	am1_1.guide/ToolTypes	5
1.7	am1_1.guide/Command line arguments	5
1.8	am1_1.guide/Main Window	6
1.9	am1_1.guide/Listviews	6
1.10	am1_1.guide/New (User)	7
1.11	am1_1.guide/Edit (User)	7
1.12	am1_1.guide/Delete (User)	8
1.13	am1_1.guide/Ban	8
1.14	am1_1.guide/Admit	9
1.15	am1_1.guide/Users Window	9
1.16	am1_1.guide/UserID	10
1.17	am1_1.guide/Password	10
1.18	am1_1.guide/UID (User)	10
1.19	am1_1.guide/Primary GroupID	11
1.20	am1_1.guide/Name (User)	11
1.21	am1_1.guide/Office	12
1.22	am1_1.guide/Work phone	12
1.23	am1_1.guide/Home phone	12
1.24	am1_1.guide/Home	12
1.25	am1_1.guide/Shell	13
1.26	am1_1.guide/Clear Password	13
1.27	am1_1.guide/Add Secondary Group	13
1.28	am1_1.guide/Delete Secondary Group	13
1.29	am1_1.guide/Ok (User)	14

1.30	am1_1.guide/Cancel (User)	14
1.31	am1_1.guide/New (Group)	14
1.32	am1_1.guide/Edit (Group)	15
1.33	am1_1.guide/Delete (Group)	15
1.34	am1_1.guide/Groups Window	15
1.35	am1_1.guide/GroupID	16
1.36	am1_1.guide/GID (Group)	16
1.37	am1_1.guide/Manager UserID	16
1.38	am1_1.guide/Name (Group)	17
1.39	am1_1.guide/Ok (Group)	17
1.40	am1_1.guide/Cancel (Group)	17
1.41	am1_1.guide/Info display	17
1.42	am1_1.guide/Buttons	18
1.43	am1_1.guide/Open	18
1.44	am1_1.guide/Save	18
1.45	am1_1.guide/Scan	19
1.46	am1_1.guide/Scan Listview	20
1.47	am1_1.guide/Nobody	20
1.48	am1_1.guide/Deleted	20
1.49	am1_1.guide/Orphan	21
1.50	am1_1.guide/UID	21
1.51	am1_1.guide/GID	21
1.52	am1_1.guide/Main Menu	22
1.53	am1_1.guide/Project	22
1.54	am1_1.guide/Edit	22
1.55	am1_1.guide/Edit-Last Saved	23
1.56	am1_1.guide/Edit-Restore	23
1.57	am1_1.guide/Edit-Save	23
1.58	am1_1.guide/Quit	23
1.59	am1_1.guide/Options Window	24
1.60	am1_1.guide/MultiUser.config Options	24
1.61	am1_1.guide/AM Options	25
1.62	am1_1.guide/Set up new \$HOMEs	25
1.63	am1_1.guide/Check \$HOMEs	26
1.64	am1_1.guide/\$HOME icons	26
1.65	am1_1.guide/File icons	27
1.66	am1_1.guide/Backup to *.bak	27
1.67	am1_1.guide/Logging	27
1.68	am1_1.guide/Display	27

1.69	am1_1.guide/Default Primary Group	28
1.70	am1_1.guide/Default Group Manager	28
1.71	am1_1.guide/Default Home	28
1.72	am1_1.guide/Set Actions...	28
1.73	am1_1.guide/Files	29
1.74	am1_1.guide/passwd	29
1.75	am1_1.guide/MultiUser.group	30
1.76	am1_1.guide/MultiUser.config	30
1.77	am1_1.guide/am.log	30
1.78	am1_1.guide/ARexx port	31
1.79	am1_1.guide/ARexx ChPasswd	31
1.80	am1_1.guide/ARexx ChGroup	31
1.81	am1_1.guide/ARexx Open	32
1.82	am1_1.guide/ARexx Save	32
1.83	am1_1.guide/Online Help	32
1.84	am1_1.guide/Development	33
1.85	am1_1.guide/Author	33
1.86	am1_1.guide/Crew	33
1.87	am1_1.guide/Credits	34
1.88	am1_1.guide/Known bugs	35
1.89	am1_1.guide/History	35
1.90	am1_1.guide/Localization	36
1.91	am1_1.guide/Related products	36
1.92	am1_1.guide/MultiUser	36
1.93	am1_1.guide/MUI	37
1.94	am1_1.guide/AmiTCP	37
1.95	am1_1.guide/Index	37

Chapter 1

am1_1

1.1 am1_1.guide

AM - Account Manager for MultiUser

Version 1.1

© 1994/1995 by Ingolf Koch

\$VER: english/am1_1.guide 2.66 (20.2.95)

This file documents version 1.1 of AM, an Account Manager for MultiUser.

Overview	Preliminary information.
Legal Stuff	Responsibility, ...
Requirements	What you *do* need.
Getting Started	
Main Window	
Options Window	
ARexx port	
Online Help	OS 3.0+ only
Development	Author, crew, credits, history
Localization	For translators
Related products	Info on MultiUser, MUI, AmiTCP
Index	

1.2 am1_1.guide/Overview

Overview

Are you running MultiUser, the Multi User Security System for the Commodore Amiga? Then you surely have thought of a program providing an easy way to maintain the users and groups in your system.

Of course, such a program should have a graphical user interface which allows doing all necessary operations by a few mouse clicks or key strokes. Additionally, it should be localized i.e. speaking to you in your preferred language.

Then 'AM' is the program you want. It was written to support the system operator's work by supplying an easy-to-use user interface based on MUI (Magic User Interface) by Stefan Stuntz.

The following gives you a quick overview on 'AM''s facilities:

- * localized (see Localization)
- * needs and makes extensive use of MUI 2.0 ('muimaster.library' version 7+)
- * supports the following operations on the MultiUser system files
 - create new users/groups
 - edit any characteristics of an existing user/group
 - delete users/groups
 - temporarily ban a user from the system
 - edit the 'MultiUser.config' file
- * automatically creates new \$HOME directories and installs default files there by executing a user supplied script
- * checks \$HOME directories
- * searches MultiUser partitions for files with bad owner information and changes them
- * supports AmiTCP 'office', 'work phone', and 'home phone' entries
- * AmigaGuide® Online Help system
- * 'ReadArgs()' and ToolTypes argument handling
- * ARexx port

1.3 am1_1.guide/Legal Stuff

Legal Stuff

There's not very much to say about this topic:

This program may be freely distributed i.e. without any charge except for a copying fee of maximum USD 5. It may not be included in commercial programs without prior written consent by the author.

This program may be included in shareware or public domain libraries as long as the price per disk does not exceed USD 5.

'AM 1.1' may be stored and made accessible in electronic networks such as the Internet, on anonymous ftp servers and in bulletin board systems.

'AM 1.1' may be stored on CD-ROMs (especially on "Fresh Fish", "Meeting Pearls", and "Aminet" CD-ROMs).

Storage and use of this program is only permitted for non military purposes, i.e. this program may not be used by military institutions or by non-military institutions co-operating with military institutions.

Although AM 1.1 has been thoroughly tested on various platforms there might still be some bugs in it. So use this program at your own risk. The author of AM 1.1 may not be made responsible for any damage caused directly or indirectly by AM 1.1.

1.4 am1_1.guide/Requirements

Requirements

There are a few things you should have installed when you want to start 'AM':

- * Of course, you need MultiUser (Multi User Security System by Geert Uytterhoeven) :-)
- * This implies that another requirement (AmigaOS 2.0+) is automatically satisfied.
- * 'AM' makes extensive use of the new features of MUI 2.0. So make sure you have at least version 7 of 'muimaster.library'. MUI (Magic User Interface) is © by Stefan Stuntz (see the file 'ReadMe.mui' for more info).
- * If you want to use the locale facilities, you need at least AmigaOS 2.1.
- * The partition scan function could use a lot of stack if you have a very deep directory tree. The minimal stack for 'AM' can be roughly calculated by the formula (only valid for AmigaOS 3.0--might be less for 2.0 and 2.1):
MIN_STACK = 'maximum_of' 5000 and (900 + 500*MAX_DEPTH).
- * To open the Options Window, you need a screen with at least about 300 rows (or a very tiny font). Due to a bug in 'muimaster.library'

version 7, 'AM' will hang if a window cannot be opened. This has been fixed since version 8 (thanks, Stefan).

- * Although not required, it is recommended that you have at least a 68020 processor. The GUI would be very slow otherwise ;-)
- * 'AM' should be owned by root and can be made readable and executable for everyone. But **never** set the u flag!!!

1.5 am1_1.guide/Getting Started

Getting Started

You can start 'AM' both from Workbench and CLI. To modify its standard behaviour see

ToolTypes

Command line arguments

If you start from CLI make sure you have enough stack before running 'AM'. In this version, 'AM' will not check and automatically increase stack size.

If 'locale.library' is present in your system, 'AM' will try to open the specified catalog (if you start from CLI and supply a language name) or the default language (set by Workbench's 'Prefs/Locale').

If there's no 'locale.library' or the desired catalog could not be opened, 'AM' will talk to you in English (the builtin language).

Please refer to the chapter on Localization for information on which languages are supported or on what to do if you want to translate 'AM'.

After opening 'locale.library', 'AM' checks if you are root. If not, you are prompted to enter root's password. Note that 'AM' refuses to work if you supply a wrong password :-)

If you are running 'AM' for the first time (i.e. there's no 'ENV:mui/MU_AM.cfg' file) the GUI will open with the default layout. You may want to change the layout and save it permanently (see Edit-Save and your 'Prefs/MUI' doc).

'AM' automatically finds your passwd and MultiUser.group files and loads them into its memory.

All error messages are localized, so if there's an error during startup, you'll see the reason in your preferred language (if there's a suitable catalog).

Have a look at the Requirements chapter for more information on what is needed to run 'AM'.

1.6 am1_1.guide/ToolTypes

Starting from Workbench

=====

'AM' supports some ToolTypes:

- * 'LANGUAGE=LANGUAGE NAME': Try to open the catalog for the specified language
- * 'PASSWDFILE': Indicate that this Workbench project is a passwd file
- * 'GROUPFILE': Indicate that this Workbench project is a MultiUser.group file
- * 'CONFIGFILE': Indicate that this Workbench project is a MultiUser.config file
- * 'LOGFILE': Indicate that this Workbench project is an am.log file
- * 'HELP=ONLINE HELP FILENAME': Use a different Online Help file name ('%s' still supported)

Note: 'PASSWDFILE', 'GROUPFILE', 'CONFIGFILE', and 'LOGFILE' do not take arguments. They determine the type of the file belonging to that project icon. *Never put these ToolTypes into program icon for 'AM'.*

You can multiselect various project icons to tell 'AM' to use them instead of the corresponding default files.

If you already have icons for files created by revision 1.0 of 'AM' you should either delete these icons or add the appropriate tool type entry.

1.7 am1_1.guide/Command line arguments

Starting from CLI/Shell

=====

Template: LANGUAGE, P=PASSWDFILE/K, G=GROUPFILE/K, C=CONFIGFILE/K, L=LOGFILE/K, H=HELPPFILE

- * LANGUAGE: Try to open the catalog for the specified language
- * PASSWDFILE: Use this file as the passwd file
- * GROUPFILE: Use this file as the MultiUser.group file

- * CONFIGFILE: Use this file as the MultiUser.config file
- * LOGFILE: Use this file as the am.log file
- * HELPFILE: Use this file as the Online Help file ('%s' still supported)

Remember to set a sufficient stack size. See Requirements.

1.8 am1_1.guide/Main Window

The main window

If the system libraries are opened successfully 'AM' opens its main window. This window consists of various areas:

Listviews	Two listviews for users and groups in the system
Info display	A text object displaying error messages and other info
Buttons	Action buttons
Quit	Leave the program
Main Menu	Yes, 'AM' even has a menu bar :-)

1.9 am1_1.guide/Listviews

The Users and Groups listviews and buttons

=====

After loading the passwd and MultiUser.group files, the users and groups known to the system are displayed in two listviews. The left listview contains the users whereas you find the groups in the right listview.

For both users and groups, each entry in the according listview shows the UserID and GroupID as well as the UID and GID, respectively. The UID/GID will only be displayed, if there's enough space in the listview.

You may scroll the listviews via the propgadget or the keyboard. In the latter case, use the TAB key to step through the main window's 'CycleChain' until the appropriate listview is the active one. To scroll up and down, hit the corresponding cursor key.

Below each of the listviews there are a few buttons which allow modification of the users/groups list. In most cases they operate on the currently activated user/group, so make sure you have an active

entry in the corresponding listview.

To activate an entry, click once on the entry in the listview or use the cursor keys.

The following buttons appear below the 'User' listview:

New (User)	Create a new user (no activated entry necessary)
Edit (User)	Modify an existing user
Delete (User)	Delete a user
Ban	Temporarily disable a user
Admit	Re-enable the user

There are similar buttons at the bottom of the 'Groups' listview:

New (Group)	Create a new group (no activated entry necessary)
Edit (Group)	Modify an existing group
Delete (Group)	Delete a group

The New and Edit buttons will open a window:

Users Window or
Groups Window

1.10 am1_1.guide/New (User)

Creating a new user

Select the New button to create a new user. The Users Window will open with most of the entries cleared. The UID entry already contains a valid number, namely the lowest available UID in the system (not currently occupied by another user)

You have to supply at least a valid UserID, a valid UID (User) and a valid Primary GroupID to successfully add the new user to the system. The Primary GroupID will initially be set to the value you supplied in the Default Primary Group string gadget.

See Edit (User).

1.11 am1_1.guide/Edit (User)

Editing a user's characteristics

If you press the Edit button at the bottom of the 'Users' listview

in the Main Window the Users Window opens displaying the present characteristics of the selected user.

You may modify each of them but keep in mind that changing the UserID automatically clears the user's Password and that changing the user's UID (User) makes a Scan of the whole file system necessary to update.

(You may want to Scan after changing the Primary GroupID, too.)

1.12 am1_1.guide/Delete (User)

Deleting a user

Pressing the Delete button will automatically remove the selected user from the 'Users' listview.

Caution: You are not asked to confirm this action!

If you find it necessary to open a confirmation requester before actually deleting the user, please inform me about that (see Author).

Strictly speaking, the user is not totally removed from the system at all. He remains in the passwd file until you Save your configuration. Additionally, the deleted user is kept in 'AM''s internal memory because this information is needed when you Scan the file system.

1.13 am1_1.guide/Ban

Temporarily disabling a user

Sometimes you might find it necessary to forbid a user's access to the system without deleting information on this user. Usually, this is done by changing this user's password.

'AM' changes the encrypted password string of the selected user to 'User_banned'. As it is (nearly) impossible to find a password which will match this magic string after encryption, this is quite a safe way of banning.

If 'AM' detects a user whose encrypted password matches 'User_banned' during Open this user will automatically be marked as banned.

Banned users are surrounded by asterisks * in the Users listview.

Note: If you Clear Password a banned user's password the ban will be released.

Note: 'AM' only remembers the original password until you leave the

program or Open the files. So if you Admit the user again, the original password can only be restored if you did not leave 'AM' or Open the files before.

1.14 am1_1.guide/Admit

Releasing a ban

To permit a banned user to access the system again, click on the Admit button. In most cases the selected user's password will be cleared, so access is made possible after the next Save operation.

The only exception of this rule is made if you did not Open or Quit between the Ban and the Admit operations. If you by mistake Ban a user you may safely click on Admit without destroying the user's password.

Note: Remember that the user should set his password immediately after Save. You must reload the files to let 'AM' know the new password.

1.15 am1_1.guide/Users Window

The 'Users' Window

The 'Users' window is divided into two parts: On the lefthand side there are the user's main characteristics, on the righthand side you find the list of the user's secondary groups.

Let's turn to the 'Characteristics' part of this window. You may modify each of the entries as you like. Well, to be honest... nearly as you like (see UserID, UID (User), Clear Password).

UserID
Password
UID (User)
Primary GroupID
Name (User)
Office
Work phone
Home phone
Home
Shell

Clear Password

Add Secondary Group
Delete Secondary Group

Ok (User)
Cancel (User)

1.16 am1_1.guide/UserID

The 'UserID' entry
.....

Every user *must* have a valid 'UserID'. That's the name you use to login. Of course, the 'UserID' must be unique. So 'AM' does not allow you to specify a 'UserID' which already exists.

**Note:* If the user has a Password set and you modify his 'UserID' the 'password' will be cleared, as it is dependant on the 'UserID'.

Some characters, for example |, are not allowed for a 'UserID'. These will be rejected automatically by MUI.

1.17 am1_1.guide/Password

The user's password
.....

If the user has a password set it will be displayed in the password text object. This is *not* the real password but the encrypted 11 character string (as it is not possible to decrypt it -- better say: it's very difficult to decrypt it :-).

There are three ways for you to manipulate the password string:

- * Clicking on the Clear Password button will remove the password.
Now everyone can login as this user!
- * Modifying the UserID clears the password, too. *Again, everyone can login as this user!*
- * If you Ban a user from the system the password will be set to the magic string 'User_banned'. Remember that after clicking on Admit the password will be cleared!

If there is a user with no password supplied you'll be informed about that in the am.log when you Save.

1.18 am1_1.guide/UID (User)

The user's UID
.....

The UID is a number in the range [1..65535]. You **must** supply a valid (i.e. in the correct range and unique) UID for every user in the system.

If you try to set a wrong UID you'll be informed about that. Currently, the only way to see which UIDs are available is to look at the 'Users' listview (see Listviews).

If you change the UID of a user who is already known to the system (i.e. there's an entry for that user in the passwd file) you should Scan the MultiUser formatted partitions on your hard drive, since the information on the files' owners must be updated.

Modifying a user's UID makes sense if you want to change the users hierarchy in your system imposed by the UIDs.

Unlike UserID, modifying the UID does not clear the Password.

1.19 am1_1.guide/Primary GroupID

The user's primary group
.....

Every user belongs to at least one group in the system. The main group is also called 'primary group'. You **must** supply a valid GroupID for the user's primary group.

To make this easier the GroupID may be entered by a 'popup object'. Just click on the popup button to make a listview of currently available GroupIDs appear. You can then select the GroupID you wish by double clicking on the according entry in the listview.

Of course, you can enter the GroupID "by hand" in the string gadget. If you mistype the GroupID 'AM' will refuse this string and open the listview automatically.

If the new primary group is already in the list of secondary groups it will be automatically removed from that list.

1.20 am1_1.guide/Name (User)

The user's real name
.....

In this string gadget, you should supply the user's real name. You may use (nearly) any characters except | and , as these are the

separators in the passwd file.

1.21 am1_1.guide/Office

The user's office
.....

This string gadget is mostly intended for AmiTCP users. You can enter the user's office here.

1.22 am1_1.guide/Work phone

The user's work phone number
.....

This string gadget is mostly intended for AmiTCP users. It should contain the user's phone number at his/her place of work.

1.23 am1_1.guide/Home phone

The user's private phone number
.....

This string gadget is mostly intended for AmiTCP users. It should contain the user's phone number at home.

1.24 am1_1.guide/Home

The user's \$HOME directory
.....

The user's home directory (\$HOME) is specified here. You may enter any syntactically correct path here--in other words: the path needn't exist. If you set the Set up new \$HOMES switch non existing \$HOMES will be created and the necessary files will be installed there after Save.

If you use the ASL file requester to select the \$HOME directory 'ASL' automatically appends a slash / to that string. You needn't worry about that as 'AM' removes trailing slashes automatically.

Via the Check \$HOMES switch you can tell 'AM' if you want to be informed about \$HOMES which are not located on MultiUser partitions.

See also Default Home.

1.25 am1_1.guide/Shell

The user's default shell
.....

You may enter the user's default shell here. Future versions of 'AM' will supply a popup object for this.

1.26 am1_1.guide/Clear Password

Clear the user's password
.....

Clicking on this button clears the password string. Since a user without a password is in a dangerous state you'll be warned about missing passwords in the am.log.

1.27 am1_1.guide/Add Secondary Group

Add a new secondary group
.....

There are two ways of adding a new secondary group to the list:

- * Type the group's name in the string gadget and hit RETURN
- * Click on the popup button and select the new group by double clicking on the entry in the popup. (This is the more comfortable way.)

If the secondary group is already in the list or if it is the primary group nothing will happen.

If you supply an invalid GroupID a requester pops up and nothing will be added.

1.28 am1_1.guide/Delete Secondary Group

Delete a secondary group
.....

Click on this button to remove the currently active secondary group

from the listview. 'Active' means: the selected entry in the listview.

Note: There's no Undo button. If you delete a secondary group by mistake, either reenter this GroupID or choose Cancel (User) and start editing again.

1.29 am1_1.guide/Ok (User)

Leaving the Users window by clicking on Ok

.....

The Ok button is one way to leave the Users Window. If all important settings are valid (i.e. UserID, UID (User), and Primary GroupID) the new values are stored in 'AM''s memory.

If 'AM' finds an invalid value it will complain and refuse to close the window.

1.30 am1_1.guide/Cancel (User)

Leaving the Users window by clicking on Cancel

.....

If you click on Cancel all changes will be ignored, and the Users window is closed.

1.31 am1_1.guide/New (Group)

Creating a new group

Select the New button to create a new group. The Groups Window will open with most of the entries cleared. The GID entry already contains a valid number, namely the lowest available GID in the system (not currently occupied by another group).

You have to supply at least a valid GroupID, a valid GID (Group) and a valid Manager UserID to successfully add the new group to the system. The Manager UserID will initially be set to the value you supplied in the Default Group Manager string gadget.

See Edit (Group).

1.32 am1_1.guide/Edit (Group)

Editing a group's characteristics

If you press the Edit button at the bottom of the 'Groups' listview in the Main Window the Groups Window opens displaying the present characteristics of the selected group.

1.33 am1_1.guide/Delete (Group)

Deleting a group

Pressing the Delete button will automatically remove the selected group from the 'Groups' listview.

Caution: You are not asked to confirm this action!

If you find it necessary to open a confirmation requester before actually deleting the group, please inform me about that (see Author).

Strictly speaking, the group is not totally removed from the system at all. It remains in the MultiUser.group file until you Save your configuration. Additionally, the deleted group is kept in 'AM''s internal memory because this information is needed when you Scan the file system.

1.34 am1_1.guide/Groups Window

The 'Groups' Window

This window displays the group's 'Characteristics'. You may modify each of the entries as you like. Well, to be honest... nearly as you like (see GroupID, GID (Group)).

GroupID
GID (Group)
Manager UserID
Name (Group)

Ok (Group)
Cancel (Group)

1.35 am1_1.guide/GroupID

The 'GroupID' entry

.....

Every group *must* have a valid 'GroupID'. That's the group's symbolic name. Of course, the 'GroupID' must be unique. So 'AM' doesn't allow you to specify a 'GroupID' which already exists.

Some characters, such as |, are not allowed for a 'GroupID'. These will be rejected automatically by MUI.

1.36 am1_1.guide/GID (Group)

The group's GID

.....

The GID is a number in the range [0..65535]. You *must* supply a valid (i.e. in the correct range and unique) GID for every group in the system.

If you try to set a wrong GID you'll be informed about that. Currently, the only way to see which GIDs are available is to look at the 'Groups' listview (see Listviews).

If you change the GID of a group which is already known to the system (i.e. there's an entry for that group in the MultiUser.group file) you should Scan the MultiUser formatted partitions on your hard drive, since the information on the files' owners must be updated.

Modifying a group's GID makes sense if you want to change the groups hierarchy in your system imposed by the GIDs.

1.37 am1_1.guide/Manager UserID

The UserID of the group's manager

.....

Every group needs to have a manager responsible for this group. So you *must* supply a valid UserID for the group's manager.

To make this easier the UserID may be entered by a 'popup object'. Just click on the popup button to make a listview of currently available UserIDs appear. You can then select the UserID you wish by double clicking on the according entry in the listview.

Of course, you can enter the UserID "by hand" in the string gadget. If you mistype the UserID 'AM' will refuse this string and open the listview automatically.

1.38 am1_1.guide/Name (Group)

The group's real name
.....

In this string gadget, you should supply the group's real name. You may use (nearly) any characters except | as this is the separator in the MultiUser.group file.

1.39 am1_1.guide/Ok (Group)

Leaving the Groups window by clicking on Ok
.....

The Ok button is one way to leave the Groups Window. If all important settings are valid (i.e. GroupID, GID (Group), Manager UserID) the new values are stored in 'AM''s memory.

If 'AM' finds an invalid value it will complain and refuse to close the window.

1.40 am1_1.guide/Cancel (Group)

Leaving the Groups window by clicking on Cancel
.....

If you click on Cancel all changes will be ignored, and the Groups window is closed.

1.41 am1_1.guide/Info display

The Info display
=====

This frame displays information on what 'AM' is doing.

If something has gone wrong you'll be informed about that here. Usually a requester will pop up first in this case, but you are reminded of the error by the error message displayed in the Info display.

1.42 am1_1.guide/Buttons

Buttons in the main window

=====

There are three buttons which start some of 'AM''s operations:

Open	Reread the passwd and MultiUser.group files
Save	Save both the passwd and MultiUser.group files
Scan	Scan the MultiUser partitions for invalid files

1.43 am1_1.guide/Open

Load the passwd and group file

If you select the Open operation 'AM' will check first whether the configuration is modified and should be saved first. If so a requester pops up and you may answer that you really want to load or that you've decided to abort.

All old information on users and groups (deleted ones, too) is discarded from the memory.

See also ARexx Open.

1.44 am1_1.guide/Save

Save the passwd and group file

'AM' does not just save the files. It checks first if the configuration contains serious errors. 'AM' does not save if there was a load error before or if there's no user with UID 65535 (no root!).

In some situations 'AM' will warn you (and you are asked if you want to proceed):

- * If the user having the root UID has been changed
- * If root's primary group's GID is not equal to 65535
- * If you have modified one of the file names (see ARexx port)

If you set the Backup to *.bak switch in the Options Window the old passwd and MultiUser.group files will be moved to 'FILENAME.bak' before writing anything. In case of a write error during the Save operation, 'AM' will then do its best to ↵

restore the old files.

In some cases it may be necessary to Scan after saving--if UUIDs or GIDs have been changed. In those cases 'AM' informs you about that.

See also ARexx Save.

1.45 am1_1.guide/Scan

Scan MultiUser partitions

This is probably the most complex operation provided by 'AM'. It is used to update the file system if you change certain settings, for example the UUID. In such cases there might exist files on your MultiUser formatted partitions which don't have a valid OwnerUUID or OwnerGID.

Therefore 'AM' opens a new window (the 'Scan' window) and scans the whole directory tree (or better say 'trees' if you have more than one MultiUser partition). All files which need to be updated are collected and displayed in the Scan Listview. You can then select the files you want to modify and tell 'AM' what to do with them.

While scanning, 'AM' disables some buttons. Don't worry: They'll be enabled again when the scan is finished. The current directory is displayed in the text object surrounded by the 'Scanning' frame. So you have an idea of where 'AM' currently is and how long it will take to scan the rest. See Requirements.

If you don't want to wait till 'AM' has finished the scan you may click on the Abort button. The scan process is aborted but you can modify the files already found.

If you click on the Back button instead, the scan will be aborted as with Abort but additionally the 'Scan' window will be closed.

Each file displayed falls into exactly one of five categories which is shown in the Scan Listview, too:

Nobody	owned by Nobody (OwnerUUID = 0)
Deleted	owned by a user whom you deleted before
Orphan	the file's OwnerUUID is not known to the system
UID	the UID of the file's owner was changed
GID	the file's OwnerGID is different from the owner's primary GID

With the five buttons you can select/deselect the corresponding files in the Scan Listview all at once. To explicitly select/deselect a single file click on the entry in the Scan Listview.

Before you Start modifying the selected files you should click on the Set Actions... button to tell 'AM' what to do with the selected files.

If everything is to your satisfaction use the Start button to modify

the selected files. Correctly processed files are removed from the Scan Listview.

When the conversion is finished 'AM' does not return to the Main Window but lets you select other files, modify the actions by Set Actions..., and process the newly selected files in a different way.

At any time you can return to the Main Window by clicking on the Back button.

Note: Scanning is only possible if 'AM''s internal memory reflects the contents of the *real* passwd file used by MultiUser. You could run into serious problems otherwise.

1.46 am1_1.guide/Scan Listview

The listview in the Scan window
.....

All files to be modified found during a scan of the MultiUser partitions are displayed in the Scan listview. This listview consists of three columns namely the file name, the file's type, and the directory where the file is located.

The file's type is either Nobody, Deleted, Orphan, UID, or GID and tells you about the reason why the file appears in the listview.

This listview is multiselectable, i.e. you may select as many entries at the same time as you like. You may select entries either by using the 'File Selection' buttons or by mouse clicking on the corresponding entry. You need not use the multi select qualifier (such as the SHIFT key) for this multi selection.

1.47 am1_1.guide/Nobody

The Nobody type
.....

Files of type 'Nobody' are those with an OwnerUID of zero. Usually all files will be owned by Nobody if you've just installed MultiUser in your system. So be prepared to have lots of entries if you run 'AM' for the first time :-)

There may appear new 'Nobody' files later if someone creates a new file without logging in before.

1.48 am1_1.guide/Deleted

The Deleted type
.....

If you delete a user 'AM' does not remove this entry from its internal memory. So 'AM' is able to detect files which were owned by this deleted user and therefore don't have a valid owner now.

Note: Of course you must not leave 'AM' between deleting the user and scanning. Otherwise 'AM' would not be able to remember the deleted user's UID and the deleted user's files would be of type Orphan or would even be owned by someone else who now has the original owner's UID!

1.49 am1_1.guide/Orphan

The Orphan type
.....

Orphan files are those files having an OwnerUID not equal to zero but without a user known to the system with this UID.

In most cases these files will appear if you delete a user from the system without scanning directly after that. After leaving 'AM' no information about the deleted user can be recovered so files owned by that user are marked as orphan.

1.50 am1_1.guide/UID

The UID type
.....

'AM' allows you to change a user's UID. After doing so, all files owned by that user will no longer have a valid OwnerUID as this must be adjusted to the new value, too.

Note: Although you can give another user the UID 65535 (the root UID), under no circumstances files owned by root will change their OwnerUID as they should be owned by the new root user (i.e. keep the OwnerUID of 65535).

1.51 am1_1.guide/GID

The GID type
.....

Usually a file's OwnerGID should match its owner's primary GID. Files having a different OwnerGID will be added to the Scan Listview,

as you might have changed the owner's primary group and want to adjust the OwnerGID.

But there might be situations in which the different OwnerGID is intended to make the file accessible to members of a group different from the owner's primary group. Then you should keep such files deselected.

Quick note: This will be improved a lot in the future. At the moment, it might be better not to use this... Sorry.

1.52 am1_1.guide/Main Menu

The main menu
=====

If you are in the Main Window you can start some of 'AM''s operations by selecting the appropriate menu item. But there's even more in the main menu:

Project	The 'usual' project menu
Edit	Load and save 'AM's configuration file

1.53 am1_1.guide/Project

The Project menu

From this menu you can select the Open, Save, and Scan operations (the same as clicking on the corresponding button in the Main Window), as well as open the Options Window, get information about the Author and the translator (About... item) and Quit the program.

1.54 am1_1.guide/Edit

The Edit menu

This menu is very much like the standard 'Prefs' menu of the same name. 'AM' automatically stores some of your settings in a private configuration file in ENV: when you Quit the program. This file is loaded automatically during startup or explicitly (see below).

The saved/restored settings comprise the AM Options and the Set Actions... part.

You'll find the following items in the Edit menu:

Edit-Last Saved	Load from ENVARC:
Edit-Restore	Load from ENV:
Edit-Save	Save to ENVARC:

1.55 am1_1.guide/Edit-Last Saved

Load configuration from ENVARC:
.....

Selecting the 'Edit/Last Saved' item causes 'AM' to read the configuration data from the file 'ENVARC:mui/MU_AM.cfg'.

1.56 am1_1.guide/Edit-Restore

Load configuration from ENV:
.....

Selecting the 'Edit/Restore' item causes 'AM' to reread the configuration data from the file 'ENV:mui/MU_AM.cfg'.

This file is automatically loaded at startup and saved on Quit.

1.57 am1_1.guide/Edit-Save

Save configuration to ENVARC:
.....

Selecting the 'Edit/Save' item makes 'AM' permanently save the configuration data to the file 'ENVARC:mui/MU_AM.cfg'.

There's no need for a menu item which saves to ENV: as this is automatically done on Quit.

1.58 am1_1.guide/Quit

Quit the program
=====

Pressing the Quit button or selecting the Quit item from the Project

menu terminates 'AM'. Before really exiting 'AM' checks if the files need to be saved and informs you about that by popping up a requester.

You can still continue to work with all information in 'AM''s memory at this point. If you decide to terminate 'AM' all information on deleted users is discarded. See Deleted.

1.59 am1_1.guide/Options Window

The 'Options' Window

Many MultiUser and 'AM' features can be controlled in this window. To distinguish between these two parts the window is divided into

MultiUser.config Options all entries in the MultiUser.config file

AM Options various 'AM' settings

This window may be too tall for your screen (see Requirements how to change this).

1.60 am1_1.guide/MultiUser.config Options

The 'MultiUser.config' Options

=====

The MultiUser.config file contains some information on how MultiUser should behave in various situations.

This file is automatically loaded into 'AM''s memory when you open the Options Window. The current state of the switches are displayed in the left part of the window.

MultiUser provides a way of freezing some users' passwords. With the strings and sliders in the 'Allow password change...' part you can select which users are allowed to change their password.

All users with a UID of the displayed number or higher as well as users whose primary GID is the displayed number or higher can change their password.

The Open button reloads the 'MultiUser.config' file without checking if you have altered the state of some entries.

With the Save button you write the 'MultiUser.config' file.

Both Open and Save use the filename you supplied in your Command line arguments or in the ToolTypes entry. The filename defaults

to 'MULTIUSER_GROUP_DIR/MultiUser.config'.

1.61 am1_1.guide/AM Options

Some helpful features
=====

In this part of the Options Window you can control some of 'AM''s features. It contains the following switches and string gadgets:

\$HOMEs:

- Set up new \$HOMEs
- Check \$HOMEs
- \$HOME icons

Files:

- File icons
- Backup to *.bak

Miscellaneous:

- Logging
- Display

Defaults:

- Default Primary Group
- Default Group Manager
- Default Home

At the bottom of this frame there are two buttons:

- Set Actions...
- Files

All these settings are saved automatically to 'ENV:' when you Quit 'AM'. If you want to store them permanently use the Edit-Save menu item.

1.62 am1_1.guide/Set up new \$HOMEs

Set up new \$HOME directories

If a \$HOME directory does not exist when you Save it will be created, and the script file 'MULTIUSER_PASSWD_DIR/am_create_home.script' will be executed (if it exists).

This script is executed after logging in as the new user. The current directory is the MULTIUSER_PASSWD_DIR.

So you could create a 'MULTIUSER_PASSWD_DIR/default_home' directory containing all files to be installed in the new \$HOME. If you have a 'MAssign HOME: %h' running you could put a 'Copy default_home/#? HOME: CLONE ALL' command into the 'am_create_home.script'.

In case you want to install files having a different owner just call (from script) 'Logout' (you are 'root' then), 'Login' as the new user (you don't have to supply a password!), and proceed with the installation.

Note: Remember to make the 'default_home' directory and its contents readable by everyone.

Note: Due to a small bug in MultiUser, automatic creation of home directories might fail in some cases. For some reason, MultiUser does not react on the file notification caused by the write to the passwd and MultiUser.group files. So MultiUser does not recognize the new users, and 'AM' cannot log in as these new users.

As a workaround, I suggest to delete the new home directory and Save again until MultiUser knows about the new users.

1.63 am1_1.guide/Check \$HOMEs

Check \$HOME directories

If set, 'AM' will check during Save if the users' \$HOME directories are located on MultiUser partitions.

1.64 am1_1.guide/\$HOME icons

Create icons for new \$HOME directories

If set, 'AM' puts an icon for newly created \$HOME directories. Its image will be the default drawer icon. Its owner is the corresponding user, so he can adjust the dimensions of the drawer's window.

1.65 am1_1.guide/File icons

Create icons for the system files

If set, 'AM' creates icons for the passwd, MultiUser.group, MultiUser.config, and am.log files which are owned and only accessible by root. Their image is taken from 'AM''s image, but they are 'Project' icons with a default tool of 'AM'. Other ToolTypes are set according to the files' types.

1.66 am1_1.guide/Backup to *.bak

Safe saves

If set, 'AM' first moves the passwd and MultiUser.group files to '*.bak' when you Save. So 'passwd.bak' and 'MultiUser.group.bak' represent the status before saving.

If there is an error during the write process, 'AM' tries to recover from this situation by restoring the old contents from these '*.bak' files.

1.67 am1_1.guide/Logging

Turn on/off logging

This switch turns logging on/off. If selected, important information is appended to am.log during Save and Scan.

1.68 am1_1.guide/Display

Freezing the display

This switch is intended mostly for those of you who must work with slow machines. To make life a bit easier you can turn this switch off. When you Scan the MultiUser partitions the listview is not updated every time a new entry is added to that list.

Of course this will only save reasonable time if there are many files to be added.

Maybe this feature will be improved in future releases.

1.69 am1_1.guide/Default Primary Group

The default primary group

Every newly created user's Primary GroupID will initially be set to the group you supply here.

1.70 am1_1.guide/Default Group Manager

The default group manager

Every newly created group's Manager UserID will initially be set to the user you supply here.

1.71 am1_1.guide/Default Home

The default \$HOME directory

This string gadget describes the string which is copied to a newly created user's Home field. For example you could enter here the directory in which all the \$HOME directories are located.

1.72 am1_1.guide/Set Actions...

The Actions window

After pressing the Set Actions... button a window will open containing three register groups (Nobody, Deleted, and Orphan) with lots of buttons.

For each of these three types you can tell 'AM' what to do with files which fall into this category.

Two types of Actions are supported:

- * Change means that the file's owner is changed to the owner given in the string gadget below, and the file's protection bits are modified as stated in the 'Protection' part of this column.
- * Delete means that the file will be deleted. The owner string gadget and the 'Protection' area are disabled in this case.

If you choose Change you must supply the new owner's UserID in the

string gadget. The most comfortable way is to use the popup. *‘AM’ will not close this window if there is an illegal UserID.*

In the ‘Protection’ area you state how each of the file’s protection flags should be modified. All MultiUser supported flags are listed here.

- u: Only clearing and keeping is allowed here. *Keeping this flag unmodified is very very dangerous!!!* Default is ‘Clear’.
- spa: These flags may either be set, cleared or kept unmodified. Default is ‘Keep’.
- rwd for owner: These flags may either be set, cleared or kept unmodified. Default is ‘Keep’.
- rwd for group members or others: You have the choice between ‘Set’, ‘Clear’, ‘Keep’ and ‘Owner’. If you select ‘Owner’ the corresponding flag of the owner’s rwd part is copied. This is done *after* altering the owner rwd flags.

Use the Ok button to close this window. Please note again that the string gadgets must contain valid UserIDs if they are not disabled. *If there is an invalid setting in one of the string gadgets for the new owner, ‘AM’ does not close the window but displays the popup list for that entry!*

All settings in this window are saved automatically to ‘ENV:’ when you Quit ‘AM’. If you want to store them permanently (of course you want to do so :-) use the Edit-Save menu item.

1.73 am1_1.guide/Files

The Files requester

When you click on this button a requester pops up showing the file names currently in use for the following types of files:

```
passwd
MultiUser.group
MultiUser.config
am.log
```

1.74 am1_1.guide/passwd

The MultiUser passwd file

.....

This is the file where nearly all information on the users is stored (all but the secondary group information). See the MultiUser doc for

more info.

This filename can be changed at run time by an ARexx ChPasswd call.

1.75 am1_1.guide/MultiUser.group

The MultiUser group file

.....

This is the file where all information on the groups is stored. See the MultiUser doc for more info.

This filename can be changed at run time by an ARexx ChGroup call.

1.76 am1_1.guide/MultiUser.config

The MultiUser config file

.....

This is the file where you can control the various MultiUser features. See the MultiUser doc for more info.

1.77 am1_1.guide/am.log

'AM''s log file

.....

The log file informs you about some important things. The following information appears in the log file:

- * The file names when you Save
- * Users who don't have a password set when you Save
- * Files modified by Scan
- * Errors encountered during Save or Scan

The default place for the log file is in the same directory as the passwd file (determined by a 'muGetPasswdDirLock()' call).

See also Logging.

1.78 am1_1.guide/ARexx port

'AM''s ARexx port

Besides the standard MUI ARexx commands, 'AM' understands some additional ones which are usually not needed very often as they are mostly intended for testing purposes:

```
ARexx ChPasswd
ARexx ChGroup
ARexx Open
ARexx Save
```

The ARexx port's name is 'MU_AM'.

If you find it useful to add more power to the ARexx port please contact the Author.

1.79 am1_1.guide/ARexx ChPasswd

The ARexx 'ChPasswd' command
=====

This command is used to change the name for the passwd file at run time. If the new file already exists 'AM' uses the full path to the file.

Note: This command does not load the new file into its memory.

Template: FILENAME/A

Example:

```
`rx "ADDRESS MU_AM ChPasswd 'foo'"'
```

Please note the single quotes around 'foo' preventing ARexx from changing it to uppercase 'FOO' which IMHO looks a bit PC-ish.

1.80 am1_1.guide/ARexx ChGroup

The ARexx 'ChGroup' command
=====

This command is used to change the name for the MultiUser.group file at run time. If the new file already exists 'AM' uses the full path to the file.

Note: This command does not load the new file into its memory.

Template: FILENAME/A

Example:

```
`rx "ADDRESS MU_AM ChGroup 'bar' ""`
```

Please note the single quotes around 'bar' preventing ARexx from changing it to uppercase 'BAR' which IMHO looks a bit PC-ish.

1.81 am1_1.guide/ARexx Open

The ARexx 'Open' command

=====

Sending this command to the 'MU_AM' port is the same as clicking on the Open button in the Main Window.

1.82 am1_1.guide/ARexx Save

The ARexx 'Save' command

=====

Sending this command to the 'MU_AM' port is the same as clicking on the Save button in the Main Window.

1.83 am1_1.guide/Online Help

'AM''s online help system

Since AmigaOS 3.0 (V39+), 'intuition.library' provides an online help support: Place the mouse pointer over a portion of the window (a button, string, or even the background) and press the Help key on your keyboard.

If you supplied a valid help file (and have at least AmigaOS 3.0) you can make use of this feature to get quick help. 'AM' then searches for the help file in the following order:

- (1) the user supplied help file (if any)
- (2) 'PROGDIR:docs/%s/aml_1.guide'
- (3) 'HELP:%s/aml_1.guide'
- (4) the user supplied help file (if any); '%s' replaced by 'english'
- (5) 'PROGDIR:docs/english/aml_1.guide'
- (6) 'HELP:english/aml_1.guide'

In (1), (2), and (3), the '%s' is replaced by the name of the language you want 'AM' to run in. See also ToolTypes and Command line arguments.

1.84 am1_1.guide/Development

Information on 'AM''s development

In this chapter you find information on the following topics:

Author
Crew
Credits
Known bugs
History

1.85 am1_1.guide/Author

Short information on the author
=====

'AM' was written by:

Ingolf Koch
Wellenkampstraße 38
D-32791 Lage
Germany
Phone: 05232/2700

If you call from other countries replace the leading 0 by the appropriate prefix for Germany.
My email address is 'ingolf@mathematik.uni-bielefeld.de'.
Additionally, I can often be found on IRC. My nick name is 'Balin'.

Please note that my email address will change in March or April '95 as I will probably move to Jena. If you want to be informed about my new address let me know!

And don't forget to send me a postcard if you like this program!

1.86 am1_1.guide/Crew

The development crew
=====

There are quite a few people who had great influence on 'AM' being what it is now. On the one hand, there are the translators:

- * Paul Dolk (Dutch catalog)
- * Håkon Enger (Norwegian catalog)
- * Christofer Kull (Swedish catalog)
- * Gaël Marziou (French catalog)
- * Tomasz Nidecki (Polish catalog)
- * Goncalo Valverde (Portuguese catalog)

They also did a lot of testing (and bug reporting :-). Thank you!
(The German 'translation' was done by the Author himself.)

On the other hand, there are additional testers who helped me very much with their bug reports, criticism, and suggestions (and the list of suggestions is growing and growing...):

- * Reza Elghazi
- * Walter Francis
- * Michael Hohmann
- * Krunoslav Njers
- * Bernhard Seefeld
- * Horst Weber

Thanks again for your work, guys.

1.87 am1_1.guide/Credits

Lots of thanks
=====

Besides the 'AM' development Crew I'd like to thank the following people

- * Geert Uytterhoeven for MultiUser
 - * Stefan Stuntz for creating MUI, answering lots of questions and bearing my frequent (positive and negative) criticism
 - * Matt Dillon for DICE
 - * Markus Illenseer (ill) and other people on IRC (#AmigaGER) for their help
 - * Gaël Marziou for YAK
 - * Stefan Becker for ToolManager
-

I'm sure there are many more people I should mention here but they don't come to my mind just now...

1.88 am1_1.guide/Known bugs

Known bugs

=====

There are some bugs I'm aware of. They are not really caused by 'AM' but can make the work with 'AM' difficult in some cases.

- * There is a bug in version 7 of 'muimaster.library' making 'AM' hang if a window could not be opened. This has been fixed since version 8. (See Requirements.)
- * Sometimes MultiUser does not recognize that the passwd or MultiUser.group files have been changed. In this case Set up new \$HOMES does not work properly.

If you find additional bugs: don't hesitate to inform the Author.

1.89 am1_1.guide/History

Program history

=====

1.1: 20-Feb-95

- * New: "Check \$HOMES" now works
 - * New: Options window replacing and extending the Options menu
 - * New: MultiUser.config supported
 - * New: new entries "office", "work phone", and "home phone" (AmiTCP)
 - * New: Tooltypes supported
 - * New: ReadArgs() argument utilization
 - * New: Online AmigaGuide® help system
 - * New: Some own ARexx commands supported (ADDRESS MU_AM)
 - * Safer saves (*.bak file support)
 - * Description for am_create_home.script added to the doc
 - * Set Actions... window now with register groups
-
- Bug fixed: Popup button in User window was not disabled correctly
 - Bug fixed: Poupups sometimes were not correctly reenabled

1.0: 29-May-94

- * First public release

1.90 am1_1.guide/Localization

Translating 'AM' to another language

Currently, there are eight languages available for 'AM': English (the builtin), Dutch, French, German, Norwegian, Polish, Portuguese, and Swedish (see Crew). If you'd like to translate 'AM' to another language, please fill in the translated strings in the blank 'am.ct' file which comes with this distribution.

In many cases, a look at the catalog descriptor ('am.cd') will help you translate the strings in the right way. You can then compile the new catalog using Commodore's 'CatComp' utility (or similar).

But please don't spread your private catalog versions! If you have a new catalog or just want to improve an already existing one, you should contact the Author of 'AM'.

You can even translate the documentation. It is written in 'Texinfo', a simple TeX dialect. Via 'makeinfo', it can be converted to an AmigaGuide® file, but you can also run TeX with this file to produce a printed document.

Your translation should be based on the English 'am1_1.texinfo' file. There are lots of hints for the translation and compilation in it.

1.91 am1_1.guide/Related products

Information on related products

In this chapter you find information on the following topics:

MultiUser
MUI
AmiTCP

1.92 am1_1.guide/MultiUser

Short information on MultiUser

=====

MultiUser is a (or better say 'the') Multi User Security System. It was created by Geert Uytterhoeven for the Commodore Amiga computer. It works with AmigaOS 2.0+ and is implemented as a normal DOS file system. So it works with (nearly) all programs.

For more information see the 'MultiUser.doc' which comes with the MultiUser distribution.

1.93 am1_1.guide/MUI

Short information on MUI
=====

MUI is an abbreviation for Magic User Interface. It was created by Stefan Stuntz for the Commodore Amiga computer. To utilize MUI at least a 68020 or better is recommended, your computer will be very slow otherwise...

For more information see the 'ReadMe.mui' which comes with this distribution of 'AM'.

1.94 am1_1.guide/AmiTCP

Short information on AmiTCP
=====

AmiTCP is freely distributable TCP/IP networking package (better say: was--from version 4.0 it isn't free any longer). In many cases MultiUser is used in combination with AmiTCP. But unfortunately there are (still) differences in the passwd and group file formats.

Currently 'AM' supports only the MultiUser formats, but you may set Office, Work phone, and Home phone information for a user (which is a feature of AmiTCP).

'MultiUser 2.0' will have a passwd format compatible with AmiTCP. So future versions of 'AM' will be usable both for MultiUser and AmiTCP.

1.95 am1_1.guide/Index

Index

\$HOME	Home
\$HOME icons	\$HOME icons
About AM	Overview
Add Secondary Group	Add Secondary Group
Admit	Admit
AM Options	AM Options
am.log	am.log

AmitTCP	AmitTCP
am_create_home.script	Set up new \$HOMEs
ARexx ChGroup	ARexx ChGroup
ARexx ChPasswd	ARexx ChPasswd
ARexx Open	ARexx Open
ARexx port	ARexx port
ARexx Save	ARexx Save
Author	Author
Backup to *.bak	Backup to *.bak
Ban	Ban
Bug report	Author
Bugs	Requirements
Bugs	Known bugs
Buttons	Buttons
Cancel (Group)	Cancel (Group)
Cancel (User)	Cancel (User)
Check \$HOMEs	Check \$HOMEs
ChGroup	ARexx ChGroup
ChPasswd	ARexx ChPasswd
Clear Password	Clear Password
CLI	Command line arguments
Command line args	Command line arguments
Credits	Credits
Crew	Crew
Def. Group Manager	Default Group Manager
Def. Home	Default Home
Def. Prim. Group	Default Primary Group
Delete (Group)	Delete (Group)
Delete (User)	Delete (User)
Delete Secondary Group	Delete Secondary Group
Deleted	Deleted
Development	Development
Display	Display
Edit	Edit
Edit (Group)	Edit (Group)
Edit (User)	Edit (User)
Edit/Last Saved	Edit-Last Saved
Edit/Restore	Edit-Restore
Edit/Save	Edit-Save
File icons	File icons
Files	Files
Getting Started	Getting Started
GID	GID
GID (Group)	GID (Group)
GroupID	GroupID
Groups Window	Groups Window
Help	Online Help
History	History
Home	Home
HOME icons	\$HOME icons
Home phone	Home phone
Info display	Info display
Legal Stuff	Legal Stuff
Listviews	Listviews
Load	Open
Localization	Localization
Log file	am.log

Logging
Main Menu
Main Window
Manager UserID
Menu
MUI
MultiUser
MultiUser.config
MultiUser.config Options
MultiUser.group
Name (Group)
Name (User)
Networking
New (Group)
New (User)
Nobody
Office
Ok (Group)
Ok (User)
Online Help
Open
Open
Options Window
Orphan
Overview
passwd
Password
Primary GroupID
Project
Quit
Related products
Requirements
Safe saves
Save
Save
Scan
Scan Listview
Set Actions...
Set up new \$HOMEs
Shell
Shell
Stack
ToolTypes
Translation
UID
UID (User)
UserID
Users Window
Work phone
Workbench

Logging
Main Menu
Main Window
Manager UserID
Main Menu
MUI
MultiUser
MultiUser.config
MultiUser.config Options
MultiUser.group
Name (Group)
Name (User)
AmiTCP
New (Group)
New (User)
Nobody
Office
Ok (Group)
Ok (User)
Online Help
ARexx Open
Open
Options Window
Orphan
Overview
passwd
Password
Primary GroupID
Project
Quit
Related products
Requirements
Backup to *.bak
ARexx Save
Save
Scan
Scan Listview
Set Actions...
Set up new \$HOMEs
Shell
Command line arguments
Requirements
ToolTypes
Localization
UID
UID (User)
UserID
Users Window
Work phone
ToolTypes