

Index

Symbols

 **BinHex 'TEXT'** 19
 Keep Copy 19
 Signature 18
 Tabs in Body 19
 Word-Wrap 18
 New Mail icon 28, 93
 Attention icon 93
 \B 107
 \b 107
 \D 107
 \e 107
 \h 107
 \n 107
 \P 107
 \p 107
 \r 107
 \s 107
 \U 107
 \u 107
 \\ 107
 •
 In Nicknames window 66
 • message status 33
 μAccess 118
 - message status 33
 /stream 110
 6000.17 110
 7400.13 110
 > markers 13, 53
 ???@??? 33

A

Add As Recipient command 68
 Alert option 93
 Alerts
 Disabling 93
 Timing out 93
 Aliases, System 7 96
 Announcements 103

Application TEXT Files Belong To setting 78, 89
 Arrow keys 94
 Composition windows and 94
 ASCII 115
 Attach Document... command 46
 Attachments 46-50
 And duplicate names 50
 And UUCP 118
 Detaching 47
 Multiple 47
 Receiving 48
 Manually 48
 Receiving automatically 49, 89
 Receiving in encoded form 49
 Transliteration 117
 Auto-Ok option 93
 Automatically save attachments to option 48, 49, 50
 Automatically save attachments to setting 89

B

backslash 109
 Balloon Help 16, 95
 Bcc
 button 63
 BinHex 47, 50
 And plain TEXT documents 47
 BinHex 'TEXT'
 Icon in icon bar 19
 BinHex 'TEXT' option 47, 91
 Bounced mail 79-80
 Break 107

C

Carriage return 109, 110
 And dialups 107
 Cc
 button 63
 Change Password... command 27
 Change Queueing... command 23, 25
 Character Sets. *See* Transliteration
 Check For Mail setting 88
 Check Mail command 29

Index QUALCOMM Incorporated
Checking mail 8-11, 28-32, 93
Automatic 28
Minimum interval 28

Automatically opening In mailbox 94
Entering password 8, 26
Flashing icon on new mail 93
Manual 29
Sound on new mail 93
Stopping 32
Clear command 47
Cmd-Arrows option 94
Commas 59, 64, 70
Communication Tools 3
Communications 1 diskette 1
Communications Toolbox 2, 107
Communications... 4
Compact Mailboxes command 34, 36
Composition window 6
Configuration... command 5, 87
Connecting to servers
with dialup 110
Connection Method setting 5, 88
Connection tool 107, 108
Country code 115
CSOm 108
Current message 11

D

D message status 33
Date format 33
Delay 109
Delete command 16, 36
Delete key 47
Dialin password 109
Dialin username 109
Dialup 107
Dialup Username setting 89
Direct UNIX Navs 111
Don't transfer, just create button 38

E

Easy Delete option 36
Easy Delete setting 94
Easy Open option 95
Echo
And dialups 107
Empty Trash command 16, 36
Empty Trash on Quit option 36, 95
Enter key 35, 82

Enter Selection command 71
Errors
Bounced mail 79
Eudora Information 103
Eudora Log 96
Eudora Manual 1
Eudora Nicknames 96
Eudora Program 1
Eudora Settings 96
EudoraTables 115
Expect 109

F

F Message status 33
Field 6
Find 70-75
Match Case option 71, 74
Multiple messages 72
Next button 72
Next Mailbox button 73
Next Message button 73
Stopping 75
Summaries Only option 74
Within a message 70-72
Find Again command 72
Find button 71, 72
Find command 70
Finger 84
Using Ph window for 85
Finger button 85
Finish Nickname command 66
Inserting expansion instead 67
Flash Menu Icon option 93
Font settings
for printing 89
For screen 89
Forget Password command 27
Forward command 53
Forward To submenu 69
FUMLUB 29, 94

G

gnuucp 118
Guess Paragraphs option 76, 92

H

Index QUALCOMM Incorporated

Hide Balloons command 17, 95

I

Icon bar 18-19, 113

BinHex 'TEXT' 19

Eliminating 19

Eliminating or Enabling 90

Keep Copy 19

Priority popup 18

Queue button 19

Send button 19
Signature 18
Tabs in Body 19
Word-Wrap 18
Icon bar option 90
Ignoring previously read messages 30
Immediate Send option 22, 23, 91
In mailbox 10, 28, 30
Opening on new mail 94
Include Headers option 77, 92
Include Self option 52, 63, 92
Insert Recipient submenu 70
Installer 2
ISO Latin-1 115

J

K

Keep Copies 25
Icon in icon bar 19
Keep Copies option 91

L

Leave Mail on Server option 30, 93
And UUCP 119
Status
header 31
Linefeed 109, 110
Live Nicknames option 90
LMOS. *See* Leave Mail on Server option

M

Macintosh characters 115
Mail folder
Creating during transfer 38
Creating with the Mailboxes window 44
Moving with Mailboxes window 45
Mail Storage 96
Mailbox
Compacting 36
Thresholds for automatic 36
Creating during transfer 14
Creating with Mailboxes window 44
Mailbox window 32
Disjoint selection in 32
Double-line divider in 34

Range selection in 32
Resizing columns in 33
Size display in 34
Moving with Mailboxes window 45
Number of messages in 34
Opening 11, 35
Opening a message from 10
Space messages require in 34
Transferring messages between 14, 37
Copying during 37
Creating mail folders during 38
Creating mailboxes during 37
Creating mailboxes in subfolders during 39
Waste space in 34, 36
Zooming window 94
Mailbox Superclose option 95
Mailboxes command 40
Mailboxes menu 72
Mailboxes window 39
Creating a mail folder with 44
Creating a mailbox with 44
Moving a mail folder with 45
Moving a mailbox with 45
Moving around in 41
New button 44
Opening a mailbox from 40
Remove button 43
Removing mail folders with 42
Removing mailboxes with 42
Rename button 44
Renaming a mail folder with 43
Renaming a mailbox with 43
Selecting multiple mailboxes 43
Maildrop 118
UUCP
Format 119
Mailing list 59, 62
Make it a Folder button 38, 45
Make Nickname command 92
Make Nickname... command 61, 92
Using in Nicknames window 62
Using with current messages 62
Match Case option 71, 74
me nickname 52
Memory 97
Menu cursor 65
Message

Index QUALCOMM Incorporated

Closing 95

Deleting 16, 36

Unread/Queued 36, 94

Incoming 12

Forwarding 53

Headers 94

Redirecting 54

Redirecting & From
field 55

Replying to 12, 51
Replying to all 52, 92
Replying to all, but not self 52, 92
Replying to selection 52
Sending again 79
To
field 54
Transliteration tables for 115
Transliteration, changing 115
Transliteration, default 116
Zooming windows 94
Outgoing 6, 18
Adding addressees to with Nicknames window 63
Addressing with Quick Recipient list 69
Attachments
field 20, 47
Bcc
field 20
Body 19, 21
Cc
field 20
Changing status of 25
Closing 21
Creating 6, 18
Creating from Nicknames window 63
Deleting 22
From
field 6, 20, 53, 54
Header 19
Saving 13, 21, 23
Sending 7, 22
Sending, one-step 22, 91
Sending, two-step 23, 91
Subject
field 6, 20
To
field 20, 51, 53
Transliteration tables for 115
Transliteration, changing 116
Transliteration, default 116
Zooming window 94
Priority 80
Transferring 37
Copying during 37
Creating mail folders during 38
Creating mailboxes during 37

Creating mailboxes in subfolders during 39
Message Summary 10, 32
Changing subject of 82
Date in 33
Priority of messages 32, 33
Resizing columns in 33
Sender/Recipient in 33
Size in 33
Status of message 32
Forwarded 33
Not sendable 33
Queued 23
Read 33
Redirected 33
Replied 33
Sendable 21, 33
Sent 25, 33
Timed 24
Unread 28, 30, 33
Unsent 33
Subject in 33
Transliteration 116
Message Window Height setting 94
Message Window Lines setting 89
Message Window Width setting 89, 94
Messages
Incoming
Recombining split messages 77
Outgoing
Attaching document to 46
Timed 23
Saving to files 75
Using Redirect to repeat 55
Move button 45

N

Navigate In 107, 111
Navigate Mid 107
Navigate Out 107
Navigation 107
Special characters 108
Network Products Installer 2
New Message command 6, 18
New Message To submenu 69
New... command 14, 37, 39
Next button 72
Next command 72

Index QUALCOMM Incorporated

Next Mailbox button 73

Next Mailbox command 73

Next Message button 73

Next Message command 73

Next message, going to 94

Next time... button 24

Nickname

Removing 61

Nicknames 56

- Changing existing 60
- Expansion 57
- Putting on recipient list 61, 66
- Removing and Quick Recipient list 66
- Removing from Quick Recipient list 66
- Renaming and Quick Recipient list 66
- Saving 60, 61
- vs Quick Recipient list 65
- Nicknames window
 - Adding names to nicknames 58
 - Adding nicknames 57
 - Address(es) box 57, 59
 - New button 57
 - Notes box 57, 59
 - Using to add addressees to message 63
 - Using to send mail 63
- Nicknames... command 57

O

- Obtaining Eudora 103
- On or After button 24
- Open "In" Mailbox option 94
- Open... command 35
- Out Mailbox 14, 21, 25

P

- Paragraphs 92
- Password
 - Changing 27
 - Server source code for 103
- Dialup 109
- Entering 8, 26
- Forgetting 27
 - After failed expect 109
- Remembering 27
- Saving 27, 93
- Ph 84
 - Server source code 103
 - Setting server 89
 - Transliteration 117
 - Using Ph window for 84
- Ph button 84
- Ph Server setting 89
- Plain Arrows option 94
- Plug-in 108
- POP 28, 105

- Server for 103
- UNIX 103
- VAX/VMS 103
- VM/CMS 103
- POP Account
 - And UUCP 118
 - POP Account hostname 109
 - POP Account password 109
 - POP Account setting 5, 28, 87, 88
 - POP Account username 109
- POP server 30
- popper 103
- Preferences folder 115
- Print Selection... command 84
- Print... command 83
- Font settings 89
- Priority 80
 - And Reply 82
- Priority popup 113, 116
- Progress window 7
- Enabling/disabling 92
- Put it on the recipient list button 58

Q

- Queue button 23
- Queue For Delivery command 23, 25
- Quick Recipient list 67
 - Adding email address to 68
 - Adding existing nickname to 61, 66, 68
 - Adding new nickname to 58
 - Removing entry from 70
 - vs Nicknames 65
- Quit command
 - And emptying Trash 36
 - With queued messages 24
 - With timed messages 25
- Quitting 95

R

- R message status 33, 51, 54, 55
- Real Name setting 5, 88
- Redirect command 54, 56
- Redirect To submenu 69
- Rejected Mail 79
- Remove All button 43
- Remove It button 43

Index QUALCOMM Incorporated

Remove Recipient command 70

Removing a nickname 61

Removing mail folders 42

Removing mailboxes 42

Renaming a mail folder 43

Renaming a mailbox 43

Reply 12

- Reply All 52
- Reply All option 52, 63
- Reply command 51, 52
- Reply to All option 92
- Option key and 92
- Reply To submenu 69
- Requirements 1
- Return address 6
- And UUCP 119
- Return Address setting 88
- Returns
- Used for separating addresses 59
- RFC's 106
- Right Now button 24
- rsrc 108

S

- S message status 33
- Save As... command 75, 89
- And headers 92
- And paragraphs 92
- Application TEXT Files Belong To 78
- Save command 14, 21, 25, 61
- Save Password option 27, 93
- Scripting 112
- And dialups 105
- Send Again command 80
- Send button 7, 22, 91
- Send on Check option 24, 93
- Send Queued Messages command 23
- avoiding 24
- Sending mail 93
- Sharing a Macintosh 97
- Shortcuts 104
- Show All Headers option 94
- Show Balloons command 16, 95
- Show Progress option 22, 23, 29, 30, 92
- Signature 86
- And redirect 55
- Enabling/disabling 91
- Icon in icon bar 18
- Menu command 86
- Skip Big Messages option 31, 93
- Status
- header and 32
- SMTP 105
- SMTP Server
- QUALCOMM Incorporated

- And UUCP 118
- SMTP server hostname 109
- SMTP Server setting 88
- Sorting 75
- By date 75
- Multiple criteria 75
- Sound option 93
- Srialpop 111
- Status
- header 31, 32
- Subject
- Changing 82
- Summaries Only option 74
- Switches... command 90

T

- Tab key
- Switching fields with 19, 20
- taBL 113
- taBL id 1001 114, 115
- taBL id 1002 114, 115
- Table resource 114
- Tabs
- And pasting 19, 91
- And Save As... command 76
- Icon in icon bar 19
- In incoming mail 91
- Replaced with spaces 19, 91
- Tabs in Body option 91
- telnet 110
- Timeout 109
- To
- button 63
- Transliteration
- New way 114
- Old way 114
- Turning off 116
- Trash mailbox 16, 36, 95

U

- UNIX mail 96
- US ASCII 115
- Use Folder button 50
- Use Signature option 86, 91
- UUCP 118
- Changes meaning of Configuration... setting

Index QUALCOMM Incorporated

88

Working Files 119

D.mac0 ### 119

D.relay0 ### 119

UUCP/Connect 118

uupc 118

W

Word Wrap 21, 91

Icon in icon bar 18

Word Wrap option 91

X

X-Priority field 81

Z

Zoom Windows option 94