

Example

e want to create for handle a the window in figure.

First we must create this resources:

nd the DLOG descriptor 'EdF'

ow we must write the code to handle this data.

```
/**  
*
```

```
run();  
*  
*
```

```
Handle the Dialog of the example.  
*
```

(exampleDialog = 132, exampleDLOGDescr = 132)

*

***/
void Example::run(void)

DialogPtr

exampleDialog;

CgestisciDLOGDati
exampleDLOG;

EventRecord

event;

short

itemHit, pos;

Boolean

```
status;
```

```
exampleDialog = GetNewDialog(exampleDLOGID, NULL, (WindowPtr)-1L);
```

```
if (exampleDialog != NULL &&
```

```
!exampleDLOG.lgestisciDLOGDati(exampleDialog, exampleDLOGDescr))
```

```
exampleDLOG.disableAboutDLOG = true;
```

```
do
```

```
exampleDLOG.idle();
```

```
GetNextEvent(everyEvent, &event);
```

```
itemHit = exampleDLOG.gestEvent(&event);
```

```
if (itemHit == -1 && IsDialogEvent(&event))
```

```
DialogSelect(&event, &helpDialog, &itemHit);
```

```
exampleDLOG.itemSelect(&event, itemHit, &pos, &status);
```

```
if (itemHit == okexampleDLOGitem)
```

```
break;
```

```
while(true);
```

```
exampleDLOG.Dispose();
```

```
DisposDialog(exampleDialog);
```

```
else if (exampleDialog != NULL)
```

```
DisposDialog(exampleDialog);
```

