

Sheet1

BENCHMARK TESTS: ACCESS SERVERS (Higher scores represent better performance)

Access Server
ChatterBox 4000
LANMaster
IncomServ
PC-Slave/286
and XBUS4/AT
ComBridge
386/MultiWare
FlexCom

Access Server
ChatterBox 4000
LANMaster
IncomServ
PC-Slave/286
and XBUS4/AT
ComBridge
386/MultiWare
FlexCom

Access Server
ChatterBox 4000
LANMaster
IncomServ
PC-Slave/286
and XBUS4/AT
ComBridge
386/MultiWare
FlexCom

Access Server
ChatterBox 4000
LANMaster
IncomServ
PC-Slave/286
and XBUS4/AT
ComBridge
386/MultiWare
FlexCom

* While the Hard Disk Access
Load test is running.

NO LOAD	
Workstation	Load test
Throughput	not run.
Evaluation	
(megabits	
per second)	
2.26	
2.16	
1.39	

1.35

0.94
0.93
0.76

ONE STATION	
Workstation	
Throughput	Hard Disk
Evaluation *	Access Load
(megabits	(requests
per second)	per second)
1.2	95
1.64	100
0.96	76

1.13 103

0.53 60
0.83 69
0.67 90

TWO STATIONS	
Workstation	
Throughput	Hard Disk
Evaluation *	Access Load
(megabits	(requests
per second)	per second)
0.81	132
1.42	120
0.84	132

0.85 143

0.47 99
0.8 128
0.59 138

THREE STATIONS

Workstation

Throughput Evaluation * (megabits per second)	Hard Disk Access Load (requests per second)
0.78	185
1.21	297
0.8	181
0.63	166
0.42	238
0.75	178
0.41	144