

BBS Software: Summary of Features
Products listed in alphabetical order

	The Major BBS	Maximus-CBCS
GENERAL FEATURES (CONT.)		
Doors to external programs	n	y
Shell and execute	N/A	y
Swap to DOS and execute	N/A	y
Built-in expanded memory support	n	n
Built-in extended memory support	n	n (OS/2 only)
FOSSIL driver required	n	n (DOS only)
Maximum rate (bits per second)	38400	38400
USER INTERFACE		
Hotkeys	n	y
Full-screen message editor	Optional	y
Allows aliases	y	y
Scans for new messages or files	y	y
Allows chats with sysop	y	y
Allows chats with callers on-line	y	y
FILE-TRANSFER PROTOCOLS		
ASCII	y	n
Xmodem	y	y
1K-Xmodem	y	y
1K-Xmodem-G	n	n
Ymodem	y	n
Ymodem batch	y	n
Ymodem-G	y	n
Zmodem	y	y
Kermit	y	n
Other internal protocol	n	y
External protocol support	Optional	y
SECURITY		
Access levels	8	3072
Forced password changes	n	n
Private messages	y	y
Private message areas	y	y
Private file areas	y	y
Automatic user accounting	y	n
Phone-number check	n	n
User name check	n	y
Callback verification	Optional	y
MULTIUSER SUPPORT		
Native multiline/multiuser support	y	n
DOS multitasker support	n	y
OS/2 support	n	y
LAN support	n	y
BBS NETWORK SUPPORT		
FidoNet	y	y

Sheet1

PCRelay	n	n
Proprietary	n	n

N/A—Not applicable: The product does not have this feature.

Sheet1

Oracomm-Plus	PCBoard	RBBS-PC	RemoteAccess	Searchlight	Spitfire	TBBS	Wildcat!
y	y	y	y	y	y	n	y
n	y	y	y	n	n	N/A	y
n	y	y	y	y	y	N/A	y
y	y	n	y	y	y	y	y
y	y	n	n	n	n	n	n
n	n	n	y	n	n	n	n
19200	115200	38400	38400	38400	9600	38400	38400
y	n	y	y	y	y	y	y
n	y	n	Optional	y	n	n	y
n	n	n	y	n	n	n	n
y	y	y	y	y	y	y	y
y	y	y	y	y	y	y	y
y	y	n	n	y	n	y	y
n	y	y	n	n	y	y	y
y	y	y	y	y	y	y	y
y	y	y	y	y	n	n	y
n	y	n	n	n	y	y	y
y	y	n	y	n	y	y	y
y	y	n	y	n	y	y	y
n	n	n	n	n	n	n	n
n	n	n	n	n	y	y	n
n	y	y	y	y	y	n	y
32000	255	65536	More than 64000	More than 6600	999	4 million	50
n	n	n	y	n	n	n	n
y	y	y	y	y	y	y	y
y	y	y	y	y	n	y	y
y	y	y	y	y	y	y	y
y	y	y	y	y	n	y	y
n	n	y	y	n	n	n	n
y	y	y	y	y	y	n	y
n	y	y	y	y	n	n	y
y	n	n	n	n	n	y	n
n	y	y	y	y	y	n	y
n	y	y	y	y	y	n	y
y	y	y	y	y	y	y	y

Sheet1

y	y	y	n	y	y	n	y
y	n	n	n	n	n	n	n