

Sheet1

MODEM REMOTE-CONTROL SOFTWARE: SUMMARY OF FEATURES

Products listed in alphabetical order

y = yes n = no

| | |
|--|------------------|
| | BLAST |
| | Professional DOS |
| List price | \$295 |
| Host only | \$99 |
| Guest only | N/A* |
| LAN version available | y |
| MEMORY AND DISK STORAGE REQUIREMENTS | |
| Host application | 85K |
| TSR portion | 85K |
| Guest application | 400K |
| TSR portion | 400K |
| EXTENDED/EXPANDED MEMORY | |
| Can load host into extended or expanded RAM | n |
| Can load guest into extended or expanded RAM | n |
| Can remove TSRs without rebooting | y |
| Has built-in memory manager | n |
| Supports QEMM and 386MAX | y |
| INTERFACE | |
| Command-driven | y |
| Menu-driven | y |
| DOS character-based | y |
| Microsoft Windows 3.0 | N/A*** |
| FILE TRANSFER | |
| Works in foreground | y |
| Works in background | y |
| Compresses files | y |
| Offers simultaneous bidirectional transfer | y |
| Can transfer by batch | y |
| Can tag multiple files | y |
| Will prompt before overwriting | y |
| Offers delete/copy/move operations | y |
| Can turn off error checking | y |
| Includes protocols: | |
| Xmodem | y |
| Ymodem | y |
| Zmodem | y |
| Kermit | y |
| Other | Proprietary |
| SECURITY | |
| Can reboot host on hang-up | y |
| Can log off after inactive period | y |
| Master password available for system manager use | y |
| Uses separate password to change setup | y |
| Access restrictions: | |
| By drive | n |

Sheet1

| | |
|--|--------------------|
| By directory | n |
| By file | n |
| VIDEO | |
| Keystroke updates | y |
| Timed updates | n |
| Graphical updates: | |
| Full-screen bitmap | n |
| Changes only | y |
| Offers guest viewing of host | y |
| MICROSOFT WINDOWS MODES SUPPORTED | |
| Real | N/A*** |
| Standard | N/A*** |
| 386 Enhanced | N/A*** |
| MODEM | |
| Throughput range | 300 bps-115.2 Kbps |
| Utilizes 16550A UART chip | y |
| Prints at guest and host | y |
| INPUT | |
| Guest supports DOS mouse use | y |
| Guest supports Microsoft Windows mouse use | N/A*** |
| Relays audio signals | n |
| Host usage log available on-line | y |
| Guest usage log available on-line | y |
| Host notified of guest's call | n |
| Script language | y |
| Virus protection | n |
| Text editor | y |
| TERMINAL EMULATIONS | |
| ANSI | y |
| Data General D210 | y |
| DEC VT-100 | y |
| IBM 3101 | y |

N/A* Not applicable: The product is not available in this configuration.

N/A** Not applicable: This product runs only in the foreground as a guest application.

N/A*** Not applicable: This product does not support Microsoft Windows.

Sheet1

| Carbon Copy Plus | Central Point Commute | Close-Up | CO/Session |
|-------------------|--------------------------|-------------|-------------|
| \$199 | \$129 | \$199 | \$195 |
| \$119 | N/A* | N/A* | \$125 |
| \$119 | N/A* | N/A* | \$135 |
| y | y | y | y |
| 60K | 510K | 34K-80K | 5K-75K |
| 60K | 15K-60K | 34K-80K | 54K |
| 190K | 460K | 153K | 125K |
| 190K | 15K-60K | N/A** | 125K |
| n | y | y | y |
| n | y | n | n |
| y | y | y | y |
| n | y | n | n |
| y | y | y | y |
| y | y | y | y |
| n (with LAN only) | n | n | y |
| y | y | y | y |
| y | n | y | y |
| y | y | y | y |
| n | n | n | n |
| y | y | y | y |
| n | n | n | y |
| y | n | n | y |
| y | n | y | y |
| y | n | y | y |
| n | n | n | n |
| y | n | n | n |
| Ymodem batch | Proprietary | Proprietary | Proprietary |
| y | n | y | y |
| y | y | y | y |
| y | n | y | y |
| n | n | y | y |
| n | n | n | y |

Sheet1

| | | | |
|--------------------------|----------------------|--|--|
| n (during transfer only) | n | n | y |
| n | n | n | n |
| y | n | y | y |
| y | y | y | y |
| n | n | n | n |
| y | y | y | y |
| y | y | n (if guest has an equivalent monitor or better) | n (if guest has an equivalent monitor or better) |
| n (with LAN only) | y | y | y |
| n (with LAN only) | y | y | y |
| n (with LAN only) | y | y | y |
| 1,200 bps-19.2 Kbps | 1,200 bps-115.2 Kbps | 1,200 bps-115.2 Kbps | 1,200 bps-19.2 Kbps |
| y | y | y | n |
| y | y | y | y |
| n | y | y | y |
| n (with LAN only) | y | y | y |
| y | n | y | y |
| y | y | y | y |
| y | y | y | y |
| y | y | y | y |
| n | y | y | \$95 |
| n | y | y | n |
| n | n | n | n |
| n | n | n | n |
| y | n | n | y |
| y | n | n | n |

Sheet1

| ReachOut | Remote2 | Takeover Lite |
|---------------|---------------|-----------------------------------|
| \$195 | \$195 | \$179 |
| N/A* | \$129 | \$99 |
| N/A* | \$89 | \$99 |
| y | y | n |
| 9K-59K | 54K-100K | 48K-73K |
| 9K-59K | 54K-100K | 48K-73K |
| 321K | 127K | 330K-480K |
| N/A** | N/A** | N/A** |
| n | n | n |
| n | n | n |
| n (host only) | n (host only) | n (host only) |
| n | n | n |
| y | n | y |
| n | n | n (guest only) |
| y | y | y |
| y | y | y |
| y | n | N/A*** |
| n | y | n (guest only) |
| y | n | n (host only) |
| y | y | y |
| y | n | n |
| n | y | y |
| y | y | y |
| y | y | n |
| y | n | y |
| n | y | y |
| n | y | y |
| n | n | y |
| n | n | y |
| Proprietary | None | CompuServe B, Crosstalk, Hayes |
| y | y | y |
| n | y | y |
| y | n | n |
| n | y | n |
| y | y | y |

Sheet1

| | | |
|---------------------------------------|---------------------|---------------------|
| y | y | y |
| n | y | y |
| y | y | y |
| n | n | y |
| n (DOS graphics) | n | n |
| n (Windows graphics) | y | y |
| n (for text or VGA-to-VGA viewing) | y | y |
| y | y | N/A*** |
| y | y | N/A*** |
| y | y | N/A*** |
| 1,200 bps-38.4 Kbps | 1,200 bps-38.4 Kbps | 1,200 bps-19.2 Kbps |
| y | y | y |
| n | n | y |
| n | n | y |
| y | n | N/A*** |
| y | y | n |
| n | y | n |
| n | y | n |
| n | y | n |
| n | n | y |
| n | n | n |
| n | n | y |
| n | y | y |
| n | y | n |
| n | y | y |
| n | y | y |