

TestOS

COLLABORATORS

	<i>TITLE :</i> TestOS		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		September 4, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	TestOS	1
1.1	TestOS.doc	1
1.2	TestOS/ARGUMENTS_TOOLTYPES	1
1.3	TestOS/BUGREPORT	1
1.4	TestOS/DESCRIPTION	2
1.5	TestOS/DISCLAIMER	2
1.6	TestOS/EXAMPLES	2
1.7	TestOS/HISTORY	3
1.8	TestOS/INSTALLATION	3

Chapter 1

TestOS

1.1 TestOS.doc

```
ARGUMENTS_TOOLTYPES
BUGREPORT
DESCRIPTION
DISCLAIMER
EXAMPLES
HISTORY
INSTALLATION
```

1.2 TestOS/ARGUMENTS_TOOLTYPES

LOADFILE=LF The file to start, when you're clicking the '2.x' gadget under OS1.x. It's mostly 'ZKick' or 'KickIt'.

KICKFILE=KF The kickfile itself.

1xDRIVE=1D The kickstart 1.x partition.

RESET When this one is given, the other ones will be ignored. It's coming up another requester, inwhich you can chose the reset you wan't to do. 'Cold' is for a real cold reset: It clear cool-/coldcapture and else, and resets your amiga.

1.3 TestOS/BUGREPORT

If you find bugs or have just some good new ideas/improves, then contact me please per mail or internet.

INTERNET: bobak@amiga.physik.unizh.ch

E-MAIL: Bobak Andreas
Appenzellerstr. 73
CH-8049 Zürich

PHONE: ++41/ (0) 1-341-93-50

1.4 TestOS/DESCRIPTION

This is a little tool for all those, where haven't got an OS2.04 ROM.
It tests for OS2.x and OS1.x and starts the one or the other.

1.5 TestOS/DISCLAIMER

(C) Copyright 1991 by Andreas Bobak, Zurich/Switzerland
This software may be freely distributed as long as no changes are made.
Use at your own risk. No representations or warranties are made
with respect to the accuracy, reliability, performance, currentness,
or operation of this software.

1.6 TestOS/EXAMPLES

TestOS LOADFILE ZKick KICKFILE DH1:kick.175.20 1xDRIIVE DH2:

The executing command under 1.x are:
Requester: You can chose between:
'1.x': MoveSYS DH2:
Execute S:Startup-Sequence
and
'2.x': ZKick DH1:kick.175.20
--> Reset

The executing command under 2.x are:
By pressing left mousebutton:
Requester: You can chose between:
'1.x': --> Cold Reset
and
'2.x': Going on with the Startup-Sequence
By doing nothing:
Executing the 2.x Startup-Sequence

TestOS LF=ZKick KF=DH1:kick.175.20 1D=DH2:

The same like above.

TestOS RESET

Requester: You can chose between:
'Cold': It's giving a cold reset. The Cold-/Cool- and the
Warmcaptures will be cleared and then is it giving
a reset.
'Warm': It's only giving a normal reset, like Ctrl-A-A.

1.7 TestOS/HISTORY

```
21-Nov-91  V0.1 ABO Start project
12-Dec-91  V0.2 ABO -mmu removed... 'cause 68'000
25-Dec-91  V1.0 ABO Arguments implemented
26-Dec-91  V1.1 ABO Little bug with copying removed
12-Jan-92  V2.0 ABO Inserting the 'RESET'-Argument
```

1.8 TestOS/INSTALLATION

Copy 'TestOS' and 'MoveSYS' to your default SYS:

WARNING: You MUST have your OS2.x partition on the default SYS: !!

'TestOS' is , if you press the '2.x' gadget under OS1.x, giving as returncode a RETURN_WARN (error 5). So it's very easy to install the command.

Example for a Startup-Sequence:

```
TestOS LF=ZKick KF=DH1:kick.20 lD=DH2:
if not warn
    skip END
endif
```

... Normal 2.x Startup-Sequence

```
lab END
EndCLI >NIL:
```