

Type username in this field. (up to 8 symbols)

In this field You can enters commentary for current user. (up to 50 symbols)

Type password here, but read this memo:

In all systems based on password's protection, with input of the new user or change of the old password, for check of a misprint or other errors of the person, which enters information, the password is necessary for entering twice. If the person is mistaken, he enters different strings and therefore the password will not be confirmed and saved. Access Denied uses the same check, therefore please enter the new password equally at once in this two lines **"Enter password"** and **"Password confirmation"**. Only then the password will be accepted correct and will be saved.

For addition of the new user press this button

In this listbox are output all users of the system. When you select the user in this list, you can change his password and comment in the fields "*Password*" and "*Commentary*" of this dialog box.

Check this item for no verify password at boot in any form. This means that computer is unlocked and anyone can boot this PC.

If these items are checked then the computer will request username and password at boot. It will be good for PCs that have multiple users.

Choose this item if you want entering only one password without username on boot because only you use this computer, and not have another users. User whose password will be requesting at boot, choose in near list box.

This list box is for choice of user whose password will be check to get access to PC, if you want protecting your computer by one password.

Checking this item for disable special boot keys(F4/F8) what can help load to DOS or Safe mode Windows. Enable these keys can provide easy way to bypass ACCESS DENIED. Keep it this option in checked state for strong protection.

Press this button for delete current user from user's database. Current user is selected in user's listbox and you see commentary for him in commentary field of this dialog box.

Press this button for close this dialog without save changes.

Press this button to get help about this dialog.

Press this button for close this dialog and save changes.

**Pre-login message** you see it only one time when computer boot up and saying that logon procedure are begun.

Login prompt are invites to enter username(login).

Password request are provided to enter password.

Bad login/password pair are indicate that you enter not valid username or password.

**Access denied** is shown after three unsuccessful attempts and say that login failed and over.

**Welcome message** are output when you successfully login. In this message you can use **\$NAME** macro what is equivalent of logged user name.

Press this button for testing login procedure

Use this button to reset boot's access messages to default.

Setting new admin's password for Access Denied

Choice of method to lock boot-up

Check this item if you want to hide entering login's username by star's string like password. It can help you don't open your login name if you accept that someone can look on your screen when you type username and password.

Setting time format

Setting date format

This button is selecting short Windows date format

This button is selecting long Windows date format

Choose this button for defining your date format

Enter your date format here, format is the string what can contain following macros:

- d** Day of month as digits with no leading zero for single-digit days.
- dd** Day of month as digits with leading zero for single-digit days.
- ddd** Day of week as a three-letter abbreviation.
- dddd** Day of week as its full name.
- M** Month as digits with no leading zero for single-digit months.
- MM** Month as digits with leading zero for single-digit months.
- MMM** Month as a three-letter abbreviation.
- MMMM** Month as its full name.
- y** Year as last two digits, but with no leading zero for years less than 10.
- yy** Year as last two digits, but with leading zero for years less than 10.
- yyyy** Year represented by full four digits.
- gg** Period/era string. This element can be ignored.

Also you can include any other symbols(like spaces, dots or other), it is depend of your fantasy.

Preview of date

Default Windows time format

Select this button for defining your time format

This format string can include following macros:

<b>h</b>	Hours with no leading zero for single-digit hours; 12-hour clock
<b>hh</b>	Hours with leading zero for single-digit hours; 12-hour clock
<b>H</b>	Hours with no leading zero for single-digit hours; 24-hour clock
<b>HH</b>	Hours with leading zero for single-digit hours; 24-hour clock
<b>m</b>	Minutes with no leading zero for single-digit minutes
<b>mm</b>	Minutes with leading zero for single-digit minutes
<b>s</b>	Seconds with no leading zero for single-digit seconds
<b>ss</b>	Seconds with leading zero for single-digit seconds
<b>t</b>	One character time marker string, such as A or P
<b>tt</b>	Multicharacter time marker string, such as AM or PM

You can add any other symbols(like spaces, etc) what you needs for imaging time.

Preview of time

Changing color of pre-login message

Changing color of login prompt

Changing color of password request

Changing color of bad login/password pair

Changing color of access denied message

Changing color of welcome message

Changing color of username entering

Changing color of password entering

It is preview of colored text

Setting of foreground color of text

Adding/removing of blinking

Increment/decrease of brightness

Adding/removing *red* component of color

Adding/removing *green* component of color

Adding/removing *blue* component of color



