

Contents & General Info



WHAT IS THIS FILE?

The Delphi VCS Component Essential Reference is just help file that is built from a text file I found invaluable. It provides simple, clear looks at the different classes in Delphi, and the members of each one.

There is no contents page to this help file in the traditional sense. There are more than 220 topics and the Word Macro I am using was whipped up in 15 minutes and won't do the contents anyway :)

I will apologize now that not every class HAS a "Derived From" entry. About 15 out of 220+ were missing that text when I got the file. You can spot them in the "Search" window. They are under the "-" entry. But in most cases it is obvious anyway.

Have fun!

Oh, BTW, if anyone uses the included .RTF file to make a better version, do me a favor and send it along to me!

**Kenneth Jamieson
Xanadu Enterprises Inc.
soulhuntr@msn.com**

P.S. All this information came from a file called OBJREF.ZIP. The readme for that file says that it was posted by :

*Tim Roberts, new Delphi addict
75310,2475
timr@jia.com*

Thanks Tim and all the folks who gave us Delphi.

P.P.S. I claim no copyrights here, do whatever you want but I would be grateful if you could leave Tim and I in the file. Any trademarks belong to their respective companies.

The Word 6.0 Simple Format Help Generation Macro

```
' Kenneth Jamieson , 1995
'soulhuntre@msn.com
'
' Use it as you will, it is incredibly simple and I release
' it into the public domain.
'
' This macro is VERY simple. You must have your file set up with
' each desired topic on a new page (Hard Page Break).
' On each page, the top line will be parsed as shown below.
'
""EDBEngineError      (Unit DB) Derived from EDatabaseError"
'
' The whole line becomes the topic title.
' EDBEngineError -> Topic name
' EDBEngineError, Unit DB, EDatabaseError become keywords
'
' In addition, a Browse sequence number is started at 1 and added
' to each topic.
'
' IMPORTANT NOTE! BEcause of the syntax of this macro, you MUST have
' a HARD page break before EVERY topic, includeing the >>FIRST<<!
'
Dim Shared browseid
Sub MAIN
browseid = 1
EditFind .Find = "^m", .Direction = 0, .MatchCase = 0, .WholeWord = 0, .PatternMatch = 0, .SoundsLike =
0, .Format = 0, .Wrap = 0
While EditFindFound()
    LineDown 1
    StartOfLine
    WordRight 1, 1
    EditCopy
    InsertFootnote .Reference = "#", .NoteType = 0
    EditPaste
    ClosePane
    InsertFootnote .Reference = "$", .NoteType = 0
    EditPaste
    ClosePane
    InsertFootnote .Reference = "K", .NoteType = 0
    EditPaste
    Insert ";"
    OtherPane
    EditFind .Find = "(", .Direction = 0, .MatchCase = 0, .WholeWord = 0, .PatternMatch = 0, .SoundsLike = 0,
.Format = 0, .Wrap = 1
    CharRight 1
    WordRight 2, 1
    EditCopy
    OtherPane
    EditPaste
    Insert ";"
    OtherPane
    EndOfLine
```

```
WordLeft 1, 1
EditCopy
OtherPane
EditPaste
ClosePane
InsertFootnote .Reference = "+", .NoteType = 0
Insert Str$(browseid)
browseid = browseid + 1
ClosePane
StartOfLine
EditFind .Find = "^m", .Direction = 0, .MatchCase = 0, .WholeWord = 0, .PatternMatch = 0, .SoundsLike =
0, .Format = 0, .Wrap = 0
Wend
End Sub
```

EDBEngineError

(Unit DB) Derived from EDatabaseError

Properties

Methods

Events

ErrorCount
Errors

TApplication**(Unit Forms) Derived from TComponent**

Properties	Methods	Events
Active	BringToFront	OnActivate
DialogHandle	CancelHint	OnDeactivate
ExeName	ControlDestroyed	OnException
Handle	CreateForm	OnHelp
HelpCommand	HandleException	OnHint
HelpContext	HandleMessage	OnIdle
HelpFile	HookMainWindow	OnMessage
HelpJump	Minimize	OnMinimize
Hint	NormalizeTopMosts	OnRestore
HintColor	ProcessMessages	OnShowHint
HintPause	Restore	
Icon	RestoreTopMosts	
MainForm	Run	
MessageBox	ShowException	
ShowHint	Terminate	
Terminated	UnhookMainWindow	
Title		

TBCDField**(Unit DBTables) Derived from TFloatField**

Properties

Methods

Events

* Size

TBatchMove**(Unit DBTables) Derived from TComponent**

Properties

- * AbortOnKeyViol
- * AbortOnProblem
- ChangedCount
- * ChangedTableName
- * Destination
- KeyViolCount
- * KeyViolTableName
- * Mappings
- * Mode
- MovedCount
- ProblemCount
- * ProblemTableName
- * RecordCount
- * Source
- * Transliterate

Methods

- Execute

Events

TBevel**(Unit ExtCtrls) Derived from TGraphicControl**

Properties

Methods

Events

-
- * Align
 - * ParentShowHint
 - * Shape
 - * ShowHint
 - * Style
 - * Visible

TBitBtn**(Unit Buttons) Derived from TButton**

Properties

-
- * Cancel
- * Caption
- * Default
- * Enabled
- * Glyph
- * Kind
- * Layout
- * Margin
- * ModalResult
- * NumGlyphs
- * ParentShowHint
- * ShowHint
- * Spacing
- * Style
- * TabOrder
- * TabStop
- * Visible

Methods

-
- Click

Events

-
- * OnEnter
- * OnExit

TBitPool

(Unit Buttons) Derived from -

Properties

Methods

Events

Bits
Bits
OpenBit
OpenBit
Size

TBitmap**(Unit Graphics) Derived from TGraphic**

Properties

Canvas
Handle
Monochrome
Palette
ReleaseHandle
ReleasePalette
TransparentColor

Methods

Assign
Dormant
FreeImage
LoadFromClipboardFormat
LoadFromStream
SaveToClipboardFormat
SaveToStream

Events

TBitmapCanvas

(Unit Graphics) Derived from TCanvas

Properties

Methods

Events

TBlobField**(Unit DBTables) Derived from TField**

Properties

* Size

Methods

- Assign
- Clear
- LoadFromFile
- LoadFromStream
- SaveToFile
- SaveToStream

Events

TBlobStream**(Unit DBTables) Derived from TStream**

Properties

Read
Seek
Write

Methods

Truncate

Events

TBooleanField**(Unit DBTables) Derived from TField**

Properties

Methods

Events

* DisplayValues
Value

TBrush

(Unit Graphics) Derived from TGraphicsObject

Properties

-
- Bitmap
- * Color
- Handle
- * Style

Methods

-
- Assign

Events

-

TButton**(Unit StdCtrls) Derived from TButtonControl**

Properties

* Cancel
* Caption
* Default
* DragCursor
* DragMode
* Enabled
* Font
* ModalResult
* ParentFont
* ParentShowHint
* PopupMenu
* ShowHint
* TabOrder
* TabStop
* Visible

Methods

Click

Events

* OnClick
* OnDragDrop
* OnDragOver
* OnEndDrag
* OnEnter
* OnExit
* OnKeyDown
* OnKeyPress
* OnKeyUp
* OnMouseDown
* OnMouseMove
* OnMouseUp

TButtonGlyph

(Unit Buttons) Derived from -

Properties

Draw
Glyph
NumGlyphs

Methods

Events

OnChange

TBytesField**(Unit DBTables) Derived from TField**

Properties

Methods

Events

* Size

TCanvas

(Unit Graphics) Derived from TPersistent

Properties	Methods	Events
* Brush	Arc	OnChange
ClipRect	BrushCopy	OnChanging
* CopyMode	Chord	
* Font	CopyRect	
Handle	Draw	
* Pen	DrawFocusRect	
PenPos	Ellipse	
Pixels	FillRect	
TextHeight	FloodFill	
TextWidth	FrameRect	
	LineTo	
	MoveTo	
	Pie	
	Polygon	
	Polyline	
	Rectangle	
	Refresh	
	RoundRect	
	StretchDraw	
	TextOut	
	TextRect	

TCaptionProperty (Unit DsgnIntf) Derived from TStringProperty

Properties

Methods

Events

GetAttributes

TCharProperty**(Unit DsgnIntf) Derived from TOrdinalProperty**

Properties

Methods

Events

GetValue-----
SetValue

TCheckBox**(Unit StdCtrls) Derived from TCustomCheckBox**

Properties	Methods	Events
<ul style="list-style-type: none">* Alignment* AllowGrayed* Caption* Checked* Color* Ctl3D* DragCursor* DragMode* Enabled* Font* ParentColor* ParentCtl3D* ParentFont* ParentShowHint* PopupMenu* ShowHint* State* TabOrder* TabStop* Visible		<ul style="list-style-type: none">* OnClick* OnDragDrop* OnDragOver* OnEndDrag* OnEnter* OnExit* OnKeyDown* OnKeyPress* OnKeyUp* OnMouseDown* OnMouseMove* OnMouseUp

TClassProperty**(Unit DsgnIntf) Derived from TPropertyEditor**

Properties	Methods	Events
GetAttributes GetValue	GetProperties	

TClipboard

(Unit Clipbrd) Derived from TPersistent

Properties	Methods	Events
AsText	Assign	
FormatCount	Clear	
Formats	Close	
GetAsHandle	Open	
GetComponent	SetAsHandle	
GetTextBuf	SetComponent	
HasFormat	SetTextBuf	

TColorDialog**(Unit Dialogs) Derived from TCommonDialog**

Properties

Methods

Events

-
- * Color
 - * Ctl3D
 - * CustomColors
 - Execute
 - * Options

TColorProperty**(Unit DsgnIntf) Derived from TIntegerProperty**

Properties

GetAttributes
GetValue

Methods

Edit
GetValues
SetValue

Events

TComboBox **(Unit StdCtrls) Derived from TCustomComboBox**

Properties	Methods	Events
<ul style="list-style-type: none">* Color* Ctl3D* DragCursor* DragMode* DropDownCount* Enabled* Font* ItemHeight* Items* MaxLength* ParentColor* ParentCtl3D* ParentFont* ParentShowHint* PopupMenu* ShowHint* Sorted* Style* TabOrder* TabStop* Text* Visible	<ul style="list-style-type: none">-----	<ul style="list-style-type: none">* OnChange* OnClick* OnDblClick* OnDragDrop* OnDragOver* OnDrawItem* OnDropDown* OnEndDrag* OnEnter* OnExit* OnKeyDown* OnKeyPress* OnKeyUp* OnMeasureItem

TComboBoxStrings

(Unit StdCtrls) Derived from TStrings

Properties

Add

Methods

Clear
Delete
Insert

Events

TCommonDialog

(Unit Dialogs) Derived from TComponent

Properties

-
- * Ctl3D
 - * HelpContext

Methods

Events

TCommonDialogList

(Unit Dialogs) Derived from TList

Properties

Methods

Events

Add
Remove

TComponent**(Unit Classes) Derived from TPersistent**

Properties	Methods	Events
ComponentCount	DestroyComponents	
ComponentIndex	Destroying	
ComponentState	InsertComponent	
Components	RemoveComponent	
DesignInfo		
FindComponent		
* Name		
Owner		
* Tag		

TComponentEditor**(Unit DsgnIntf) Derived from -**

Properties

Component
Designer
GetVerb
GetVerbCount

Methods

Copy
Edit
ExecuteVerb

Events

TComponentList**(Unit DsgnIntf) Derived from TObject**

Properties	Methods	Events
Add Count Equals Items		

TComponentNameProperty (Unit DsgnIntf) Derived from TStringProperty

Properties	Methods	Events
-----	-----	-----

GetAttributes

TComponentProperty (Unit DsgnIntf) Derived from TPropertyEditor

Properties	Methods	Events
GetAttributes GetEditLimit GetValue	GetValues SetValue	

TControl**(Unit Controls) Derived from TComponent**

Properties	Methods	Events
Align	BeginDrag	
BoundsRect	BringToFront	
ClientHeight	DragDrop	
ClientOrigin	EndDrag	
ClientRect	Hide	
ClientToScreen	Invalidate	
ClientWidth	Refresh	
ControlState	Repaint	
ControlStyle	SendToBack	
* Cursor	SetBounds	
Dragging	SetTextBuf	
Enabled	Show	
GetTextBuf	Update	
GetTextLen		
* Height		
* Hint		
* Left		
Parent		
Perform		
ScreenToClient		
ShowHint		
* Top		
Visible		
* Width		

TControlCanvas

(Unit Controls) Derived from TCanvas

Properties

Methods

Events

Control

FreeHandle

TControlScrollBar**(Unit Forms) Derived from TPersistent**

Properties

-
- * Increment
- Kind
- * Margin
- * Position
- * Range
- ScrollPos
- * Visible

Methods

-
- Assign

Events

-

TCurrencyField**(Unit DBTables) Derived from TFloatField**

Properties

Methods

Events

TCursorProperty (Unit DsgnIntf) Derived from TIntegerProperty

Properties

GetAttributes
GetValue

Methods

GetValues
SetValue

Events

TCustomCheckBox (Unit StdCtrls) Derived from TButtonControl

Properties

Methods

Events

* TabStop

TCustomComboBox**(Unit StdCtrls) Derived from TWinControl**

Properties	Methods	Events
Canvas	Clear	
DroppedDown	SelectAll	
ItemIndex		
Items		
SelLength		
SelStart		
SelText		
* TabStop		

TCustomControl**(Unit Controls) Derived from TWinControl**

Properties

Methods

Events

TCustomDBGrid**(Unit DBGrids) Derived from TCustomGrid**

Properties	Methods	Events
EditorMode FieldCount Fields SelectedField SelectedIndex	DefaultDrawDataCell	

TCustomEdit**(Unit StdCtrls) Derived from TWinControl**

Properties	Methods	Events
GetSelTextBuf	Clear	
Modified	ClearSelection	
SelLength	CopyToClipboard	
SelStart	CutToClipboard	
SelText	PasteFromClipboard	
* TabStop	SelectAll	
Text	SetSelTextBuf	

TCustomGrid

(Unit Grids) Derived from TCustomControl

Properties

Methods

Events

* TabStop

TCustomGroupBox (Unit StdCtrls) Derived from TCustomControl

Properties

Methods

Events

----- ----- -----

TCustomLabel**(Unit StdCtrls) Derived from TGraphicControl**

Properties

Methods

Events

Canvas

TCustomListBox**(Unit StdCtrls) Derived from TWinControl**

Properties

Canvas
ItemAtPos
ItemIndex
ItemRect
Items
SelCount
Selected
* TabStop
TabIndex

Methods

Clear

Events

TCustomMaskEdit**(Unit Mask) Derived from TCustomEdit**

Properties

EditText
GetTextLen
IsMasked
Text

Methods

Clear
ValidateEdit

Events

TCustomMemo**(Unit StdCtrls) Derived from TCustomEdit**

Properties

Methods

Events

Lines

TCustomOutline**(Unit Outline) Derived from TCustomGrid**

Properties	Methods	Events
Add	BeginUpdate	
AddChild	Clear	
AddChildObject	Delete	
AddObject	EndUpdate	
Canvas	FullCollapse	
GetDataItem	FullExpand	
GetItem	LoadFromFile	
GetNodeDisplayWidth	LoadFromStream	
GetTextItem	SaveToFile	
Insert	SaveToStream	
InsertObject	SetUpdateState	
ItemCount		
Items		
Row		
SelectedItem		

TCustomPanel**(Unit ExtCtrls) Derived from TCustomControl**

Properties

Methods

Events

TCustomRadioGroup (Unit ExtCtrls) Derived from TCustomGroupBox

Properties

Methods

Events

----- ----- -----

TDBCCheckBox (Unit DBCtrls) Derived from TCustomCheckBox

Properties	Methods	Events
<ul style="list-style-type: none">* Alignment* AllowGrayed* Caption Checked* Color* Ctl3D* DataField* DataSource* DragCursor* DragMode* Enabled Field* Font* ParentColor* ParentCtl3D* ParentFont* ParentShowHint* PopupMenu* ReadOnly* ShowHint State* TabOrder* TabStop* ValueChecked* ValueUnchecked* Visible		<ul style="list-style-type: none">* OnClick* OnDragDrop* OnDragOver* OnEndDrag* OnEnter* OnExit* OnKeyDown* OnKeyPress* OnKeyUp* OnMouseDown* OnMouseMove* OnMouseUp

TDBComboBox**(Unit DBCtrls) Derived from TCustomComboBox**

Properties

- * Color
- * Ctl3D
- * DataField
- * DataSource
- * DragCursor
- * DragMode
- * DropDownCount
- * Enabled
- Field
- * Font
- * ItemHeight
- * Items
- * ParentColor
- * ParentCtl3D
- * ParentFont
- * ParentShowHint
- * PopupMenu
- * ReadOnly
- * ShowHint
- * Sorted
- * Style
- * TabOrder
- * TabStop
- Text
- * Visible

Methods

Events

- * OnChange
- * OnClick
- * OnDblClick
- * OnDragDrop
- * OnDragOver
- * OnDrawItem
- * OnDropDown
- * OnEndDrag
- * OnEnter
- * OnExit
- * OnKeyDown
- * OnKeyPress
- * OnKeyUp
- * OnMeasureItem

TDBDataSet**(Unit DB) Derived from TDataSet**

Properties

Methods

Events

DBHandle

DBLocale

Database

* DatabaseName

TDBEdit**(Unit DBCtrls) Derived from TCustomMaskEdit**

Properties

* AutoSelect
* AutoSize
* BorderStyle
* CharCase
* Color
* Ctl3D
* DataField
* DataSource
* DragCursor
* DragMode
* Enabled
 Field
* Font
* MaxLength
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PasswordChar
* PopupMenu
* ReadOnly
* ShowHint
* TabOrder
* TabStop
* Visible

Methods

Events

* OnChange
* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnEndDrag
* OnEnter
* OnExit
* OnKeyDown
* OnKeyPress
* OnKeyUp
* OnMouseDown
* OnMouseMove
* OnMouseUp

TDBError**(Unit DB) Derived from -**

Properties

Methods

Events

Category
ErrorCode
Message
NativeError
SubCode

TDBGrid

(Unit DBGrids) Derived from TCustomDBGrid

Properties	Methods	Events
<ul style="list-style-type: none">* Align* BorderStyle Canvas* Color* Ctl3D* DataSource* DefaultDrawing* DragCursor* DragMode* Enabled* FixedColor* Font* Options* ParentColor* ParentCtl3D* ParentFont* ParentShowHint* PopupMenu* ReadOnly* ShowHint* TabOrder* TabStop* TitleFont* Visible		<ul style="list-style-type: none">* OnColEnter* OnColExit* OnDblClick* OnDragDrop* OnDragOver* OnDrawDataCell* OnEndDrag* OnEnter* OnExit* OnKeyDown* OnKeyPress* OnKeyUp

TDBImage

(Unit DBCtrls) Derived from TCustomControl

Properties

- * Align
- * AutoDisplay
- * BorderStyle
- * Center
- * Color
- * Ctl3D
- * DataField
- * DataSource
- * DragCursor
- * DragMode
- * Enabled
- Field
- * Font
- * ParentColor
- * ParentCtl3D
- * ParentFont
- * ParentShowHint
- Picture
- * PopupMenu
- * ReadOnly
- * ShowHint
- * Stretch
- * TabOrder
- * TabStop
- * Visible

Methods

- CopyToClipboard
- CutToClipboard
- LoadPicture
- PasteFromClipboard

Events

- * OnClick
- * OnDbClick
- * OnDragDrop
- * OnDragOver
- * OnEndDrag
- * OnEnter
- * OnExit
- * OnKeyDown
- * OnKeyPress
- * OnKeyUp
- * OnMouseDown
- * OnMouseMove
- * OnMouseUp

TDBListBox**(Unit DBCtrls) Derived from TCustomListBox**

Properties

* Align
* BorderStyle
* Color
* Ctl3D
* DataField
* DataSource
* DragCursor
* DragMode
* Enabled
 Field
* Font
* IntegralHeight
* ItemHeight
* Items
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PopupMenu
* ReadOnly
* ShowHint
* TabOrder
* TabStop
* Visible

Methods

Events

* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnDrawItem
* OnEndDrag
* OnEnter
* OnExit
* OnKeyDown
* OnKeyPress
* OnKeyUp
* OnMeasureItem
* OnMouseDown
* OnMouseMove
* OnMouseUp

TDBLookupCombo**(Unit DBLookup) Derived from TCustomEdit**

Properties

* AutoSelect
* Color
* Ctl3D
* DataField
* DataSource
 DisplayValue
* DragCursor
* DragMode
* DropDownCount
* DropDownWidth
* Enabled
* Font
* LookupDisplay
* LookupField
* LookupSource
* MaxLength
* Options
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PopupMenu
* ReadOnly
* ShowHint
* Style
* TabOrder
* TabStop
 Value
* Visible

Methods

CloseUp
DropDown

Events

* OnChange
* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnDropDown
* OnEndDrag
* OnEnter
* OnExit
* OnKeyDown
* OnKeyPress
* OnKeyUp
* OnMouseDown
* OnMouseMove
* OnMouseUp

TDBLookupList**(Unit DBLookup) Derived from TCustomDBGrid**

Properties

* Align
* BorderStyle
* Color
* Ctl3D
* DataField
* DataSource
 DisplayValue
* DragCursor
* DragMode
* Enabled
* Font
* LookupDisplay
* LookupField
* LookupSource
* Options
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PopupMenu
* ReadOnly
* ShowHint
* TabOrder
* TabStop
 Value
* Visible

Methods

Events

* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnEndDrag
* OnEnter
* OnExit
* OnKeyDown
* OnKeyPress
* OnKeyUp

TDBMemo

(Unit DBCtrls) Derived from TCustomMemo

Properties

- * Align
- * Alignment
- * AutoDisplay
- * BorderStyle
- * Color
- * Ctl3D
- * DataField
- * DataSource
- * DragCursor
- * DragMode
- * Enabled
- Field
- * Font
- * MaxLength
- * ParentColor
- * ParentCtl3D
- * ParentFont
- * ParentShowHint
- * PopupMenu
- * ReadOnly
- * ScrollBars
- * ShowHint
- * TabOrder
- * TabStop
- * Visible
- * WantTabs
- * WordWrap

Methods

- LoadMemo

Events

- * OnChange
- * OnClick
- * OnDblClick
- * OnDragDrop
- * OnDragOver
- * OnEndDrag
- * OnEnter
- * OnExit
- * OnKeyDown
- * OnKeyPress
- * OnKeyUp
- * OnMouseDown
- * OnMouseMove
- * OnMouseUp

TDBNavigator

(Unit DBCtrls) Derived from -

Properties	Methods	Events
-----	-----	-----
* Align	BtnClick	* OnClick
* ConfirmDelete	SetBounds	* OnDblClick
* Ctl3D		* OnDragDrop
* DataSource		* OnDragOver
* DragCursor		* OnEndDrag
* DragMode		* OnEnter
* Enabled		* OnExit
* Hints		* OnResize
* ParentCtl3D		
* ParentShowHint		
* PopupMenu		
* ShowHint		
* TabOrder		
* TabStop		
* Visible		
* VisibleButtons		

TDBRadioGroup

(Unit DBCtrls) Derived from TCustomRadioGroup

Properties

- * Align
- * Caption
- * Color
- * Columns
- * Ctl3D
- * DataField
- * DataSource
- * DragCursor
- * DragMode
- * Enabled
- Field
- * Font
- ItemIndex
- * Items
- * ParentColor
- * ParentCtl3D
- * ParentFont
- * ParentShowHint
- * PopupMenu
- * ReadOnly
- * ShowHint
- * TabOrder
- * TabStop
- Value
- * Values
- * Visible

Methods

Events

- * OnChange
- * OnClick
- * OnDragDrop
- * OnDragOver
- * OnEndDrag
- * OnEnter
- * OnExit

TDBText**(Unit DBCtrls) Derived from TCustomLabel**

Properties	Methods	Events
<ul style="list-style-type: none">* Align* Alignment* AutoSize* Color* DataField* DataSource* DragCursor* DragMode* Enabled Field* Font* ParentColor* ParentFont* ParentShowHint* PopupMenu* ShowHint* Transparent* Visible* WordWrap		<ul style="list-style-type: none">* OnClick* OnDblClick* OnDragDrop* OnDragOver* OnEndDrag* OnMouseDown* OnMouseMove* OnMouseUp

TDataLink**(Unit DB) Derived from TPersistent**

Properties

Active
ActiveRecord
BufferCount
DataSet
DataSource
Edit
Editing
ReadOnly
RecordCount

Methods

UpdateRecord

Events

TDataSet**(Unit DB) Derived from TComponent**

Properties	Methods	Events
* Active ActiveBuffer * AfterCancel * AfterClose * AfterDelete * AfterEdit * AfterInsert * AfterOpen * AfterPost * AutoCalcFields BOF * BeforeCancel * BeforeClose * BeforeDelete * BeforeEdit * BeforeInsert * BeforeOpen * BeforePost CanModify DataSource DefaultFields Designer EOF FieldName FieldCount FieldDefs Fields FindField GetBookmark GetCurrentRecord Handle IsLinkedTo Locale Modified RecordCount RecordSize State	Append AppendRecord Cancel CheckBrowseMode ClearFields Close CursorPosChanged Delete DisableControls Edit EnableControls First FreeBookmark GetFieldNames GotoBookmark Insert InsertRecord Last MoveBy Next Open Post Prior Refresh Resync SetFields UpdateCursorPos UpdateRecord	* OnCalcFields * OnNewRecord

TDataSetDesigner**(Unit DB) Derived from TObject**

Properties

DataSet

Methods

BeginDesign
DataEvent
EndDesign

Events

TDataSource**(Unit DB) Derived from TComponent**

Properties	Methods	Events
* AutoEdit * DataSet * Enabled IsLinkedTo State	Edit	* OnDataChange * OnStateChange * OnUpdateData

TDatabase**(Unit DB) Derived from TComponent**

Properties	Methods	Events
-----	-----	-----
* AliasName	Close	* OnLogin
* Connected	CloseDatasets	
* DatabaseName	Commit	
DatasetCount	Open	
Datasets	Rollback	
* DriverName	StartTransaction	
Handle	ValidateName	
IsSQLBased		
* KeepConnection		
Locale		
* LoginPrompt		
* Params		
Temporary		
* TransIsolation		

TDateField

(Unit DBTables) Derived from TDateTimeField

Properties

Methods

Events

----- ----- -----

TDateTimeField**(Unit DBTables) Derived from TField**

Properties

Methods

Events

-
- * DisplayFormat
 - * EditMask
 - Value

TDdeClItem**(Unit DdeMan) Derived from TPersistent**

Properties	Methods	Events
Control	SrvrDisconnect	
HszItem		
* Item		
RefreshData		
SetItem		

TDdeClientConv**(Unit DdeMan) Derived from TComponent**

Properties

* ConnectMode
Conv
DataMode
DdeFmt
* DdeService
* DdeTopic
ExecuteMacro
ExecuteMacroLines
* FormatChars
OpenLink
PasteLink
PokeData
PokeDataLines
requestData
* ServiceApplication
SetLink
StartAdvise
WaitStat

Methods

CloseLink

Events

* OnClose
* OnOpen

TDdeClientItem**(Unit DdeMan) Derived from TComponent**

Properties

-
- * DdeConv
 - * DdeItem
 - * Lines
 - * Text

Methods

Events

-
- * OnChange

TDdeMgr**(Unit DdeMan) Derived from TComponent**

Properties

Methods

Events

AppName
DdeInstId
GetExeName
LinkClipFmt

TDdeServerConv**(Unit DdeMan) Derived from TComponent**

Properties

ExecuteMacro

Methods

Events

* OnClose
* OnExecuteMacro
* OnOpen

TDdeServerItem**(Unit DdeMan) Derived from TComponent**

Properties	Methods	Events
-----	-----	-----
Fmt	Change	* OnChange
* Lines	CopyToClipboard	* OnPokeData
PokeData		
* ServerConv		
* Text		

TDdeSrvrConv**(Unit DdeMan) Derived from TComponent**

Properties

AdvStart
Conv
ExecuteMacro
Form
GetItem
HszTopic
PokeData
RequestData
SConv
Topic

Methods

AdvStop

Events

TDdeSrvrItem**(Unit DdeMan) Derived from TComponent**

Properties	Methods	Events
Conv HszItem Item RequestData Srvr	PostDataChange	

TDefaultEditor**(Unit DsgnIntf) Derived from TComponentEditor**

Properties

Methods

Events

Edit

TDesigner**(Unit Forms) Derived from TObject**

Properties

Form
IsControl
IsDesignMsg

Methods

Modified
Notification
PaintGrid
ValidateRename

Events

TDirectoryListBox**(Unit FileCtrl) Derived from TCustomListBox**

Properties

* Align
* Color
* Columns
* Ctl3D
* DirLabel
 Directory
* DragCursor
* DragMode
 Drive
* Enabled
* FileList
* Font
 GetItemPath
* IntegralHeight
* ItemHeight
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PopupMenu
* ShowHint
* TabOrder
* TabStop
* Visible

Methods

OpenCurrent
Update

Events

* OnChange
* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnEndDrag
* OnEnter
* OnExit
* OnKeyDown
* OnKeyPress
* OnKeyUp
* OnMouseDown
* OnMouseMove
* OnMouseUp

TDrawGrid

(Unit Grids) Derived from TCustomGrid

Properties	Methods	Events
<ul style="list-style-type: none">* Align* BorderStyleCanvasCellRectCol* ColCountColWidths* Color* Ctl3D* DefaultColWidth* DefaultDrawing* DefaultRowHeight* DragCursor* DragModeEditorMode* Enabled* FixedColor* FixedCols* FixedRows* FontGridHeight* GridLineWidthGridWidthLeftCol* Options* ParentColor* ParentCtl3D* ParentFont* ParentShowHint* PopupMenuRow* RowCountRowHeights* ScrollBarsSelection* ShowHint* TabOrder* TabStopTabStopsTopRow* Visible* VisibleColCount* VisibleRowCount	<ul style="list-style-type: none">MouseToCell	<ul style="list-style-type: none">* OnClick* OnColumnMoved* OnDblClick* OnDragDrop* OnDragOver* OnDrawCell* OnEndDrag* OnEnter* OnExit* OnGetEditMask* OnGetEditText* OnKeyDown* OnKeyPress* OnKeyUp* OnMouseDown* OnMouseMove* OnMouseUp* OnRowMoved* OnSelectCell* OnSetEditText* OnTopLeftChanged

TDriveComboBox**(Unit FileCtrl) Derived from TCustomComboBox**

Properties

* Color
* Ctl3D
* DirList
* DragCursor
* DragMode
 Drive
* Enabled
* Font
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PopupMenu
* ShowHint
* TabOrder
* TabStop
 Text
* TextCase
* Visible

Methods

Events

* OnChange
* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnDropDown
* OnEndDrag
* OnEnter
* OnExit
* OnKeyDown
* OnKeyPress
* OnKeyUp

TEdit**(Unit StdCtrls) Derived from TCustomEdit**

Properties	Methods	Events
<ul style="list-style-type: none">* AutoSelect* AutoSize* BorderStyle* CharCase* Color* Ctl3D* DragCursor* DragMode* Enabled* Font* HideSelection* MaxLength* OEMConvert* ParentColor* ParentCtl3D* ParentFont* ParentShowHint* PasswordChar* PopupMenu* ReadOnly* ShowHint* TabOrder* TabStop* Text* Visible		<ul style="list-style-type: none">* OnChange* OnClick* OnDblClick* OnDragDrop* OnDragOver* OnEndDrag* OnEnter* OnExit* OnKeyDown* OnKeyPress* OnKeyUp* OnMouseDown* OnMouseMove* OnMouseUp

TEnumProperty**(Unit DsgnIntf) Derived from TOrdinalProperty**

Properties

GetAttributes
GetValue

Methods

GetValues
SetValue

Events

TField**(Unit DB) Derived from TComponent**

Properties	Methods	Events
-----	-----	-----
* Alignment	Assign	* OnChange
AsBoolean	AssignValue	* OnGetText
AsDateTime	Clear	* OnSetText
AsFloat	FocusControl	* OnValidate
AsInteger	SetData	
AsString		
* Calculated		
CanModify		
DataSet		
DataSize		
DataType		
* DisplayNameLabel		
DisplayName		
DisplayText		
* DisplayWidth		
EditMask		
EditMaskPtr		
* FieldName		
FieldNo		
GetData		
* Index		
IsIndexField		
IsNull		
IsValidChar		
* ReadOnly		
* Required		
Size		
Text		
* Visible		

TFieldDataLink**(Unit DBTables) Derived from TDataLink**

Properties	Methods	Events
CanModify	Modified	OnActiveChange
Control	Reset	OnDataChange
Edit		OnEditingChange
Editing		OnUpdateData
Field		
FieldName		

TFieldDef**(Unit DB) Derived from -**

Properties

Methods

Events

CreateField
DataType
FieldClass
FieldNo
Name
Required
Size

TFieldDefs**(Unit DB) Derived from -**

Properties	Methods	Events
Count	Add	
Find	AddFieldDesc	
IndexOf	Assign	
Items	Clear	
	Update	

TListBox**(Unit FileCtrl) Derived from TCustomListBox**

Properties

* Align
* Color
* Ctl3D
 Directory
* DragCursor
* DragMode
 Drive
* Enabled
* FileEdit
 FileName
* FileType
* Font
* IntegralHeight
* ItemHeight
* Mask
* MultiSelect
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PopupMenu
* ShowGlyphs
* ShowHint
* TabOrder
* TabStop
* Visible

Methods

ApplyFilePath
Update

Events

* OnChange
* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnEndDrag
* OnEnter
* OnExit
* OnKeyDown
* OnKeyPress
* OnKeyUp
* OnMouseDown
* OnMouseMove
* OnMouseUp

TFileStream**(Unit Classes) Derived from THandleStream**

Properties

Methods

Events

TFiler**(Unit Classes) Derived from TObject**

Properties

Methods

Events

Root-----
DefineBinaryProperty
DefineProperty

TFilterComboBox (Unit FileCtrl) Derived from TCustomComboBox

Properties	Methods	Events
<ul style="list-style-type: none">* Color* Ctl3D* DragCursor* DragMode* Enabled* FileList* Filter* Font Mask* ParentColor* ParentCtl3D* ParentFont* ParentShowHint* ShowHint* TabOrder* TabStop Text* Visible		<ul style="list-style-type: none">* OnChange* OnClick* OnDblClick* OnDragDrop* OnDragOver* OnDropDown* OnEndDrag* OnEnter* OnExit* OnKeyDown* OnKeyPress* OnKeyUp

TFindDialog

(Unit Dialogs) Derived from TCommonDialog

Properties

Execute
* FindText
Handle
Left
* Options
Position
Top

Methods

CloseDialog

Events

* OnFind

TFloatField**(Unit DBTables) Derived from TNumericField**

Properties

Methods

Events

-
- * Currency
 - IsValidChar
 - * MaxValue
 - * MinValue
 - * Precision
 - Value

TFloatProperty**(Unit DsgnIntf) Derived from TPropertyEditor**

Properties

AllEqual
GetValue

Methods

SetValue

Events

TFolderBitmap**(Unit FileCtrl) Derived from TBitmap**

Properties

Methods

Events

TFont

(Unit Graphics) Derived from TGraphicsObject

Properties

-
- * Color
- Handle
- * Height
- * Name
- * Pitch
- PixelsPerInch
- * Size
- * Style

Methods

-
- Assign

Events

-

TFontDialog

(Unit Dialogs) Derived from TCommonDialog

Properties	Methods	Events
<ul style="list-style-type: none">* Device Execute* Font* MaxFontSize* MinFontSize* Options		<ul style="list-style-type: none">* OnApply

TFontNameProperty**(Unit DsgnIntf) Derived from TStringProperty**

Properties

GetAttributes

Methods

GetValues

Events

TFontProperty**(Unit DsgnIntf) Derived from TClassProperty**

Properties

Methods

Events

GetAttributes-----
Edit

TForm**(Unit Forms) Derived from TScrollingWinControl**

Properties	Methods	Events
<ul style="list-style-type: none">Active* ActiveControlActiveMDIChild* AutoScroll* BorderIcons* BorderStyleCanvas* CaptionClientHandle* ClientHeight* ClientWidthCloseQuery* Color* Ctl3DDesignerDropTarget* Enabled* Font* FormStyleGetFormImage* HeightHelper* HorzScrollBar* Icon* KeyPreviewMDIChildCountMDIChildren* MenuModalResult* ObjectMenuItem* PixelsPerInch* PopupMenu* Position* PrintScale* ScaledSetFocusedControl* ShowHintShowModalTileMode* VertScrollBar* Visible* Width* WindowMenu*WindowState	<ul style="list-style-type: none">ArrangeIconsCascadeCloseDefocusControlFocusControlHideNextPreviousPrintReleaseSendCancelModeSetFocusShowTile	<ul style="list-style-type: none">* OnActivate* OnClick* OnClose* OnCloseQuery* OnCreate* OnDblClick* OnDeactivate* OnDestroy* OnDragDrop* OnDragOver* OnHide* OnKeyDown* OnKeyPress* OnKeyUp* OnMouseDown* OnMouseMove* OnMouseUp* OnPaint* OnResize* OnShow

TFormDesigner**(Unit DsgnIntf) Derived from TDesigner**

Properties	Methods	Events
CreateMethod GetMethodName GetPrivateDirectory MethodExists	GetMethods RenameMethod ShowMethod	

TGlyphCache

(Unit Buttons) Derived from -

Properties

Methods

Events

Empty
GetList

ReturnList

TGlyphList

(Unit Buttons) Derived from TImageList

Properties

Add
AddMasked
Count

Methods

Delete

Events

TGraphic**(Unit Graphics) Derived from TPersistent**

Properties

Empty
Height
Modified
Width

Methods

Assign
LoadFromClipboardFormat
LoadFromFile
LoadFromStream
SaveToClipboardFormat
SaveToFile
SaveToStream

Events

OnChange




TGraphicControl

(Unit Controls) Derived from TControl

Properties

Methods

Events



TGraphicField**(Unit DBTables) Derived from TBlobField**

Properties

Methods

Events

TGraphicsObject

(Unit Graphics) Derived from TPersistent

Properties

Methods

Events

OnChange

TGridDataLink**(Unit DBGrids) Derived from TDataLink**

Properties	Methods	Events
AddMapping DefaultFields FieldCount Fields	ClearMapping Modified Reset	

TGroupBox

(Unit StdCtrls) Derived from TCustomGroupBox

Properties

- * Align
- * Caption
- * Color
- * Ctl3D
- * DragCursor
- * DragMode
- * Enabled
- * Font
- * ParentColor
- * ParentCtl3D
- * ParentFont
- * ParentShowHint
- * PopupMenu
- * ShowHint
- * TabOrder
- * TabStop
- * Visible

Methods

Events

- * OnClick
- * OnDblClick
- * OnDragDrop
- * OnDragOver
- * OnEndDrag
- * OnEnter
- * OnExit
- * OnMouseDown
- * OnMouseMove
- * OnMouseUp

TGroupBox

(Unit ExtCtrls) Derived from TRadioButton

Properties

Methods

Events

THandleCache**(Unit Graphics) Derived from TList**

Properties

RefCount
Release

Methods

Reference

Events

THandleStream

(Unit Classes) Derived from TStream

Properties

Handle
Read
Seek
Write

Methods

Events

THeader**(Unit ExtCtrls) Derived from TCustomControl**

Properties	Methods	Events
<ul style="list-style-type: none">* Align* AllowResize* BorderStyle* Enabled* Font* ParentFont* ParentShowHintSectionWidth* Sections* ShowHint* TabOrder* TabStop* Visible		<ul style="list-style-type: none">* OnSized* OnSizing

THeaderStrings

(Unit ExtCtrls) Derived from TStrings

Properties

Methods

Events

Assign
Clear
Delete
Insert

THintWindow**(Unit Controls) Derived from TCustomControl**

Properties

Canvas
Caption
Color
IsHintMsg

Methods

ActivateHint
ReleaseHandle

Events

TIExpert**(Unit Exptintf) Derived from TInterface**

Properties	Methods	Events
GetComment	Execute	
GetGlyph		
GetIDString		
GetMenuText		
GetName		
GetState		
GetStyle		

TIFileStream**(Unit IStreams) Derived from TIStream**

Properties

Methods

Events

FileStream
GetModifyTime
Read
Seek
Write

TIMemoryStream

(Unit IStreams) Derived from TISstream

Properties

GetModifyTime
MemoryStream
OwnStream
Read
Seek
Write

Methods

Events

TStream**(Unit VirtIntf) Derived from TInterface**

Properties

Methods

Events

GetModifyTime
Read
Seek
Write

TIToolServices**(Unit ToolIntf) Derived from TInterface**

Properties	Methods	Events
	RaiseException	
CloseFile		
CloseProject		
CompileLibrary		
CreateModule		
GetComponentCount		
GetComponentName		
GetCurrentFile		
GetFormCount		
GetFormName		
GetModuleCount		
GetModuleName		
GetNewModuleName		
GetParentHandle		
GetProjectName		
GetUnitCount		
GetUnitName		
IsFileOpen		
ModalDialogBox		
OpenFile		
OpenProject		
OpenProjectInfo		
ReloadFile		
SaveFile		
SaveProject		

TIcon**(Unit Graphics) Derived from TGraphic****Properties**

Handle
ReleaseHandle

Methods

Assign
LoadFromStream
SaveToStream

Events

TImage**(Unit ExtCtrls) Derived from TGGraphicControl**

Properties	Methods	Events
<ul style="list-style-type: none">* Align* AutoSize Canvas* Center* DragCursor* DragMode* Enabled* ParentShowHint* Picture* PopupMenu* ShowHint* Stretch* Visible		<ul style="list-style-type: none">* OnClick* OnDblClick* OnDragDrop* OnDragOver* OnEndDrag* OnMouseDown* OnMouseMove* OnMouseUp

TImageList**(Unit Graphics) Derived from -**

Properties	Methods	Events
Add	Delete	
AddMasked	Draw	
Count	Replace	
Delta	ReplaceMasked	
Height		
Width		

TIndexDef**(Unit DBTables) Derived from -**

Properties

Methods

Events

Expression
Fields
Name
Options

TIndexDefs**(Unit DBTables) Derived from -**

Properties	Methods	Events
Count	Add	
FindIndexForFields	Assign	
IndexOf	Clear	
Items	Update	

TIniFile**(Unit IniFiles) Derived from TObject**

Properties

FileName
ReadBool
ReadInteger
ReadString

Methods

EraseSection
ReadSection
ReadSectionValues
WriteBool
WriteInteger
WriteString

Events

TInplaceEdit**(Unit Grids) Derived from TCustomMaskEdit**

Properties	Methods	Events
PosEqual Visible	Deselect Hide Invalidate Move SetFocus UpdateLoc	

TIntegerField**(Unit DBTables) Derived from TNumericField**

Properties

Methods

Events

 IsValidChar
 * MaxValue
 * MinValue
 Value

TIntegerProperty**(Unit DsgnIntf) Derived from TOrdinalProperty**

Properties

Methods

Events

GetValue-----
SetValue

TInterface**(Unit VirtIntf) Derived from -**

Properties

Methods

Events

GetVersion-----
Free
Release

TLabel**(Unit StdCtrls) Derived from TCustomLabel**

Properties

- * Align
- * Alignment
- * AutoSize
- * Caption
- * Color
- * DragCursor
- * DragMode
- * Enabled
- * FocusControl
- * Font
- * ParentColor
- * ParentFont
- * ParentShowHint
- * PopupMenu
- * ShowAccelChar
- * ShowHint
- * Transparent
- * Visible
- * WordWrap

Methods

Events

- * OnClick
- * OnDblClick
- * OnDragDrop
- * OnDragOver
- * OnEndDrag
- * OnMouseDown
- * OnMouseMove
- * OnMouseUp

TList**(Unit Classes) Derived from TObject**

Properties	Methods	Events
Add	Clear	
Capacity	Delete	
Count	Exchange	
Expand	Insert	
First	Move	
IndexOf	Pack	
Items		
Last		
List		
Remove		

TListBox**(Unit StdCtrls) Derived from TCustomListBox**

Properties

* Align
* BorderStyle
* Color
* Columns
* Ctl3D
* DragCursor
* DragMode
* Enabled
* ExtendedSelect
* Font
* IntegralHeight
* ItemHeight
* Items
* MultiSelect
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PopupMenu
* ShowHint
* Sorted
* Style
* TabOrder
* TabStop
* Visible

Methods

Events

* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnDrawItem
* OnEndDrag
* OnEnter
* OnExit
* OnKeyDown
* OnKeyPress
* OnKeyUp
* OnMeasureItem
* OnMouseDown
* OnMouseMove
* OnMouseUp

TListBoxStrings**(Unit StdCtrls) Derived from TString**

Properties

Add

Methods

Clear
Delete
Insert

Events

TMPFilenameProperty**(Unit DsgnIntf) Derived from TStringProperty**

Properties

Methods

Events

GetAttributes-----
Edit

TMainMenu**(Unit Menus) Derived from TMenu**

Properties

* AutoMerge

Methods

GetOle2AcceleratorTable
Merge
PopulateOle2Menu
SetOle2MenuHandle
Unmerge

Events

TMaskEdit

(Unit Mask) Derived from TCustomMaskEdit

Properties	Methods	Events
<ul style="list-style-type: none">* AutoSelect* AutoSize* BorderStyle* CharCase* Color* Ctl3D* DragCursor* DragMode* EditMask* Enabled* Font* MaxLength* ParentColor* ParentCtl3D* ParentFont* ParentShowHint* PasswordChar* PopupMenu* ReadOnly* ShowHint* TabOrder* TabStop* Text* Visible		<ul style="list-style-type: none">* OnChange* OnClick* OnDblClick* OnDragDrop* OnDragOver* OnEndDrag* OnEnter* OnExit* OnKeyDown* OnKeyPress* OnKeyUp* OnMouseDown* OnMouseMove* OnMouseUp

TMediaPlayer**(Unit MPlayer) Derived from TCustomControl**

Properties	Methods	Events
<ul style="list-style-type: none">* AutoEnable* AutoOpen* AutoRewind Capabilities* ColoredButtons DeviceID* DeviceType* Display DisplayRect* Enabled* EnabledButtons EndPos Error ErrorMessage* FileName Frames Length Mode Notify NotifyValue* ParentShowHint Position* Shareable* ShowHint Start StartPos* TabOrder* TabStop TimeFormat TrackLength TrackPosition Tracks* Visible* VisibleButtons Wait	<ul style="list-style-type: none">BackCloseEjectNextOpenPausePauseOnlyPlayPreviousResumeRewindSaveStartRecordingStepStop	<ul style="list-style-type: none">* OnClick* OnEnter* OnExit* OnNotify* OnPostClick

TMemo**(Unit StdCtrls) Derived from TCustomMemo**

Properties

- * Align
- * Alignment
- * BorderStyle
- * Color
- * Ctl3D
- * DragCursor
- * DragMode
- * Enabled
- * Font
- * HideSelection
- * Lines
- * MaxLength
- * OEMConvert
- * ParentColor
- * ParentCtl3D
- * ParentFont
- * ParentShowHint
- * PopupMenu
- * ReadOnly
- * ScrollBars
- * ShowHint
- * TabOrder
- * TabStop
- * Visible
- * WantReturns
- * WantTabs
- * WordWrap

Methods

Events

- * OnChange
- * OnClick
- * OnDblClick
- * OnDragDrop
- * OnDragOver
- * OnEndDrag
- * OnEnter
- * OnExit
- * OnKeyDown
- * OnKeyPress
- * OnKeyUp
- * OnMouseDown
- * OnMouseMove
- * OnMouseUp

TMemoField**(Unit DBTables) Derived from T BlobField**

Properties

Methods

Events

Transliterate

TMemoStrings

(Unit StdCtrls) Derived from TString

Properties

Methods

Events

Clear
Delete
Insert
LoadFromStream
SaveToStream

TMemoryStream

(Unit Classes) Derived from TStream

Properties

Memory
Read
Seek
Write

Methods

Clear
LoadFromFile
LoadFromStream
SaveToFile
SaveToStream
SetSize

Events

TMenu**(Unit Menus) Derived from TComponent**

Properties

Methods

Events

DispatchCommand
DispatchPopup
FindItem
GetHelpContext
Handle
IsShortCut
* Items
WindowHandle

TMenuItem**(Unit Menus) Derived from TComponent**

Properties	Methods	Events
-----	-----	-----
* Break	Add	* OnClick
* Caption	Click	
* Checked	Delete	
Command	Insert	
Count	Remove	
* Enabled		
* GroupIndex		
Handle		
* HelpContext		
* Hint		
IndexOf		
Items		
Parent		
* ShortCut		
* Visible		

TMetafile**(Unit Graphics) Derived from TGraphic**

Properties

Handle
Inch

Methods

Assign
LoadFromClipboardFormat
LoadFromStream
SaveToClipboardFormat
SaveToStream

Events

TMethodProperty**(Unit DsgnIntf) Derived from TPropertyEditor**

Properties

AllEqual
GetAttributes
GetEditLimit
GetValue

Methods

Edit
GetValues
SetValue

Events

TModalResultProperty **(Unit DsgnIntf) Derived from TIntegerProperty**

Properties

GetAttributes
GetValue

Methods

GetValues
SetValue

Events

TNavButton**(Unit DBCtrls) Derived from TSpeedButton**

Properties

Methods

Events

Index
NavStyle

TNavDataLink**(Unit DBCtrls) Derived from TDataLink**

Properties

Methods

Events

TNotebook**(Unit ExtCtrls) Derived from TCustomControl**

Properties

* ActivePage
* Align
* Color
* Ctl3D
* DragCursor
* DragMode
* Enabled
* Font
* PageIndex
* Pages
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PopupMenu
* ShowHint
* TabOrder
* TabStop
* Visible

Methods

Events

* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnEndDrag
* OnEnter
* OnExit
* OnMouseDown
* OnMouseMove
* OnMouseUp
* OnPageChanged

TNumericField**(Unit DBTables) Derived from TField**

Properties

Methods

Events

-
- * Alignment
 - * DisplayFormat
 - * EditFormat

TOleContainer**(Unit ToCtrl) Derived from TCustomControl**

Properties	Methods	Events
Active	ActivateObjMenuItem	* OnActivate
* Align	CopyToClipboard	* OnDbClick
* AllowInPlace	DeleteSite	* OnDragDrop
* AutoActivate	DeleteStorage	* OnDragOver
* AutoSize	DoStatusLineMsg	* OnEndDrag
* BorderStyle	LoadFromFile	* OnEnter
* ConvertDlgHelp	LoadFromStream	* OnExit
* Ctl3D	ObjectMenuAction	* OnKeyDown
* DragCursor	SaveToFile	* OnKeyPress
* DragMode	SaveToStream	* OnKeyUp
* Enabled		* OnMouseDown
GetContainer		* OnMouseMove
GetObjectMenuItem		* OnMouseUp
GetObjectMenuItemCount		* OnStatusLineEvent
InActivation		
InPlaceActive		
InitInfo		
Modified		
* ObjClass		
* ObjDoc		
* ObjItem		
OleObjAllocated		
PInitInfo		
* ParentCtl3D		
* ParentShowHint		
Part		
PartRect		
* ShowHint		
Site		
Storage		
* TabOrder		
* TabStop		
* Visible		
* Zoom		

TOleDropNotify**(Unit ToCtrl) Derived from TObject**

Properties

DataFormat
DataHandle
DropForm
DropRect
PInitInfo

Methods

SetInfo

Events

TOpenDialog

(Unit Dialogs) Derived from TCommonDialog

Properties

-
- * DefaultExt
- Execute
- * FileEditStyle
- * FileName
- Files
- * Filter
- * FilterIndex
- * HistoryList
- * InitialDir
- * Options
- * Title

Methods

Events

TOutline

(Unit Outline) Derived from TCustomOutline

Properties	Methods	Events
<ul style="list-style-type: none">* Align* BorderStyle* Color* Ctl3D* DragCursor* DragMode* Enabled* Font* ItemHeight* ItemSeparator* Lines* Options* OutlineStyle* ParentColor* ParentCtl3D* ParentFont* ParentShowHint* PictureClosed* PictureLeaf* PictureMinus* PictureOpen* PicturePlus* PopupMenu* ScrollBars* ShowHint* Style* TabOrder* TabStop* Visible		<ul style="list-style-type: none">* OnClick* OnCollapse* OnDblClick* OnDragDrop* OnDragOver* OnDrawItem* OnEndDrag* OnEnter* OnExit* OnExpand* OnKeyDown* OnKeyPress* OnKeyUp* OnMouseDown* OnMouseMove* OnMouseUp

TOutlineNode**(Unit Outline) Derived from TPersistent**

Properties	Methods	Events
Data	ChangeLevelBy	
Expanded	Collapse	
FullPath	Expand	
GetDisplayWidth	FullExpand	
GetFirstChild	MoveTo	
GetLastChild		
GetNextChild		
GetPrevChild		
HasItems		
Index		
IsVisible		
Level		
Parent		
Text		
TopItem		

TOutlineStrings

(Unit Outline) Derived from TStrings

Properties

Add
GetObject

Methods

Clear
Delete
Insert
PutObject

Events

TPage**(Unit ExtCtrls) Derived from TCustomControl**

Properties

Methods

Events

-
- * Caption
 - * Height
 - * TabOrder
 - * Visible
 - * Width

TPageAccess**(Unit ExtCtrls) Derived from TString**

Properties

Methods

Events

Clear
Delete
Insert
Move

TPaintBox**(Unit ExtCtrls) Derived from TGraphicControl**

Properties

-
- * Align
- Canvas
- * Color
- * DragCursor
- * DragMode
- * Enabled
- * Font
- * ParentColor
- * ParentFont
- * ParentShowHint
- * PopupMenu
- * ShowHint
- * Visible

Methods

Events

-
- * OnClick
- * OnDblClick
- * OnDragDrop
- * OnDragOver
- * OnMouseDown
- * OnMouseMove
- * OnMouseUp
- * OnPaint

TPanel**(Unit ExtCtrls) Derived from TCustomPanel**

Properties

* Align
* Alignment
* BevelInner
* BevelOuter
* BevelWidth
* BorderStyle
* BorderWidth
* Caption
* Color
* Ctl3D
* DragCursor
* DragMode
* Enabled
* Font
* Locked
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PopupMenu
* ShowHint
* TabOrder
* TabStop
* Visible

Methods

Events

* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnEndDrag
* OnEnter
* OnExit
* OnMouseDown
* OnMouseMove
* OnMouseUp
* OnResize

TParam**(Unit DBTables) Derived from TObject**

Properties

AsBCD
AsBoolean
AsCurrency
AsDate
AsDateTime
AsFloat
AsInteger
AsSmallInt
AsString
AsTime
AsWord
Bound
DataType
GetDataSize
IsNull
Name
ParamType
Text

Methods

Assign
AssignField
Clear
GetData
SetData

Events

TParamList**(Unit DB) Derived from TObject**

Properties

Methods

Events

Buffer
FieldCount
FieldDescs

TParams**(Unit DBTables) Derived from TPersistent**

Properties

Count
CreateParam
Items
ParamByName

Methods

AddParam
Assign
AssignValues
Clear
RemoveParam

Events

TParser**(Unit Classes) Derived from TObject**

Properties

NextToken
SourceLine
SourcePos
Token
TokenFloat
TokenInt
TokenString
TokenSymbolIs

Methods

CheckToken
CheckTokenSymbol
Error
ErrorStr
HexToBinary

Events

TPen**(Unit Graphics) Derived from TGraphicsObject**

Properties

-
- * Color
- Handle
- * Mode
- * Style
- * Width

Methods

-
- Assign

Events

-

TPersistent**(Unit Classes) Derived from TObject**

Properties

Methods

Events

Assign

TPicture**(Unit Graphics) Derived from TPersistent****Properties**

Bitmap
Graphic
Height
Icon
Metafile
Width

Methods

Assign
LoadFromClipboardFormat
LoadFromFile
SaveToClipboardFormat
SaveToFile

Events

OnChange

TPopupGrid**(Unit DBLookup) Derived from TDBLookupList**

Properties

Methods

Events

RowCount

TPopupList

(Unit Menus) Derived from TList

Properties

Methods

Events

Add
Remove

TPopupMenu

(Unit Menus) Derived from TMenu

Properties

-
- * Alignment
- * AutoPopup
- * HelpContext
- PopupComponent

Methods

-
- Popup

Events

-
- * OnPopup

TPrintDialog

(Unit Dialogs) Derived from TPrinterSetupDialog

Properties

-
- * Collate
- * Copies
- Execute
- * FromPage
- * MaxPage
- * MinPage
- * Options
- * PrintRange
- * PrintToFile
- * ToPage

Methods

Events

TPrinter**(Unit Printers) Derived from TObject**

Properties

Methods

Events

Aborted	Abort
Canvas	BeginDoc
Fonts	EndDoc
Handle	GetPrinter
Orientation	NewPage
PageHeight	SetPrinter
PageNumber	
PageWidth	
PrinterIndex	
Printers	
Printing	
Title	

TPrinterSetupDialog**(Unit Dialogs) Derived from TCommonDialog**

Properties

Methods

Events

Execute

TPropInfoList**(Unit DsgnIntf) Derived from -**

Properties	Methods	Events
Contains Count Items	Delete Intersect	

TPropertyEditor**(Unit DsgnIntf) Derived from -**

Properties	Methods	Events
AllEqual	Activate	
Designer	Edit	
GetAttributes	GetProperties	
GetComponent	GetValues	
GetEditLimit	Initialize	
GetName	SetValue	
GetPropType		
GetValue		
PrivateDirectory		
PropCount		
Value		

TQuery

(Unit DBTables) Derived from TDBDataSet

Properties	Methods	Events
-----	-----	-----
* DataSource	ExecSQL	
Local	Prepare	
ParamByName	UnPrepare	
ParamCount		
* Params		
Prepared		
* RequestLive		
* SQL		
SQLBinary		
StmtHandle		
Text		
* UniDirectional		
* UpdateMode		



TQueryDataLink

(Unit DBTables) Derived from TDataLink

Properties

Methods

Events



TRadioButton**(Unit StdCtrls) Derived from TButtonControl**

Properties	Methods	Events
<ul style="list-style-type: none">* Alignment* Caption* Checked* Color* Ctl3D* DragCursor* DragMode* Enabled* Font* ParentColor* ParentCtl3D* ParentFont* ParentShowHint* PopupMenu* ShowHint* TabOrder* TabStop* Visible		<ul style="list-style-type: none">* OnClick* OnDblClick* OnDragDrop* OnDragOver* OnEndDrag* OnEnter* OnExit* OnKeyDown* OnKeyPress* OnKeyUp* OnMouseDown* OnMouseMove* OnMouseUp

TRadioButton

(Unit ExtCtrls) Derived from TCustomRadioGroup

Properties

- * Align
- * Caption
- * Color
- * Columns
- * Ctl3D
- * DragCursor
- * DragMode
- * Enabled
- * Font
- * ItemIndex
- * Items
- * ParentColor
- * ParentCtl3D
- * ParentFont
- * ParentShowHint
- * PopupMenu
- * ShowHint
- * TabOrder
- * TabStop
- * Visible

Methods

Events

- * OnClick
- * OnDragDrop
- * OnDragOver
- * OnEndDrag
- * OnEnter
- * OnExit

TReader**(Unit Classes) Derived from TFiler**

Properties	Methods	Events
EndOfList	DefineBinaryProperty	OnError
Owner	DefineProperty	OnFindMethod
Parent	Read	OnSetName
ReadBoolean	ReadComponents	
ReadChar	ReadListBegin	
ReadFloat	ReadListEnd	
ReadIdent	ReadSignature	
ReadInteger		
ReadRootComponent		
ReadStr		
ReadString		

TReplaceDialog

(Unit Dialogs) Derived from TFindDialog

Properties

Execute
Message
* ReplaceText

Methods

Events

* OnReplace

TReport

(Unit Report) Derived from TComponent

Properties	Methods	Events
* AutoUnload Busy CloseApplication CloseReport Connect * EndPage * InitialValues * MaxRecords * Preview Print * PrintCopies RecalcReport * ReportDir ReportHandle * ReportName RunMacro SetVariable SetVariableLines * StartPage VersionMajor VersionMinor	Run	

TReportDirProperty **(Unit Report) Derived from TPropertyEditor**

Properties	Methods	Events
GetAttributes GetValue	Edit SetValue	

TReportNameProperty (Unit Report) Derived from TPropertyEditor

Properties	Methods	Events
GetAttributes GetValue	Edit SetValue	

TScreen**(Unit Forms) Derived from TComponent**

Properties	Methods	Events
ActiveControl		OnActiveFormChange
ActiveForm		OnActiveControlChange
Cursor		
Cursors		
Fonts		
FormCount		
Forms		
Height		
PixelsPerInch		
Width		

TScrollBar**(Unit StdCtrls) Derived from TWinControl**

Properties

- * Ctl3D
- * DragCursor
- * DragMode
- * Enabled
- * Kind
- * LargeChange
- * Max
- * Min
- * ParentCtl3D
- * ParentShowHint
- * PopupMenu
- * Position
- * ShowHint
- * SmallChange
- * TabOrder
- * TabStop
- * Visible

Methods

- SetParams

Events

- * OnChange
- * OnDragDrop
- * OnDragOver
- * OnEndDrag
- * OnEnter
- * OnExit
- * OnKeyDown
- * OnKeyPress
- * OnKeyUp
- * OnScroll

TScrollBox

(Unit Forms) Derived from TScrollingWinControl

Properties

* Align
* AutoScroll
* BorderStyle
* Color
* Ctl3D
* DragCursor
* DragMode
* Enabled
* Font
* ParentColor
* ParentCtl3D
* ParentFont
* ParentShowHint
* PopupMenu
* ShowHint
* TabOrder
* TabStop
* Visible

Methods

Events

* OnClick
* OnDblClick
* OnDragDrop
* OnDragOver
* OnEndDrag
* OnEnter
* OnExit
* OnMouseDown
* OnMouseMove
* OnMouseUp
* OnResize

TScrollingWinControl **(Unit Forms) Derived from TWinControl**

Properties

-
- * HorzScrollBar
- * VertScrollBar

Methods

-
- ScrollInView

Events

-

TSelectDirDlg**(Unit FileCtrl) Derived from TForm**

Properties

Methods

Events

AllowCreate
Directory
Prompt

TSession**(Unit DB) Derived from TComponent**

Properties	Methods	Events
DatabaseCount	AddPassword	OnPassword
Databases	CloseDatabase	
FindDatabase	DropConnections	
GetPassword	GetAliasNames	
Handle	GetAliasParams	
KeepConnections	GetDatabaseNames	
Locale	GetDriverNames	
NetFileDir	GetDriverParams	
OpenDatabase	GetStoredProcNames	
PrivateDir	GetTableNames	
	RemoveAllPasswords	
	RemovePassword	

TSetElementProperty**(Unit DsgnIntf) Derived from TPropertyEditor**

Properties

AllEqual
GetAttributes
GetName
GetValue

Methods

GetValues
SetValue

Events

TSetProperty**(Unit DsgnIntf) Derived from TOrdinalProperty**

Properties

GetAttributes
GetValue

Methods

GetProperties

Events

TShape**(Unit ExtCtrls) Derived from TGraphicControl**

Properties

-
- * Brush
- * DragCursor
- * DragMode
- * Enabled
- * ParentShowHint
- * Pen
- * Shape
- * ShowHint
- * Visible

Methods

-
- * StyleChanged

Events

-
- * OnDragDrop
- * OnDragOver
- * OnEndDrag
- * OnMouseDown
- * OnMouseMove
- * OnMouseUp

TShortCutProperty **(Unit DsgnIntf) Derived from TOrdinalProperty**

Properties

GetAttributes
GetValue

Methods

GetValues
SetValue

Events

TSmallintField

(Unit DBTables) Derived from TIntegerField

Properties

Methods

Events

----- ----- -----

TSparseList**(Unit Grids) Derived from TObject**

Properties	Methods	Events
Add	Clear	
Count	Delete	
First	Exchange	
ForAll	Insert	
IndexOf	Move	
Items	Pack	
Last		
Remove		

TSparsePointerArray **(Unit Grids) Derived from TObject**

Properties

ForAll
HighBound
Items
SectionSize

Methods

ResetHighBound

Events

TSpeedButton

(Unit Buttons) Derived from TGraphicControl

Properties

- * AllowAllUp
- * Caption
- * Down
- * Enabled
- * Font
- * Glyph
- * GroupIndex
- * Layout
- * Margin
- * NumGlyphs
- * ParentFont
- * ParentShowHint
- * ShowHint
- * Spacing
- * Visible

Methods

- Click

Events

- * OnClick
- * OnDblClick
- * OnMouseDown
- * OnMouseMove
- * OnMouseUp

TStoredProc**(Unit DBTables) Derived from TDBDataSet**

Properties	Methods	Events
DescriptionsAvailable	CopyParams	
* Overload	ExecProc	
* ParamBindMode	GetResults	
ParamByName	Prepare	
ParamCount	UnPrepare	
* Params		
Prepared		
StmtHandle		
* StoredProcName		

TStream**(Unit Classes) Derived from TObject**

Properties	Methods	Events
CopyFrom	ReadBuffer	
Position	ReadResHeader	
Read	WriteBuffer	
ReadComponent	WriteComponent	
ReadComponentRes	WriteComponentRes	
Seek		
Size		
Write		

TStringField**(Unit DBTables) Derived from TField**

Properties

Methods

Events

-
- * EditMask
 - * Size
 - * Transliterate
 - Value

TStringGrid

(Unit Grids) Derived from TDrawGrid

Properties

Methods

Events

Cells
Cols
Objects
Rows

TStringGridStrings **(Unit Grids) Derived from TStrings**

Properties

Methods

Events

Assign

TStringList**(Unit Classes) Derived from TStrings**

Properties

Add
Duplicates
Find
IndexOf
Sorted

Methods

Clear
Delete
Exchange
Insert
Sort

Events

OnChange
OnChanging

TStringProperty**(Unit DsgnIntf) Derived from TPropertyEditor**

Properties	Methods	Events
-----	-----	-----
AllEqual GetEditLimit GetValue	SetValue	

TStringSparseList

(Unit Grids) Derived from TString

Properties	Methods	Events
-----	-----	-----
List	Clear DefineProperties Delete Exchange Insert ReadData WriteData	OnChange

TStrings

(Unit Classes) Derived from TPersistent

Properties	Methods	Events
Add	AddStrings	
AddObject	Assign	
Count	BeginUpdate	
Equals	Clear	
GetText	Delete	
IndexOf	EndUpdate	
IndexOfObject	Exchange	
Objects	Insert	
Strings	InsertObject	
Values	LoadFromFile	
	LoadFromStream	
	Move	
	SaveToFile	
	SaveToStream	
	SetText	

TTabOrderProperty **(Unit DsgnIntf) Derived from TIntegerProperty**

Properties

Methods

Events

GetAttributes

TTable**(Unit DBTables) Derived from TDBDataSet**

Properties	Methods	Events
BatchMove	AddIndex	
* Exclusive	ApplyRange	
FindKey	CancelRange	
GotoKey	CreateTable	
IndexDefs	DeleteIndex	
IndexFieldCount	DeleteTable	
* IndexFieldNames	EditKey	
IndexFields	EditRangeEnd	
* IndexName	EditRangeStart	
KeyExclusive	EmptyTable	
KeyFieldCount	FindNearest	
* MasterFields	GetIndexNames	
* MasterSource	GotoCurrent	
* ReadOnly	GotoNearest	
* TableName	LockTable	
* TableType	RenameTable	
* UpdateMode	SetKey	
	SetRange	
	SetRangeEnd	
	SetRangeStart	
	UnlockTable	

TTableDataLink**(Unit DBTables) Derived from TDataLink**

Properties

Methods

Events

TTimeField**(Unit DBTables) Derived from TDateTimeField**

Properties

Methods

Events

TTimer**(Unit ExtCtrls) Derived from TComponent**

Properties

-
- * Enabled
 - * Interval

Methods

Events

-
- * OnTimer

TVarBytesField**(Unit DBTables) Derived from TField**

Properties

Methods

Events

* Size

TVirtualStream**(Unit IStreams) Derived from TStream**

Properties

Methods

Events

- GetModifyTime
- Read
- Seek
- Write

TWinControl**(Unit Controls) Derived from TControl**

Properties	Methods	Events
Brush	Broadcast	
CanFocus	DisableAlign	
ContainsControl	EnableAlign	
ControlAtPos	GetTabOrderList	
ControlCount	HandleNeeded	
Controls	InsertControl	
Focused	Invalidate	
Handle	Realign	
HandleAllocated	RemoveControl	
* HelpContext	Repaint	
Showing	ScaleBy	
TabOrder	ScrollBy	
TabStop	SetBounds	
	SetFocus	
	Update	
	UpdateControlState	

TWinOleHelper**(Unit Forms) Derived from TObject**

Properties

OnSetFocus

Methods

OnActivate
OnClose
OnFormMouseDown
OnParentNotify
OnResize
OnSetName
OnShowModal

Events

TWordField

(Unit DBTables) Derived from TIntegerField

Properties

Methods

Events
