

# \$ K + Contents & General Info



## WHAT IS THIS FILE?

***The Delphi VCS Component Essential Reference*** is just help file that is built from a text file I found invaluable. It provides simple, clear looks at the different classes in Delphi, and the members of each one.

There is no contents page to this help file in the traditional sense. There are more than 220 topics and the Word Macro I am using was whipped up in 15 minutes and won't do the contents anyway :)

I will apologize now that not every class HAS a "Derived From" entry. About 15 out of 220+ were missing that text when I got the file. You can spot them in the "Search" window. They are under the "-" entry. But in most cases it is obvious anyway.

Have fun!

Oh, BTW, if anyone uses the included .RTF file to make a better version, do me a favor and send it along to me!

Kenneth Jamieson  
Xanadu Enterprises Inc.  
[soulhuntr@msn.com](mailto:soulhuntr@msn.com)

**P.S.** All this information came from a file called OBJREF.ZIP. The readme for that file says that it was posted by :

Tim Roberts, new Delphi addict  
75310,2475  
[timr@iia.com](mailto:timr@iia.com)

Thanks Tim and all the folks who gave us Delphi.

**P.P.S.** I claim no copyrights here, do whatever you want but I would be grateful if you could leave Tim and I in the file. Any trademarks belong to their respective companies.

\$

# Contents

\$ Contents

K Contents; Read Me; Author; Notes

+ 0

\$ The Word 6.0 Simple Format Help Generation Macro

\$# # ^K The Word 6.0 Simple Format Help Generation Macro

' Kenneth Jamieson , 1995  
' soulhuntre@msn.com

' Use it as you will, it is incredibly simple and I release  
' it into the public domain.

' This macro is VERY simple. You must have your file set up with  
' each desired topic on a new page (Hard Page Break).  
' On each page, the top line will be parsed as shown below.

"EDBEngineError (Unit DB) Derived from EDatabaseError"

' The whole line becomes the topic title.  
' EDBEngineError -> Topic name  
' EDBEngineError, Unit DB, EDatabaseError become keywords

' In addition, a Browse sequence number is started at 1 and added  
' to each topic.

' IMPORTANT NOTE! BEcause of the syntax of this macro, you MUST have  
' a HARD page break before EVERY topic, includeing the >>FIRST<<!

```
Dim Shared browseid
Sub MAIN
browseid = 1
EditFind .Find = "^m", .Direction = 0, .MatchCase = 0, .WholeWord = 0, .PatternMatch = 0, .SoundsLike = 0, .Format = 0, .Wrap = 0
While EditFindFound()
    LineDown 1
    StartOfLine
    WordRight 1, 1
    EditCopy
    InsertFootnote .Reference = "#", .NoteType = 0
    EditPaste
    ClosePane
    InsertFootnote .Reference = "$", .NoteType = 0
    EditPaste
    ClosePane
    InsertFootnote .Reference = "K", .NoteType = 0
    EditPaste
    Insert ";"
    OtherPane
    EditFind .Find = "(" , .Direction = 0, .MatchCase = 0, .WholeWord = 0, .PatternMatch = 0, .SoundsLike = 0, .Format = 0, .Wrap = 1
        CharRight 1
        WordRight 2, 1
        EditCopy
        OtherPane
        EditPaste
        Insert ":"
```

# Word\_Macro

^K Word Macro; FYI; Word; Macro; Word 6.0; WordBasic

```
OtherPane
EndOfLine
WordLeft 1, 1
EditCopy
OtherPane
EditPaste
ClosePane
InsertFootnote .Reference = "+", .NoteType = 0
Insert Str$(browseid)
browseid = browseid + 1
ClosePane
StartOfLine
EditFind .Find = "^m", .Direction = 0, .MatchCase = 0, .WholeWord = 0, .PatternMatch = 0, .SoundsLike =
0, .Format = 0, .Wrap = 0
Wend
End Sub
```

```
#
```

```
# EDBEngineError
```

#<sup>\$</sup> <sup>K</sup><sup>+</sup>+ EDBEngineError (Unit DB) Derived from EDatabaseError

Properties

ErrorCount  
Errors

Methods

Events

#

<sup>\$</sup> EDBEngineError

<sup>K</sup> EDBEngineError; Unit DB; EDatabaseError

<sup>+</sup> 1

# TApplication

#<sup>\$</sup> <sup>K</sup> TApplication (Unit Forms) Derived from <sup>+</sup> TComponent

Properties	Methods	Events
Active	BringToFront	OnActivate
DialogHandle	CancelHint	OnDeactivate
ExeName	ControlDestroyed	OnException
Handle	CreateForm	OnHelp
HelpCommand	HandleException	OnHint
HelpContext	HandleMessage	OnIdle
HelpFile	HookMainWindow	OnMessage
HelpJump	Minimize	OnMinimize
Hint	NormalizeTopMosts	OnRestore
HintColor	ProcessMessages	OnShowHint
HintPause	Restore	
Icon	RestoreTopMosts	
MainForm	Run	
MessageBox	ShowException	
ShowHint	Terminate	
Terminated	UnhookMainWindow	
Title		

#

<sup>\$</sup> TApplication

<sup>K</sup> TApplication; Unit Forms; TComponent

<sup>+</sup> 2

# TBCDField

#<sup>\$</sup> <sup>K</sup> TBCDField (Unit DBTables) Derived from <sup>+</sup> TFloatField

Properties

Methods

Events

-----  
\* Size

#

<sup>\$</sup> TBCDField

<sup>K</sup> TBCDField; Unit DBTables; TFloatField

<sup>+</sup> 3

# TBatchMove

#<sup>\$</sup> <sup>K</sup> TBatchMove (Unit DBTables) Derived from <sup>+</sup><sup>+</sup> TComponent

Properties	Methods	Events
-----	-----	-----
* AbortOnKeyViol	Execute	
* AbortOnProblem		
ChangedCount		
* ChangedTableName		
* Destination		
KeyViolCount		
* KeyViolTableName		
* Mappings		
* Mode		
MovedCount		
ProblemCount		
* ProblemTableName		
* RecordCount		
* Source		
* Transliterate		

#

<sup>\$</sup> TBatchMove

<sup>K</sup> TBatchMove; Unit DBTables; TComponent

<sup>+</sup> 4

# TBevel

#<sup>\$</sup> <sup>K</sup> TBevel (Unit ExtCtrls) Derived from <sup>+</sup> TGraphicControl

Properties

- 
- \* Align
- \* ParentShowHint
- \* Shape
- \* ShowHint
- \* Style
- \* Visible

Methods

Events

#

<sup>\$</sup> TBevel

<sup>K</sup> TBevel; Unit ExtCtrls; TGraphicControl

<sup>+</sup> 5

# TBitBtn

#<sup>\$</sup> <sup>K</sup> TBitBtn (Unit Buttons) Derived from <sup>++</sup> TButton

Properties	Methods	Events
* Cancel * Caption * Default * Enabled * Glyph * Kind * Layout * Margin * ModalResult * NumGlyphs * ParentShowHint * ShowHint * Spacing * Style * TabOrder * TabStop * Visible	Click	* OnEnter * OnExit

#

<sup>\$</sup> TBitBtn

<sup>K</sup> TBitBtn; Unit Buttons; TButton

<sup>+</sup> 6

# TBitPool

#<sup>\$</sup> \$<sup>K</sup> TBitPool (Unit Buttons) Derived from <sup>+-</sup>

Properties	Methods	Events
-----	-----	-----
Bits		
Bits		
OpenBit		
OpenBit		
Size		

#

<sup>\$</sup> TBitPool  
<sup>K</sup> TBitPool; Unit Buttons; -  
<sup>+</sup> 7  
# TBitmap

# \$ \$ K TBitmap (Unit Graphics) Derived from <sup>+</sup> TGraphic

Properties	Methods	Events
Canvas	Assign	
Handle	Dormant	
Monochrome	FreeImage	
Palette	LoadFromClipboardFormat	
ReleaseHandle	LoadFromStream	
ReleasePalette	SaveToClipboardFormat	
TransparentColor	SaveToStream	

#

\$ TBitmap

K TBitmap; Unit Graphics; TGraphic

<sup>+</sup> 8

# TBitmapCanvas

#<sup>\$</sup> <sup>K</sup> TBitmapCanvas      (Unit Graphics) Derived from <sup>+</sup> TCanvas

Properties

Methods

Events

#

<sup>\$</sup> TBitmapCanvas

<sup>K</sup> TBitmapCanvas; Unit Graphics; TCanvas

<sup>+</sup> 9

# TBlobField

#<sup>\$</sup> <sup>K</sup> TBlobField (Unit DBTables) Derived from <sup>+</sup> TField

Properties	Methods	Events
* Size	Assign Clear LoadFromFile LoadFromStream SaveToFile SaveToStream	

#

<sup>\$</sup> TBlobField

<sup>K</sup> TBlobField; Unit DBTables; TField

<sup>+</sup> 10

# TBlobStream

#<sup>\$</sup> <sup>K</sup> TBlobStream (Unit DBTables) Derived from <sup>+</sup> TStream

Properties	Methods	Events
Read Seek Write	Truncate	

#

<sup>\$</sup> TBlobStream

<sup>K</sup> TBlobStream; Unit DBTables; TStream

<sup>+</sup> 11

# TBooleanField

#<sup>\$</sup> <sup>K</sup> TBooleanField (Unit DBTables) Derived from <sup>++</sup> TField

Properties

-----  
\* DisplayValues  
Value

Methods

Events

#

<sup>\$</sup> TBooleanField

<sup>K</sup> TBooleanField; Unit DBTables; TField

<sup>+</sup> 12

# TBrush

# \$ <sup>K</sup> TBrush (Unit Graphics) Derived from <sup>+</sup> TGraphicsObject

Properties

- 
- Bitmap
- \* Color
- Handle
- \* Style

Methods

- 
- Assign

Events

#

\$ TBrush

<sup>K</sup> TBrush; Unit Graphics; TGraphicsObject

<sup>+</sup> 13

# TButton

# \$ \$ K TButton

(Unit StdCtrls) Derived from <sup>+</sup> TButtonControl

Properties	Methods	Events
-----	-----	-----
* Cancel	Click	* OnClick
* Caption		* OnDragDrop
* Default		* OnDragOver
* DragCursor		* OnEndDrag
* DragMode		* OnEnter
* Enabled		* OnExit
* Font		* OnKeyDown
* ModalResult		* OnKeyPress
* ParentFont		* OnKeyUp
* ParentShowHint		* OnMouseDown
* PopupMenu		* OnMouseMove
* ShowHint		* OnMouseUp
* TabOrder		
* TabStop		
* Visible		

#

\$ TButton

K TButton; Unit StdCtrls; TButtonControl

+ 14

# TButtonGlyph

#<sup>\$</sup> <sup>K</sup> TButtonGlyph (Unit Buttons) Derived from <sup>+-</sup>

**Properties**

Draw  
Glyph  
NumGlyphs

**Methods**

**Events**

OnChange

#

<sup>\$</sup> TButtonGlyph

<sup>K</sup> TButtonGlyph; Unit Buttons; -

<sup>+</sup> 15

# TBytesField

#<sup>\$</sup> <sup>K</sup> TBytesField (Unit DBTables) Derived from <sup>+</sup> TField

Properties

Methods

Events

-----  
\* Size

#

<sup>\$</sup> TBytesField

<sup>K</sup> TBytesField; Unit DBTables; TField

<sup>+</sup> 16

# TCanvas

#<sup>\$</sup> <sup>K</sup> TCanvas (Unit Graphics) Derived from <sup>+</sup> TPersistent

Properties	Methods	Events
* Brush	Arc	OnChange
ClipRect	BrushCopy	OnChanging
* CopyMode	Chord	
* Font	CopyRect	
Handle	Draw	
* Pen	DrawFocusRect	
PenPos	Ellipse	
Pixels	FillRect	
TextHeight	FloodFill	
TextWidth	FrameRect	
	LineTo	
	MoveTo	
	Pie	
	Polygon	
	Polyline	
	Rectangle	
	Refresh	
	RoundRect	
	StretchDraw	
	TextOut	
	TextRect	

#

<sup>\$</sup> TCanvas

<sup>K</sup> TCanvas; Unit Graphics; TPersistent

<sup>+</sup> 17

# TCaptionProperty

#<sup>\$</sup> <sup>K</sup> TCaptionProperty (Unit DsgnIntf) Derived from <sup>++</sup> TStringProperty

Properties

Methods

Events

-----  
GetAttributes

#

<sup>\$</sup> TCaptionProperty

<sup>K</sup> TCaptionProperty; Unit DsgnIntf; TStringProperty

<sup>+</sup> 18

# TCharProperty

#<sup>\$</sup> <sup>K</sup> TCharProperty      (Unit DsgnIntf) Derived from <sup>++</sup> TOrdinalProperty

Properties	Methods	Events
GetValue	SetValue	

#

<sup>\$</sup> TCharProperty  
<sup>K</sup> TCharProperty; Unit DsgnIntf; TOrdinalProperty  
<sup>+</sup> 19  
# TCheckBox

#<sup>\$</sup> <sup>K</sup> TCheckBox (Unit StdCtrls) Derived from <sup>++</sup> TCustomCheckBox

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Alignment</li><li>* AllowGrayed</li><li>* Caption</li><li>* Checked</li><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* State</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>-----</li></ul>	<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

<sup>\$</sup> TCheckBox

<sup>K</sup> TCheckBox; Unit StdCtrls; TCustomCheckBox

<sup>+</sup> 20

# TClassProperty

#<sup>\$</sup> <sup>K</sup> TClassProperty (Unit DsgnIntf) Derived from <sup>+</sup> TPropertyEditor

Properties	Methods	Events
GetAttributes GetValue	GetProperties	

#

<sup>\$</sup> TClassProperty

<sup>K</sup> TClassProperty; Unit DsgnIntf; TPropertyEditor

<sup>+</sup> 21

# TClipboard

#<sup>\$</sup> <sup>K</sup> TClipboard (Unit Clipbrd) Derived from <sup>+</sup> TPersistent

Properties	Methods	Events
AsText	Assign	
FormatCount	Clear	
Formats	Close	
GetAsHandle	Open	
GetComponent	SetAsHandle	
GetTextBuf	SetComponent	
HasFormat	SetTextBuf	

#

<sup>\$</sup> TClipboard

<sup>K</sup> TClipboard; Unit Clipbrd; TPersistent

<sup>+</sup> 22

# TColorDialog

#<sup>\$</sup> <sup>K</sup> TColorDialog (Unit Dialogs) Derived from <sup>+</sup> TCommonDialog

Properties

- 
- \* Color
- \* Ctl3D
- \* CustomColors
- Execute
- \* Options

Methods

Events

#

<sup>\$</sup> TColorDialog

<sup>K</sup> TColorDialog; Unit Dialogs; TCommonDialog

<sup>+</sup> 23

# TColorProperty

#<sup>\$</sup> <sup>K</sup> TColorProperty (Unit DsgnIntf) Derived from <sup>+</sup> TIntegerProperty

Properties	Methods	Events
GetAttributes GetValue	Edit GetValues SetValue	

#

<sup>\$</sup> TColorProperty

<sup>K</sup> TColorProperty; Unit DsgnIntf; TIntegerProperty

<sup>+</sup> 24

# TComboBox

# \$ <sup>K</sup> TComboBox (Unit StdCtrls) Derived from <sup>+</sup> TCustomComboBox

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* DropDownCount</li><li>* Enabled</li><li>* Font</li><li>* ItemHeight</li><li>* Items</li><li>* MaxLength</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* Sorted</li><li>* Style</li><li>* TabOrder</li><li>* TabStop</li><li>* Text</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>-----</li></ul>	<ul style="list-style-type: none"><li>* OnChange</li><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnDrawItem</li><li>* OnDropDown</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMeasureItem</li></ul>

#

<sup>S</sup> TComboBox

<sup>K</sup> TComboBox; Unit StdCtrls; TCustomComboBox

<sup>+</sup> 25

# TComboBoxStrings

#<sup>\$</sup> <sup>K</sup> TComboBoxStrings (Unit StdCtrls) Derived from <sup>+</sup> TStrings

Properties	Methods	Events
Add	Clear Delete Insert	

#

<sup>\$</sup> TComboBoxStrings

<sup>K</sup> TComboBoxStrings; Unit StdCtrls; TStrings

<sup>+</sup> 26

# TCommonDialog

#<sup>\$</sup> <sup>K</sup> TCommonDialog (Unit Dialogs) Derived from <sup>+</sup> TComponent

Properties

-----

- \* Ctl3D
- \* HelpContext

Methods

-----

Events

-----

#

<sup>\$</sup> TCommonDialog

<sup>K</sup> TCommonDialog; Unit Dialogs; TComponent

<sup>+</sup> 27

# TCommonDialogList

#<sup>\$</sup> <sup>K</sup> TCommonDialogList (Unit Dialogs) Derived from <sup>+</sup> TList

Properties	Methods	Events
	Add Remove	

#

<sup>\$</sup> TCommonDialogList

<sup>K</sup> TCommonDialogList; Unit Dialogs; TList

<sup>+</sup> 28

# TComponent

#<sup>\$</sup> <sup>K</sup> TComponent (Unit Classes) Derived from <sup>+</sup> TPersistent

Properties	Methods	Events
ComponentCount	DestroyComponents	
ComponentIndex	Destroying	
ComponentState	InsertComponent	
Components	RemoveComponent	
DesignInfo		
FindComponent		
* Name		
Owner		
* Tag		

#

<sup>\$</sup> TComponent

<sup>K</sup> TComponent; Unit Classes; TPersistent

<sup>+</sup> 29

# TComponentEditor

#<sup>\$</sup> <sup>K</sup> TComponentEditor (Unit DsgnIntf) Derived from <sup>+-</sup>

Properties	Methods	Events
Component	Copy	
Designer	Edit	
GetVerb	ExecuteVerb	
GetVerbCount		

#

<sup>\$</sup> TComponentEditor

<sup>K</sup> TComponentEditor; Unit DsgnIntf; -

<sup>+</sup> 30

# TComponentList

#<sup>\$</sup> <sup>K</sup> TComponentList (Unit DsgnIntf) Derived from <sup>+</sup><sup>+</sup> TObject

Properties

Add  
Count  
Equals  
Items

Methods

Events

#

<sup>\$</sup> TComponentList

<sup>K</sup> TComponentList; Unit DsgnIntf; TObject

<sup>+</sup> 31

# TComponentNameProperty

#<sup>\$</sup> <sup>K</sup> TComponentNameProperty (Unit DsgnIntf) Derived from <sup>+</sup><sup>+</sup> TStringProperty

Properties	Methods	Events
-----	-----	-----
GetAttributes		

#

<sup>\$</sup> TComponentNameProperty

<sup>K</sup> TComponentNameProperty; Unit DsgnIntf; TStringProperty

<sup>+</sup> 32

# TComponentProperty

#<sup>\$</sup> <sup>K</sup> TComponentProperty (Unit DsgnIntf) Derived from <sup>+</sup> TPropertyEditor

Properties	Methods	Events
GetAttributes GetEditLimit GetValue	GetValues SetValue	

#

<sup>\$</sup> TComponentProperty

<sup>K</sup> TComponentProperty; Unit DsgnIntf; TPropertyEditor

<sup>+</sup> 33

# TControl

# \$ ^ K TControl

(Unit Controls) Derived from <sup>++</sup> TComponent

Properties	Methods	Events
Align	BeginDrag	
BoundsRect	BringToFront	
ClientHeight	DragDrop	
ClientOrigin	EndDrag	
ClientRect	Hide	
ClientToScreen	Invalidate	
ClientWidth	Refresh	
ControlState	Repaint	
ControlStyle	SendToBack	
* Cursor	SetBounds	
Dragging	SetTextBuf	
Enabled	Show	
GetTextBuf	Update	
GetTextLen		
* Height		
* Hint		
* Left		
Parent		
Perform		
ScreenToClient		
ShowHint		
* Top		
Visible		
* Width		

#

\$ TControl

<sup>K</sup> TControl; Unit Controls; TComponent

<sup>+</sup> 34

# TControlCanvas

#<sup>\$</sup> <sup>K</sup> TControlCanvas (Unit Controls) Derived from <sup>+</sup>TCanvas

Properties	Methods	Events
Control	FreeHandle	

#

<sup>\$</sup> TControlCanvas

<sup>K</sup> TControlCanvas; Unit Controls; TCanvas

<sup>+</sup> 35

# TControlScrollBar

#<sup>\$</sup> <sup>K</sup> TControlScrollBar (Unit Forms) Derived from <sup>+</sup> TPersistent

Properties	Methods	Events
* Increment Kind * Margin * Position * Range ScrollPos * Visible	Assign	

#

<sup>\$</sup> TControlScrollBar

<sup>K</sup> TControlScrollBar; Unit Forms; TPersistent

<sup>+</sup> 36

# TCurrencyField

#<sup>\$</sup> <sup>K</sup> TCurrencyField      (Unit DBTables) Derived from <sup>++</sup> TFloatField

Properties

Methods

Events

#

<sup>\$</sup> TCurrencyField

<sup>K</sup> TCurrencyField; Unit DBTables; TFloatField

<sup>+</sup> 37

# TCursorProperty

#<sup>\$</sup> <sup>K</sup> TCursorProperty (Unit DsgnIntf) Derived from <sup>+</sup> TIntegerProperty

Properties	Methods	Events
GetAttributes GetValue	GetValues SetValue	

#

<sup>\$</sup> TCursorProperty

<sup>K</sup> TCursorProperty; Unit DsgnIntf; TIntegerProperty

<sup>+</sup> 38

# TCustomCheckBox

#<sup>\$</sup> <sup>K</sup> TCustomCheckBox (Unit StdCtrls) Derived from <sup>++</sup> TButtonControl

Properties

Methods

Events

-----  
\* TabStop

#

<sup>\$</sup> TCustomCheckBox

<sup>K</sup> TCustomCheckBox; Unit StdCtrls; TButtonControl

<sup>+</sup> 39

# TCustomComboBox

#<sup>\$</sup> <sup>K</sup> TCustomComboBox (Unit StdCtrls) Derived from <sup>+</sup> TWinControl

Properties	Methods	Events
Canvas	Clear	
DroppedDown	SelectAll	
ItemIndex		
Items		
SelLength		
SelStart		
SelText		
* TabStop		

#

<sup>\$</sup> TCustomComboBox

<sup>K</sup> TCustomComboBox; Unit StdCtrls; TWinControl

<sup>+</sup> 40

# TCustomControl

**#** **\$** **K** TCustomControl      (Unit Controls) Derived from **+** TWinControl

Properties

Methods

Events

#

**\$** TCustomControl

**K** TCustomControl; Unit Controls; TWinControl

**+** 41

**#** TCustomDBGrid

#<sup>\$</sup> <sup>K</sup> TCustomDBGrid (Unit DBGrids) Derived from <sup>+</sup> TCustomGrid

Properties	Methods	Events
EditorMode FieldCount Fields SelectedField SelectedIndex	DefaultDrawDataCell	

#

<sup>\$</sup> TCustomDBGrid

<sup>K</sup> TCustomDBGrid; Unit DBGrids; TCustomGrid

<sup>+</sup> 42

# TCustomEdit

#<sup>\$</sup> <sup>K</sup> TCustomEdit (Unit StdCtrls) Derived from <sup>+</sup> TWinControl

Properties	Methods	Events
GetSelTextBuf	Clear	
Modified	ClearSelection	
SelLength	CopyToClipboard	
SelStart	CutToClipboard	
SelText	PasteFromClipboard	
* TabStop	SelectAll	
Text	SetSelTextBuf	

#

<sup>\$</sup> TCustomEdit

<sup>K</sup> TCustomEdit; Unit StdCtrls; TWinControl

<sup>+</sup> 43

# TCustomGrid

#<sup>\$</sup> <sup>K</sup> TCustomGrid (Unit Grids) Derived from <sup>+</sup> TCustomControl

Properties

Methods

Events

-----  
\* TabStop

#

<sup>\$</sup> TCustomGrid

<sup>K</sup> TCustomGrid; Unit Grids; TCustomControl

<sup>+</sup> 44

# TCustomGroupBox

#<sup>\$</sup> <sup>K</sup> TCustomGroupBox (Unit StdCtrls) Derived from <sup>+</sup><sup>+</sup> TCustomControl

Properties

Methods

Events

#

<sup>\$</sup> TCustomGroupBox

<sup>K</sup> TCustomGroupBox; Unit StdCtrls; TCustomControl

<sup>+</sup> 45

# TCustomLabel

#<sup>\$</sup> <sup>K</sup> TCustomLabel      (Unit StdCtrls) Derived from <sup>+</sup> TGraphicControl

Properties

Methods

Events

-----  
Canvas

#

<sup>\$</sup> TCustomLabel

<sup>K</sup> TCustomLabel; Unit StdCtrls; TGraphicControl

<sup>+</sup> 46

# TCustomListBox

#<sup>\$</sup> <sup>K</sup> TCustomListBox (Unit StdCtrls) Derived from <sup>+</sup>TWinControl

Properties	Methods	Events
Canvas	Clear	
ItemAtPos		
ItemIndex		
ItemRect		
Items		
SelCount		
Selected		
* TabStop		
TabIndex		

#

<sup>\$</sup> TCustomListBox

<sup>K</sup> TCustomListBox; Unit StdCtrls; TWinControl

<sup>+</sup> 47

# TCustomMaskEdit

#<sup>\$</sup> <sup>K</sup> TCustomMaskEdit (Unit Mask) Derived from <sup>++</sup> TCustomEdit

Properties	Methods	Events
EditText GetTextLen IsMasked Text	Clear ValidateEdit	

#

<sup>\$</sup> TCustomMaskEdit

<sup>K</sup> TCustomMaskEdit; Unit Mask; TCustomEdit

<sup>+</sup> 48

# TCustomMemo

#<sup>\$</sup> <sup>K</sup> TCustomMemo

(Unit StdCtrls) Derived from <sup>+</sup> TCustomEdit

Properties

Methods

Events

-----  
Lines

#

<sup>\$</sup> TCustomMemo

<sup>K</sup> TCustomMemo; Unit StdCtrls; TCustomEdit

<sup>+</sup> 49

# TCustomOutline

#<sup>\$</sup> <sup>K</sup> TCustomOutline      (Unit Outline) Derived from <sup>+</sup> TCustomGrid

Properties	Methods	Events
Add	BeginUpdate	
AddChild	Clear	
AddChildObject	Delete	
AddObject	EndUpdate	
Canvas	FullCollapse	
GetDataItem	FullExpand	
GetItem	LoadFromFile	
GetNodeDisplayWidth	LoadFromStream	
GetTextItem	SaveToFile	
Insert	SaveToStream	
InsertObject	SetUpdateState	
ItemCount		
Items		
Row		
SelectedItem		

#

<sup>\$</sup> TCustomOutline

<sup>K</sup> TCustomOutline; Unit Outline; TCustomGrid

<sup>+</sup> 50

# TCustomPanel

#<sup>\$</sup> <sup>K</sup> TCustomPanel (Unit ExtCtrls) Derived from <sup>+</sup><sup>+</sup> TCustomControl

Properties

Methods

Events

#

<sup>\$</sup> TCustomPanel

<sup>K</sup> TCustomPanel; Unit ExtCtrls; TCustomControl

<sup>+</sup> 51

# TCustomRadioGroup

#<sup>\$</sup> <sup>K</sup> TCustomRadioGroup (Unit ExtCtrls) Derived from <sup>+</sup> TCustomGroupBox

Properties

Methods

Events

#

<sup>\$</sup> TCustomRadioGroup

<sup>K</sup> TCustomRadioGroup; Unit ExtCtrls; TCustomGroupBox

<sup>+</sup> 52

# TDBCheckBox

#<sup>\$</sup> <sup>K</sup> TDBCheckBox (Unit DBCtrls) Derived from <sup>+</sup> TCustomCheckBox

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Alignment</li><li>* AllowGrayed</li><li>* Caption</li><li>  Checked</li><li>* Color</li><li>* Ctl3D</li><li>* DataField</li><li>* DataSource</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>  Field</li><li>* Font</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ShowHint</li><li>  State</li><li>* TabOrder</li><li>* TabStop</li><li>* ValueChecked</li><li>* ValueUnchecked</li><li>* Visible</li></ul>		<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

<sup>\$</sup> TDBCheckBox

<sup>K</sup> TDBCheckBox; Unit DBCtrls; TCustomCheckBox

<sup>+</sup> 53

# TDBComboBox

#<sup>\$</sup> <sup>K</sup> TDBComboBox

(Unit DBCtrls) Derived from <sup>+</sup> TCustomComboBox

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Color</li><li>* Ctl3D</li><li>* DataField</li><li>* DataSource</li><li>* DragCursor</li><li>* DragMode</li><li>* DropDownCount</li><li>* Enabled</li><li>  Field</li><li>* Font</li><li>* ItemHeight</li><li>* Items</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ShowHint</li><li>* Sorted</li><li>* Style</li><li>* TabOrder</li><li>* TabStop</li><li>  Text</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>-----</li></ul>	<ul style="list-style-type: none"><li>* OnChange</li><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnDrawItem</li><li>* OnDropDown</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMeasureItem</li></ul>

#

<sup>\$</sup> TDBComboBox

<sup>K</sup> TDBComboBox; Unit DBCtrls; TCustomComboBox

<sup>+</sup> 54

# TDBDataSet

#<sup>\$</sup> <sup>K</sup> TDBDataSet      (Unit DB) Derived from <sup>++</sup> TDataSet

Properties	Methods	Events
-----	-----	-----
DBHandle		
DBLocale		
Database		
* DatabaseName		

#

<sup>\$</sup> TDBDataSet

<sup>K</sup> TDBDataSet; Unit DB; TDataSet

<sup>+</sup> 55

# TDBEdit

# \$ \$ K TDBEdit

(Unit DBCtrls) Derived from <sup>+</sup>+ TCustomMaskEdit

Properties	Methods	Events
<ul style="list-style-type: none"><li>* AutoSelect</li><li>* AutoSize</li><li>* BorderStyle</li><li>* CharCase</li><li>* Color</li><li>* Ctl3D</li><li>* DataField</li><li>* DataSource</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>  Field</li><li>* Font</li><li>* MaxLength</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PasswordChar</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>-----</li></ul>	<ul style="list-style-type: none"><li>* OnChange</li><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

\$ TDBEdit

K TDBEdit; Unit DBCtrls; TCustomMaskEdit

+ 56

# TDBError

#<sup>\$</sup> <sup>K</sup> TDBError (Unit DB) Derived from <sup>++</sup> -

Properties

Category  
ErrorCode  
Message  
NativeError  
SubCode

Methods

Events

#

<sup>\$</sup> TDBError

<sup>K</sup> TDBError; Unit DB; -

<sup>+</sup> 57

# TDBGrid

#<sup>\$</sup> <sup>K</sup> TDBGrid (Unit DBGrids) Derived from <sup>++</sup> TCustomDBGrid

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* BorderStyle</li><li>  Canvas</li><li>* Color</li><li>* Ctl3D</li><li>* DataSource</li><li>* DefaultDrawing</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* FixedColor</li><li>* Font</li><li>* Options</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* TitleFont</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>-----</li></ul>	<ul style="list-style-type: none"><li>* OnColEnter</li><li>* OnColExit</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnDrawDataCell</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li></ul>

#

<sup>\$</sup> TDBGrid

<sup>K</sup> TDBGrid; Unit DBGrids; TCustomDBGrid

<sup>+</sup> 58

# TDBImage

#<sup>\$</sup> <sup>K</sup> TDBImage

(Unit DBCtrls) Derived from <sup>+</sup> TCustomControl

Properties	Methods	Events
-----	-----	-----
* Align	CopyToClipboard	* OnClick
* AutoDisplay	CutToClipboard	* OnDblClick
* BorderStyle	LoadPicture	* OnDragDrop
* Center	PasteFromClipboard	* OnDragOver
* Color		* OnEndDrag
* Ctl3D		* OnEnter
* DataField		* OnExit
* DataSource		* OnKeyDown
* DragCursor		* OnKeyPress
* DragMode		* OnKeyUp
* Enabled		* OnMouseDown
Field		* OnMouseMove
* Font		* OnMouseUp
* ParentColor		
* ParentCtl3D		
* ParentFont		
* ParentShowHint		
Picture		
* PopupMenu		
* ReadOnly		
* ShowHint		
* Stretch		
* TabOrder		
* TabStop		
* Visible		

#

<sup>\$</sup> TDBImage

<sup>K</sup> TDBImage; Unit DBCtrls; TCustomControl

<sup>+</sup> 59

# TDBListBox

# \$ \$ K TDBListBox

(Unit DBCtrls) Derived from <sup>+</sup> TCustomListBox

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* BorderStyle</li><li>* Color</li><li>* Ctl3D</li><li>* DataField</li><li>* DataSource</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>  Field</li><li>* Font</li><li>* IntegralHeight</li><li>* ItemHeight</li><li>* Items</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnDrawItem</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMeasureItem</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>	

#

\$ TDBListBox

K TDBListBox; Unit DBCtrls; TCustomListBox

+ 60

# TDBLookupCombo

# \$ ^ K TDBLookupCombo

(Unit DBLookup) Derived from <sup>+</sup> TCustomEdit

Properties	Methods	Events
<ul style="list-style-type: none"><li>* AutoSelect</li><li>* Color</li><li>* Ctl3D</li><li>* DataField</li><li>* DataSource</li><li>  DisplayValue</li><li>* DragCursor</li><li>* DragMode</li><li>* DropDownCount</li><li>* DropDownWidth</li><li>* Enabled</li><li>* Font</li><li>* LookupDisplay</li><li>* LookupField</li><li>* LookupSource</li><li>* MaxLength</li><li>* Options</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ShowHint</li><li>* Style</li><li>* TabOrder</li><li>* TabStop</li><li>  Value</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>CloseUp</li><li>DropDown</li></ul>	<ul style="list-style-type: none"><li>* OnChange</li><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnDropDown</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

\$ TDBLookupCombo

<sup>K</sup> TDBLookupCombo; Unit DBLookup; TCustomEdit

<sup>+</sup> 61

# TDBLookupList

# \$ ^ K TDBLookupList

(Unit DBLookup) Derived from + TCustomDBGrid

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* BorderStyle</li><li>* Color</li><li>* Ctl3D</li><li>* DataField</li><li>* DataSource</li><li>    DisplayValue</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* LookupDisplay</li><li>* LookupField</li><li>* LookupSource</li><li>* Options</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>    Value</li><li>* Visible</li></ul>		<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li></ul>

#

\$ TDBLookupList

^ K TDBLookupList; Unit DBLookup; TCustomDBGrid

+ 62

# TDBMemo

# \$ \$ K TDBMemo

(Unit DBCtrls) Derived from <sup>+</sup>+ TCustomMemo

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* Alignment</li><li>* AutoDisplay</li><li>* BorderStyle</li><li>* Color</li><li>* Ctl3D</li><li>* DataField</li><li>* DataSource</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>  Field</li><li>* Font</li><li>* MaxLength</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ScrollBars</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li><li>* WantTabs</li><li>* WordWrap</li></ul>	<ul style="list-style-type: none"><li>LoadMemo</li></ul>	<ul style="list-style-type: none"><li>* OnChange</li><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

\$ TDBMemo

K TDBMemo; Unit DBCtrls; TCustomMemo

<sup>+</sup> 63

# TDBNavigator

# \$ \$ K TDBNavigator

(Unit DBCtrls) Derived from <sup>+-</sup>

Properties	Methods	Events
* Align	BtnClick	* OnClick
* ConfirmDelete	SetBounds	* OnDblClick
* Ctl3D		* OnDragDrop
* DataSource		* OnDragOver
* DragCursor		* OnEndDrag
* DragMode		* OnEnter
* Enabled		* OnExit
* Hints		* OnResize
* ParentCtl3D		
* ParentShowHint		
* PopupMenu		
* ShowHint		
* TabOrder		
* TabStop		
* Visible		
* VisibleButtons		

#

\$ TDBNavigator

K TDBNavigator; Unit DBCtrls; -

+ 64

# TDBRadioGroup

#<sup>\$</sup> <sup>K</sup> TDBRadioGroup (Unit DBCtrls) Derived from <sup>+</sup><sup>+</sup> TCustomRadioGroup

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* Caption</li><li>* Color</li><li>* Columns</li><li>* Ctl3D</li><li>* DataField</li><li>* DataSource</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>  Field</li><li>* Font</li><li>  ItemIndex</li><li>* Items</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>  Value</li><li>* Values</li><li>* Visible</li></ul>		<ul style="list-style-type: none"><li>* OnChange</li><li>* OnClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li></ul>

#

<sup>\$</sup> TDBRadioGroup

<sup>K</sup> TDBRadioGroup; Unit DBCtrls; TCustomRadioGroup

<sup>+</sup> 65

# TDBText

#<sup>\$</sup> <sup>K</sup> TDBText

(Unit DBCtrls) Derived from <sup>+</sup> TCustomLabel

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* Alignment</li><li>* AutoSize</li><li>* Color</li><li>* DataField</li><li>* DataSource</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>  Field</li><li>* Font</li><li>* ParentColor</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* Transparent</li><li>* Visible</li><li>* WordWrap</li></ul>		<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

<sup>\$</sup> TDBText

<sup>K</sup> TDBText; Unit DBCtrls; TCustomLabel

<sup>+</sup> 66

# TDataLink

#<sup>\$</sup> <sup>K</sup> TDataLink (Unit DB) Derived from <sup>+</sup> TPersistent

Properties	Methods	Events
Active	UpdateRecord	
ActiveRecord		
BufferCount		
DataSet		
DataSource		
Edit		
Editing		
ReadOnly		
RecordCount		

#

<sup>\$</sup> TDataLink

<sup>K</sup> TDataLink; Unit DB; TPersistent

<sup>+</sup> 67

# TDataSet

#<sup>\$</sup> \$<sup>K</sup> TDataSet (Unit DB) Derived from <sup>+</sup><sup>T</sup>Component

Properties	Methods	Events
Active	Append	* OnCalcFields
ActiveBuffer	AppendRecord	* OnNewRecord
* AfterCancel	Cancel	
* AfterClose	CheckBrowseMode	
* AfterDelete	ClearFields	
* AfterEdit	Close	
* AfterInsert	CursorPosChanged	
* AfterOpen	Delete	
* AfterPost	DisableControls	
* AutoCalcFields	Edit	
BOF	EnableControls	
* BeforeCancel	First	
* BeforeClose	FreeBookmark	
* BeforeDelete	GetFieldNames	
* BeforeEdit	GotoBookmark	
* BeforeInsert	Insert	
* BeforeOpen	InsertRecord	
* BeforePost	Last	
CanModify	MoveBy	
DataSource	Next	
DefaultFields	Open	
Designer	Post	
EOF	Prior	
FieldName	Refresh	
FieldCount	Resync	
FieldDefs	SetFields	
Fields	UpdateCursorPos	
FindField	UpdateRecord	
GetBookmark		
GetCurrentRecord		
Handle		
IsLinkedTo		
Locale		
Modified		
RecordCount		
RecordSize		
State		

#

<sup>\$</sup> TDataSet

<sup>K</sup> TDataSet; Unit DB; TComponent

<sup>+</sup> 68

# TDataSetDesigner

#<sup>\$</sup> <sup>K</sup> TDataSetDesigner (Unit DB) Derived from <sup>+</sup> TObject

Properties	Methods	Events
DataSet	BeginDesign DataEvent EndDesign	

#

<sup>\$</sup> TDataSetDesigner

<sup>K</sup> TDataSetDesigner; Unit DB; TObject

<sup>+</sup> 69

# TDataSource

#<sup>\$</sup> <sup>K</sup> TDDataSource      (Unit DB) Derived from <sup>+</sup> TComponent

Properties	Methods	Events
* AutoEdit * DataSet * Enabled IsLinkedTo State	Edit	* OnDataChange * OnStateChange * OnUpdateData

#

<sup>\$</sup> TDDataSource

<sup>K</sup> TDDataSource; Unit DB; TComponent

<sup>+</sup> 70

# TDatabase

#<sup>\$</sup> <sup>K</sup> TD**atabase** (Unit DB) Derived from <sup>+</sup> T**Component**

Properties	Methods	Events
* AliasName	Close	* OnLogin
* Connected	CloseDatasets	
* DatabaseName	Commit	
DatasetCount	Open	
Datasets	Rollback	
* DriverName	StartTransaction	
Handle	ValidateName	
IsSQLBased		
* KeepConnection		
Locale		
* LoginPrompt		
* Params		
Temporary		
* TransIsolation		

#

<sup>\$</sup> TD**atabase**

<sup>K</sup> TD**atabase**; Unit DB; T**Component**

<sup>+</sup> 71

# TD**ateField**

#<sup>\$</sup> <sup>K</sup> TDTextField (Unit DBTables) Derived from <sup>+</sup> TDateTimeField

Properties

Methods

Events

#

<sup>\$</sup> TDTextField

<sup>K</sup> TDTextField; Unit DBTables; TDateTimeField

<sup>+</sup> 72

# TDateTimeField

#<sup>\$</sup> <sup>K</sup> TDatetimeField (Unit DBTables) Derived from <sup>+</sup> TField

Properties	Methods	Events
* DisplayFormat * EditMask Value		

#

<sup>\$</sup> TDatetimeField

<sup>K</sup> TDatetimeField; Unit DBTables; TField

<sup>+</sup> 73

# TDdeCliItem

#<sup>\$</sup> <sup>K</sup> TDdeCliItem (Unit DdeMan) Derived from <sup>+</sup> TPersistent

Properties	Methods	Events
Control	SrvrDisconnect	
HszItem		
* Item		
RefreshData		
SetItem		

#

<sup>\$</sup> TDdeCliItem

<sup>K</sup> TDdeCliItem; Unit DdeMan; TPersistent

<sup>+</sup> 74

# TDdeClientConv

#<sup>\$</sup> <sup>K</sup> TDdeClientConv      (Unit DdeMan) Derived from <sup>++</sup> TComponent

Properties	Methods	Events
* ConnectMode Conv DataMode Ddefmt * DdeService * DdeTopic ExecuteMacro ExecuteMacroLines * FormatChars OpenLink PasteLink PokeData PokeDataLines RequestData * ServiceApplication SetLink StartAdvise WaitStat	CloseLink	* OnClose * OnOpen

#

<sup>\$</sup> TDdeClientConv

<sup>K</sup> TDdeClientConv; Unit DdeMan; TComponent

<sup>+</sup> 75

# TDdeClientItem

#<sup>\$</sup> <sup>K</sup> TDdeClientItem (Unit DdeMan) Derived from <sup>+</sup>TComponent

Properties

- 
- \* DdeConv
- \* DdeItem
- \* Lines
- \* Text

Methods

Events

- 
- \* OnChange

#

<sup>\$</sup> TDdeClientItem

<sup>K</sup> TDdeClientItem; Unit DdeMan; TComponent

<sup>+</sup> 76

# TDdeMgr

#<sup>\$</sup> <sup>K</sup> TDdeMgr (Unit DdeMan) Derived from <sup>++</sup> TComponent

Properties	Methods	Events
AppName DdeInstId GetExeName LinkClipFmt		

#

<sup>\$</sup> TDdeMgr

<sup>K</sup> TDdeMgr; Unit DdeMan; TComponent

<sup>+</sup> 77

# TDdeServerConv

#<sup>\$</sup> <sup>K</sup> TDdeServerConv (Unit DdeMan) Derived from <sup>+</sup> TComponent

Properties	Methods	Events
ExecuteMacro		* OnClose * OnExecuteMacro * OnOpen

#

<sup>\$</sup> TDdeServerConv

<sup>K</sup> TDdeServerConv; Unit DdeMan; TComponent

<sup>+</sup> 78

# TDdeServerItem

#<sup>\$</sup> <sup>K</sup> TDdeServerItem (Unit DdeMan) Derived from <sup>+</sup> TComponent

Properties	Methods	Events
Fmt	Change	* OnChange
* Lines	CopyToClipboard	* OnPokeData
PokeData		
* ServerConv		
* Text		

#

<sup>\$</sup> TDdeServerItem

<sup>K</sup> TDdeServerItem; Unit DdeMan; TComponent

<sup>+</sup> 79

# TDdeSrvrConv

#<sup>\$</sup> <sup>K</sup> TDdeSrvrConv (Unit DdeMan) Derived from <sup>+</sup> TComponent

Properties	Methods	Events
AdvStart Conv ExecuteMacro Form GetItem HszTopic PokeData RequestData SConv Topic	AdvStop	

#

<sup>\$</sup> TDdeSrvrConv

<sup>K</sup> TDdeSrvrConv; Unit DdeMan; TComponent

<sup>+</sup> 80

# TDdeSrvrItem

#<sup>\$</sup> <sup>K</sup> TDdeSrvrItem (Unit DdeMan) Derived from <sup>+</sup> TComponent

Properties	Methods	Events
Conv HszItem Item RequestData Srvr	PostDataChange	

#

<sup>\$</sup> TDdeSrvrItem

<sup>K</sup> TDdeSrvrItem; Unit DdeMan; TComponent

<sup>+</sup> 81

# TDefaultEditor

#<sup>\$</sup> <sup>K</sup> TDefaultEditor (Unit DsgnIntf) Derived from <sup>+</sup> TComponentEditor

Properties

Methods

Events

-----  
Edit

#

<sup>\$</sup> TDefaultEditor

<sup>K</sup> TDefaultEditor; Unit DsgnIntf; TComponentEditor

<sup>+</sup> 82

# TDesigner

#<sup>\$</sup> <sup>K</sup> TDesigner      (Unit Forms) Derived from <sup>+</sup> TObject

Properties	Methods	Events
Form IsControl IsDesignMsg	Modified Notification PaintGrid ValidateRename	

#

<sup>\$</sup> TDesigner

<sup>K</sup> TDesigner; Unit Forms; TObject

<sup>+</sup> 83

# TDirectoryListBox

# \$ ^ K TDIRECTORYLISTBOX (Unit FileCtrl) Derived from + TCustomListBox

Properties	Methods	Events
* Align * Color * Columns * Ctl3D * DirLabel Directory * DragCursor * DragMode Drive * Enabled * FileList * Font GetItemPath * IntegralHeight * ItemHeight * ParentColor * ParentCtl3D * ParentFont * ParentShowHint * PopupMenu * ShowHint * TabOrder * TabStop * Visible	OpenCurrent Update	* OnChange * OnClick * OnDblClick * OnDragDrop * OnDragOver * OnEndDrag * OnEnter * OnExit * OnKeyDown * OnKeyPress * OnKeyUp * OnMouseDown * OnMouseMove * OnMouseUp

#

\$ TDIRECTORYLISTBOX

K TDIRECTORYLISTBOX; Unit FileCtrl; TCustomListBox

+ 84

# TDrawGrid

# \$ \$ K TDrawGrid

(Unit Grids) Derived from <sup>+</sup> TCustomGrid

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* BorderStyle</li><li>Canvas</li><li>CellRect</li><li>Col</li><li>* ColCount</li><li>ColWidths</li><li>* Color</li><li>* Ctl3D</li><li>* DefaultColWidth</li><li>* DefaultDrawing</li><li>* DefaultRowHeight</li><li>* DragCursor</li><li>* DragMode</li><li>EditorMode</li><li>* Enabled</li><li>* FixedColor</li><li>* FixedCols</li><li>* FixedRows</li><li>* Font</li><li>GridHeight</li><li>* GridLineWidth</li><li>GridWidth</li><li>LeftCol</li><li>* Options</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>Row</li><li>* RowCount</li><li>RowHeights</li><li>* ScrollBars</li><li>Selection</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>TabStops</li><li>TopRow</li><li>* Visible</li><li>* VisibleColCount</li><li>* VisibleRowCount</li></ul>	<ul style="list-style-type: none"><li>MouseToCell</li></ul>	<ul style="list-style-type: none"><li>* OnClick</li><li>* OnColumnMoved</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnDrawCell</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnGetEditMask</li><li>* OnGetEditText</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li><li>* OnRowMoved</li><li>* OnSelectCell</li><li>* OnSetEditText</li><li>* OnTopLeftChanged</li></ul>

\$ TDrawGrid

K TDrawGrid; Unit Grids; TCustomGrid

+ 85

#

# TDriveComboBox

# \$ \$ K TDriveComboBox (Unit FileCtrl) Derived from + TCustomComboBox

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Color</li><li>* Ctl3D</li><li>* DirList</li><li>* DragCursor</li><li>* DragMode</li><li>  Drive</li><li>* Enabled</li><li>* Font</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>  Text</li><li>* TextCase</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>-----</li></ul>	<ul style="list-style-type: none"><li>* OnChange</li><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnDropDown</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li></ul>

#

\$ TDriveComboBox

K TDriveComboBox; Unit FileCtrl; TCustomComboBox

+ 86

# TEdit

# \$ \$ K TEdit

(Unit StdCtrls) Derived from <sup>++</sup> TCustomEdit

Properties	Methods	Events
<ul style="list-style-type: none"><li>* AutoSelect</li><li>* AutoSize</li><li>* BorderStyle</li><li>* CharCase</li><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* HideSelection</li><li>* MaxLength</li><li>* OEMConvert</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PasswordChar</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Text</li><li>* Visible</li></ul>		<ul style="list-style-type: none"><li>* OnChange</li><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

\$ TEdit

K TEdit; Unit StdCtrls; TCustomEdit

<sup>+</sup> 87

# TEnumProperty

#<sup>\$</sup> <sup>K</sup> TEnumProperty (Unit DsgnIntf) Derived from <sup>++</sup> TOrdinalProperty

Properties	Methods	Events
GetAttributes GetValue	GetValues SetValue	

#

<sup>\$</sup> TEnumProperty

<sup>K</sup> TEnumProperty; Unit DsgnIntf; TOrdinalProperty

<sup>+</sup> 88

# TField

#<sup>\$</sup> <sup>K</sup> TField (Unit DB) Derived from <sup>+</sup><sup>+</sup> TComponent

Properties	Methods	Events
* Alignment AsBoolean AsDateTime AsFloat AsInteger AsString * Calculated CanModify DataSet DataSize DataType * DisplayLabel DisplayName DisplayText * DisplayWidth EditMask EditMaskPtr * FieldName FieldNo GetData * Index IsIndexField IsNull IsValidChar * ReadOnly * Required Size Text * Visible	Assign AssignValue Clear FocusControl SetData	* OnChange * OnGetText * OnSetText * OnValidate

#

<sup>\$</sup> TField

<sup>K</sup> TField; Unit DB; TComponent

<sup>+</sup> 89

# TFieldDataLink

#<sup>\$</sup> <sup>K</sup> TFieldDataLink (Unit DBTables) Derived from <sup>+</sup> TDataLink

Properties	Methods	Events
CanModify	Modified	OnActiveChange
Control	Reset	OnDataChange
Edit		OnEditingChange
Editing		OnUpdateData
Field		
FieldName		

#

<sup>\$</sup> TFieldDataLink

<sup>K</sup> TFieldDataLink; Unit DBTables; TDataLink

<sup>+</sup> 90

# TFieldDef

#<sup>\$</sup> \$<sup>K</sup> TFieldDef (Unit DB) Derived from <sup>+-</sup>

Properties	Methods	Events
CreateField DataType FieldClass FieldNo Name Required Size		

#

<sup>\$</sup> TFieldDef

<sup>K</sup> TFieldDef; Unit DB; -

<sup>+</sup> 91

# TFieldDefs

#<sup>\$</sup> <sup>K</sup> TFieldDefs (Unit DB) Derived from <sup>+-</sup>

Properties	Methods	Events
Count	Add	
Find	AddFieldDesc	
IndexOf	Assign	
Items	Clear	
	Update	

#

<sup>\$</sup> TFieldDefs

<sup>K</sup> TFieldDefs; Unit DB; -

<sup>+</sup> 92

# TListBox

#<sup>\$</sup> <sup>K</sup> TFileListBox (Unit FileCtrl) Derived from <sup>++</sup> TCustomListBox

Properties	Methods	Events
* Align * Color * Ctl3D Directory * DragCursor * DragMode Drive * Enabled * FileEdit FileName * FileType * Font * IntegralHeight * ItemHeight * Mask * MultiSelect * ParentColor * ParentCtl3D * ParentFont * ParentShowHint * PopupMenu * ShowGlyphs * ShowHint * TabOrder * TabStop * Visible	ApplyFilePath Update	* OnChange * OnClick * OnDblClick * OnDragDrop * OnDragOver * OnEndDrag * OnEnter * OnExit * OnKeyDown * OnKeyPress * OnKeyUp * OnMouseDown * OnMouseMove * OnMouseUp

#

<sup>\$</sup> TFileListBox

<sup>K</sup> TFileListBox; Unit FileCtrl; TCustomListBox

<sup>+</sup> 93

# TFileStream

**#<sup>\$</sup> <sup>K</sup> TFileStream** (Unit Classes) Derived from <sup>+</sup> THandleStream

Properties

Methods

Events

#

<sup>\$</sup> TFileStream

<sup>K</sup> TFileStream; Unit Classes; THandleStream

<sup>+</sup> 94

# TFiler

#<sup>\$</sup> <sup>K</sup> TFiler (Unit Classes) Derived from <sup>+</sup> TObject

Properties	Methods	Events
Root	DefineBinaryProperty DefineProperty	

#

<sup>\$</sup> TFiler

<sup>K</sup> TFiler; Unit Classes; TObject

<sup>+</sup> 95

# TFilterComboBox

# \$ <sup>K</sup> TFilterComboBox (Unit FileCtrl) Derived from <sup>+</sup> TCustomComboBox

Properties	Methods	Events
* Color * Ctl3D * DragCursor * DragMode * Enabled * FileList * Filter * Font Mask * ParentColor * ParentCtl3D * ParentFont * ParentShowHint * ShowHint * TabOrder * TabStop Text * Visible		* OnChange * OnClick * OnDblClick * OnDragDrop * OnDragOver * OnDropDown * OnEndDrag * OnEnter * OnExit * OnKeyDown * OnKeyPress * OnKeyUp

#

\$ TFilterComboBox

<sup>K</sup> TFilterComboBox; Unit FileCtrl; TCustomComboBox

<sup>+</sup> 96

# TFindDialog

#<sup>\$</sup> <sup>K</sup> TFindDialog

(Unit Dialogs) Derived from <sup>+</sup> TCommonDialog

Properties

-----  
Execute  
\* FindText  
Handle  
Left  
\* Options  
Position  
Top

Methods

-----  
CloseDialog

Events

-----  
\* OnFind

#

<sup>\$</sup> TFindDialog

<sup>K</sup> TFindDialog; Unit Dialogs; TCommonDialog

<sup>+</sup> 97

# TFloatField

#<sup>\$</sup> <sup>K</sup> TFloatField      (Unit DBTables) Derived from <sup>+</sup><sup>+</sup> TNumericField

Properties

- \* Currency
- IsValidChar
- \* MaxValue
- \* MinValue
- \* Precision
- Value

Methods

Events

#

<sup>\$</sup> TFloatField

<sup>K</sup> TFloatField; Unit DBTables; TNumericField

<sup>+</sup> 98

# TFloatProperty

#<sup>\$</sup> <sup>K</sup> TFloatProperty (Unit DsgnIntf) Derived from <sup>+</sup> TPropertyEditor

Properties	Methods	Events
AllEqual GetValue	SetValue	

#

<sup>\$</sup> TFloatProperty

<sup>K</sup> TFloatProperty; Unit DsgnIntf; TPropertyEditor

<sup>+</sup> 99

# TFolderBitmap

**#** **\$** **K** **TFolderBitmap** (Unit FileCtrl) Derived from **+** **TBitmap**

**Properties**

**Methods**

**Events**

**#**

**\$** **TFolderBitmap**

**K** **TFolderBitmap;** Unit FileCtrl; **TBitmap**

**+** 100

**#** **TFont**

# \$ <sup>K</sup> TFont (Unit Graphics) Derived from <sup>+</sup> TGraphicsObject

Properties	Methods	Events
* Color * Handle * Height * Name * Pitch * PixelsPerInch * Size * Style	Assign	

#

\$ TFont

<sup>K</sup> TFont; Unit Graphics; TGraphicsObject

<sup>+</sup> 101

# TFontDialog

#<sup>\$</sup> <sup>K</sup> TFontDialog

(Unit Dialogs) Derived from <sup>+</sup> TCommonDialog

Properties

- \* Device
- \* Execute
- \* Font
- \* MaxFontSize
- \* MinFontSize
- \* Options

Methods

Events

- \* OnApply

#

<sup>\$</sup> TFontDialog

<sup>K</sup> TFontDialog; Unit Dialogs; TCommonDialog

<sup>+</sup> 102

# TFontNameProperty

#<sup>\$</sup> <sup>K</sup> TFontNameProperty (Unit DsgnIntf) Derived from <sup>+</sup> TStringProperty

Properties

GetAttributes

Methods

GetValues

Events

#

<sup>\$</sup> TFontNameProperty

<sup>K</sup> TFontNameProperty; Unit DsgnIntf; TStringProperty

<sup>+</sup> 103

# TFontProperty

#<sup>\$</sup> <sup>K</sup> TFontProperty (Unit DsgnIntf) Derived from <sup>+</sup><sup>T</sup>ClassProperty

Properties

GetAttributes

Methods

Edit

Events

#

<sup>\$</sup> TFontProperty

<sup>K</sup> TFontProperty; Unit DsgnIntf; TClassProperty

<sup>+</sup> 104

# TForm

# \$ \$ K TForm

(Unit Forms) Derived from <sup>+</sup> TScrollingWinControl

Properties	Methods	Events
Active	ArrangeIcons	* OnActivate
* ActiveControl	Cascade	* OnClick
ActiveMDIChild	Close	* OnClose
* AutoScroll	DefocusControl	* OnCloseQuery
* BorderIcons	FocusControl	* OnCreate
* BorderStyle	Hide	* OnDblClick
Canvas	Next	* OnDeactivate
* Caption	Previous	* OnDestroy
ClientHandle	Print	* OnDragDrop
* ClientHeight	Release	* OnDragOver
* ClientWidth	SendCancelMode	* OnHide
CloseQuery	SetFocus	* OnKeyDown
* Color	Show	* OnKeyPress
* Ctl3D	Tile	* OnKeyUp
Designer		* OnMouseDown
DropTarget		* OnMouseMove
* Enabled		* OnMouseUp
* Font		* OnPaint
* FormStyle		* OnResize
GetFormImage		* OnShow
* Height		
Helper		
* HorzScrollBar		
* Icon		
* KeyPreview		
MDIChildCount		
MDIChildren		
* Menu		
ModalResult		
* ObjectMenuItem		
* PixelsPerInch		
* PopupMenu		
* Position		
* PrintScale		
* Scaled		
SetFocusedControl		
* ShowHint		
ShowModal		
TileMode		
* VertScrollBar		
* Visible		
* Width		
* WindowMenu		
*WindowState		

\$ TForm

K TForm; Unit Forms; TScrollingWinControl

+ 105

#

# TFormDesigner

#<sup>\$</sup> <sup>K</sup> TFormDesigner (Unit DsgnIntf) Derived from <sup>++</sup> TDesigner

Properties	Methods	Events
CreateMethod	GetMethods	
GetMethodName	RenameMethod	
GetPrivateDirectory	ShowMethod	
MethodExists		

#

<sup>\$</sup> TFormDesigner

<sup>K</sup> TFormDesigner; Unit DsgnIntf; TDesigner

<sup>+</sup> 106

# TGlyphCache

#<sup>\$</sup> <sup>K</sup> TGlyphCache (Unit Buttons) Derived from <sup>+-</sup>

Properties

Empty  
GetList

Methods

ReturnList

Events

#

<sup>\$</sup> TGlyphCache

<sup>K</sup> TGlyphCache; Unit Buttons; -

<sup>+</sup> 107

# TGlyphList

#<sup>\$</sup> <sup>K</sup> TGlyphList (Unit Buttons) Derived from <sup>++</sup> TImageList

Properties

Add  
AddMasked  
Count

Methods

Delete

Events

#

<sup>\$</sup> TGlyphList

<sup>K</sup> TGlyphList; Unit Buttons; TImageList

<sup>+</sup> 108

# TGraphic

#<sup>\$</sup> <sup>K</sup> TGraphic (Unit Graphics) Derived from <sup>+</sup> TPersistent

Properties	Methods	Events
Empty	Assign	OnChange
Height	LoadFromClipboardFormat	
Modified	LoadFromFile	
Width	LoadFromStream	
	SaveToClipboardFormat	
	SaveToFile	
	SaveToStream	

#

<sup>\$</sup> TGraphic

<sup>K</sup> TGraphic; Unit Graphics; TPersistent

<sup>+</sup> 109

# TGraphicControl

**#<sup>\$</sup> <sup>K</sup> TGraphicControl** (Unit Controls) Derived from <sup>+</sup> TControl

Properties

Methods

Events

#

<sup>\$</sup> TGraphicControl

<sup>K</sup> TGraphicControl; Unit Controls; TControl

<sup>+</sup> 110

# TGraphicField

**#<sup>\$</sup> <sup>K</sup> TGraphicField** (Unit DBTables) Derived from <sup>+</sup> TBlobField

Properties

Methods

Events

#

<sup>\$</sup> TGraphicField

<sup>K</sup> TGraphicField; Unit DBTables; TBlobField

<sup>+</sup> 111

<sup>#</sup> TGraphicsObject

#<sup>\$</sup> <sup>K</sup> TGraphicsObject (Unit Graphics) Derived from <sup>+</sup> TPersistent

Properties

Methods

Events

-----  
OnChange

#

<sup>\$</sup> TGraphicsObject

<sup>K</sup> TGraphicsObject; Unit Graphics; TPersistent

<sup>+</sup> 112

# TGridDataLink

#<sup>\$</sup> <sup>K</sup> TGridDataLink (Unit DBGrids) Derived from <sup>+</sup> TDataLink

Properties	Methods	Events
AddMapping DefaultFields FieldCount Fields	ClearMapping Modified Reset	

#

<sup>\$</sup> TGridDataLink

<sup>K</sup> TGridDataLink; Unit DBGrids; TDataLink

<sup>+</sup> 113

# TGroupBox

#<sup>\$</sup> <sup>K</sup> TGroupBox

(Unit StdCtrls) Derived from <sup>+</sup> TCustomGroupBox

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* Caption</li><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>		<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

<sup>\$</sup> TGroupBox

<sup>K</sup> TGroupBox; Unit StdCtrls; TCustomGroupBox

<sup>+</sup> 114

# TGroupButton

**# \$ \$ K TGroupBox** (Unit ExtCtrls) Derived from **+ TRadioButton**

**Properties**

**Methods**

**Events**

#

**\$ TGroupBox**

**K TGroupBox; Unit ExtCtrls; TRadioButton**

**+ 115**

**# THandleCache**

#<sup>\$</sup> <sup>K</sup> THandleCache (Unit Graphics) Derived from <sup>+</sup> TList

Properties

RefCount  
Release

Methods

Reference

Events

#

<sup>\$</sup> THandleCache

<sup>K</sup> THandleCache; Unit Graphics; TList

<sup>+</sup> 116

# THandleStream

$\#^{\$} \$^K THandleStream$  (Unit Classes) Derived from  $^{+} TStream$

Properties	Methods	Events
Handle Read Seek Write		

#

$\$ THandleStream$

$K THandleStream; Unit Classes; TStream$

$^{+} 117$

$\# THeader$

# \$ \$ K THeader

(Unit ExtCtrls) Derived from <sup>+</sup> TCustomControl

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* AllowResize</li><li>* BorderStyle</li><li>* Enabled</li><li>* Font</li><li>* ParentFont</li><li>* ParentShowHint</li><li>SectionWidth</li><li>* Sections</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>		<ul style="list-style-type: none"><li>* OnSized</li><li>* OnSizing</li></ul>

#

\$ THeader

K THeader; Unit ExtCtrls; TCustomControl

+ 118

# THeaderStrings

#<sup>\$</sup> <sup>K</sup> THeaderStrings (Unit ExtCtrls) Derived from <sup>+</sup> TStrings

Properties	Methods	Events
	Assign Clear Delete Insert	

#

<sup>\$</sup> THeaderStrings

<sup>K</sup> THeaderStrings; Unit ExtCtrls; TStrings

<sup>+</sup> 119

# THintWindow

#<sup>\$</sup> <sup>K</sup> THintWindow (Unit Controls) Derived from <sup>+</sup> TCustomControl

Properties	Methods	Events
Canvas Caption Color IsHintMsg	ActivateHint ReleaseHandle	

#

<sup>\$</sup> THintWindow

<sup>K</sup> THintWindow; Unit Controls; TCustomControl

<sup>+</sup> 120

# TIExpert

#<sup>\$</sup> <sup>K</sup> TIExpert (Unit Exptintf) Derived from <sup>++</sup> TInterface

Properties	Methods	Events
GetComment GetGlyph GetIDString GetMenuText GetName GetState GetStyle	Execute	

#

<sup>\$</sup> TIExpert

<sup>K</sup> TIExpert; Unit Exptintf; TInterface

<sup>+</sup> 121

# TIFileStream

#<sup>\$</sup> <sup>K</sup> TIFFileStream      (Unit IStreams) Derived from <sup>+</sup> TIStream

Properties	Methods	Events
FileStream GetModifyTime Read Seek Write		

#

<sup>\$</sup> TIFFileStream

<sup>K</sup> TIFFileStream; Unit IStreams; TIStream

<sup>+</sup> 122

# TIMemoryStream

#<sup>\$</sup> <sup>K</sup> TIMemoryStream (Unit IStreams) Derived from <sup>+</sup> TIStream

Properties	Methods	Events
GetModifyTime MemoryStream OwnStream Read Seek Write		

#

<sup>\$</sup> TIMemoryStream

<sup>K</sup> TIMemoryStream; Unit IStreams; TIStream

<sup>+</sup> 123

# TIStream

#<sup>\$</sup> <sup>K</sup> TIStream (Unit VirtIntf) Derived from <sup>+</sup> TInterface

Properties	Methods	Events
	GetModifyTime Read Seek Write	

#

<sup>\$</sup> TIStream

<sup>K</sup> TIStream; Unit VirtIntf; TInterface

<sup>+</sup> 124

# TIToolServices

#<sup>\$</sup> <sup>K</sup> TIToolServices (Unit ToolIntf) Derived from <sup>++</sup> TInterface

Properties	Methods	Events
	RaiseException	
CloseFile		
CloseProject		
CompileLibrary		
CreateModule		
GetComponentCount		
GetComponentName		
GetCurrentFile		
GetFormCount		
GetFormName		
GetModuleCount		
GetModuleName		
GetNewModuleName		
GetParentHandle		
GetProjectName		
GetUnitCount		
GetUnitName		
IsFileOpen		
ModalDialogBox		
OpenFile		
OpenProject		
OpenProjectInfo		
ReloadFile		
SaveFile		
SaveProject		

#

<sup>\$</sup> TIToolServices

<sup>K</sup> TIToolServices; Unit ToolIntf; TInterface

<sup>+</sup> 125

# TIcon

**# \$ \$ K TIcon** (Unit Graphics) Derived from <sup>+</sup> TGraphic

Properties	Methods	Events
Handle ReleaseHandle	Assign LoadFromStream SaveToStream	

#

**\$ TIcon**

**K TIcon; Unit Graphics; TGraphic**

**+ 126**

**# TImage**

#<sup>\$</sup> <sup>K</sup> TImage

(Unit ExtCtrls) Derived from <sup>+</sup> TGraphicControl

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* AutoSize</li><li>  Canvas</li><li>* Center</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* ParentShowHint</li><li>* Picture</li><li>* PopupMenu</li><li>* ShowHint</li><li>* Stretch</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>-----</li></ul>	<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

<sup>\$</sup> TImage

<sup>K</sup> TImage; Unit ExtCtrls; TGraphicControl

<sup>+</sup> 127

# TImageList

#<sup>\$</sup> <sup>K</sup> TImageList (Unit Graphics) Derived from <sup>+-</sup>

Properties	Methods	Events
Add	Delete	
AddMasked	Draw	
Count	Replace	
Delta	ReplaceMasked	
Height		
Width		

#

<sup>\$</sup> TImageList

<sup>K</sup> TImageList; Unit Graphics; -

<sup>+</sup> 128

# TIndexDef

#<sup>\$</sup> <sup>K</sup> TIndexDef (Unit DBTables) Derived from <sup>+-</sup>

Properties

-----  
Expression  
Fields  
Name  
Options

Methods

Events

#

<sup>\$</sup> TIndexDef

<sup>K</sup> TIndexDef; Unit DBTables; -

<sup>+</sup> 129

# TIndexDefs

#<sup>\$</sup> <sup>K</sup> TIndexDefs (Unit DBTables) Derived from <sup>+-</sup>

Properties	Methods	Events
Count	Add	
FindIndexForFields	Assign	
IndexOf	Clear	
Items	Update	

#

<sup>\$</sup> TIndexDefs

<sup>K</sup> TIndexDefs; Unit DBTables; -

<sup>+</sup> 130

# TIniFile

# \$ <sup>K</sup> TIniFile (Unit IniFiles) Derived from <sup>+</sup> TObject

Properties	Methods	Events
-----	-----	-----
FileName	EraseSection	
ReadBool	ReadSection	
ReadInteger	ReadSectionValues	
ReadString	WriteBool	
	WriteInteger	
	WriteString	

#

\$ TIniFile

<sup>K</sup> TIniFile; Unit IniFiles; TObject

<sup>+</sup> 131

# TInplaceEdit

#<sup>\$</sup> <sup>K</sup> TInplaceEdit (Unit Grids) Derived from <sup>++</sup> TCustomMaskEdit

Properties	Methods	Events
PosEqual Visible	Deselect Hide Invalidate Move SetFocus UpdateLoc	

#

<sup>\$</sup> TInplaceEdit

<sup>K</sup> TInplaceEdit; Unit Grids; TCustomMaskEdit

<sup>+</sup> 132

# TIntegerField

#<sup>\$</sup> <sup>K</sup> TIntegerField      (Unit DBTables) Derived from <sup>+</sup> TNumericField

Properties

-----  
  IsValidChar  
  \* MaxValue  
  \* MinValue  
  Value

Methods

Events

#

<sup>\$</sup> TIntegerField

<sup>K</sup> TIntegerField; Unit DBTables; TNumericField

<sup>+</sup> 133

# TIntegerField

#<sup>\$</sup> <sup>K</sup> TIntegerProperty (Unit DsgnIntf) Derived from <sup>+</sup> TOrdinalProperty

Properties

GetValue

Methods

SetValue

Events

#

<sup>\$</sup> TIntegerProperty

<sup>K</sup> TIntegerProperty; Unit DsgnIntf; TOrdinalProperty

<sup>+</sup> 134

# TInterface

#<sup>\$</sup> <sup>K</sup> TInterface (Unit VirtIntf) Derived from <sup>+-</sup>

Properties	Methods	Events
GetVersion	Free Release	

#

<sup>\$</sup> TInterface  
<sup>K</sup> TInterface; Unit VirtIntf; -  
<sup>+</sup> 135  
# TLabel

# \$ \$ K TLabel

(Unit StdCtrls) Derived from <sup>++</sup> TCustomLabel

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* Alignment</li><li>* AutoSize</li><li>* Caption</li><li>* Color</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* FocusControl</li><li>* Font</li><li>* ParentColor</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowAccelChar</li><li>* ShowHint</li><li>* Transparent</li><li>* Visible</li><li>* WordWrap</li></ul>		<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

\$ TLabel

K TLabel; Unit StdCtrls; TCustomLabel

<sup>+</sup> 136

# TList

# \$ \$ K TList

(Unit Classes) Derived from  $^{+ +}$  TObject

Properties	Methods	Events
Add	Clear	
Capacity	Delete	
Count	Exchange	
Expand	Insert	
First	Move	
IndexOf	Pack	
Items		
Last		
List		
Remove		

#

\$ TList

K TList; Unit Classes; TObject

+ 137

# TListBox

# \$ \$ K TListBox

(Unit StdCtrls) Derived from <sup>+</sup> TCustomListBox

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* BorderStyle</li><li>* Color</li><li>* Columns</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* ExtendedSelect</li><li>* Font</li><li>* IntegralHeight</li><li>* ItemHeight</li><li>* Items</li><li>* MultiSelect</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* Sorted</li><li>* Style</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnDrawItem</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMeasureItem</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>	

#

\$ TListBox

K TListBox; Unit StdCtrls; TCustomListBox

<sup>+</sup> 138

# TListBoxStrings

#<sup>\$</sup> <sup>K</sup> TListBoxStrings (Unit StdCtrls) Derived from <sup>++</sup> TString

Properties	Methods	Events
Add	Clear Delete Insert	

#

<sup>\$</sup> TListBoxStrings

<sup>K</sup> TListBoxStrings; Unit StdCtrls; TString

<sup>+</sup> 139

# TMPFilenameProperty

#<sup>\$</sup> <sup>K</sup> TMPFilenameProperty (Unit DsgnIntf) Derived from <sup>+</sup> TStringProperty

Properties	Methods	Events
GetAttributes	Edit	

#

<sup>\$</sup> TMPFilenameProperty

<sup>K</sup> TMPFilenameProperty; Unit DsgnIntf; TStringProperty

<sup>+</sup> 140

# TMainMenu

#<sup>\$</sup> <sup>K</sup> TMMainMenu (Unit Menus) Derived from <sup>+</sup> TMenu

Properties	Methods	Events
* AutoMerge	GetOle2AcceleratorTable Merge PopulateOle2Menu SetOle2MenuHandle Unmerge	

#

<sup>\$</sup> TMMainMenu

<sup>K</sup> TMMainMenu; Unit Menus; TMenu

<sup>+</sup> 141

# TMaskEdit

#<sup>\$</sup> <sup>K</sup> TMaskEdit

(Unit Mask) Derived from <sup>++</sup> TCustomMaskEdit

Properties	Methods	Events
<ul style="list-style-type: none"><li>* AutoSelect</li><li>* AutoSize</li><li>* BorderStyle</li><li>* CharCase</li><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* EditMask</li><li>* Enabled</li><li>* Font</li><li>* MaxLength</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PasswordChar</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Text</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>* OnChange</li><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>	

#

<sup>\$</sup> TMaskEdit

<sup>K</sup> TMaskEdit; Unit Mask; TCustomMaskEdit

<sup>+</sup> 142

# TMediaPlayer

#<sup>\$</sup> <sup>K</sup> TMediaPlayer (Unit MPlayer) Derived from <sup>+</sup> TCustomControl

Properties	Methods	Events
* AutoEnable	Back	* OnClick
* AutoOpen	Close	* OnEnter
* AutoRewind	Eject	* OnExit
Capabilities	Next	* OnNotify
* ColoredButtons	Open	* OnPostClick
DeviceID	Pause	
* DeviceType	PauseOnly	
* Display	Play	
DisplayRect	Previous	
* Enabled	Resume	
* EnabledButtons	Rewind	
EndPos	Save	
Error	StartRecording	
ErrorMessage	Step	
* FileName	Stop	
Frames		
Length		
Mode		
Notify		
NotifyValue		
* ParentShowHint		
Position		
* Shareable		
* ShowHint		
Start		
StartPos		
* TabOrder		
* TabStop		
TimeFormat		
TrackLength		
TrackPosition		
Tracks		
* Visible		
* VisibleButtons		
Wait		

#

<sup>\$</sup> TMediaPlayer

<sup>K</sup> TMediaPlayer; Unit MPlayer; TCustomControl

<sup>+</sup> 143

# TMemo

# \$ \$ K TMemo

(Unit StdCtrls) Derived from <sup>+</sup> TCustomMemo

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* Alignment</li><li>* BorderStyle</li><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* HideSelection</li><li>* Lines</li><li>* MaxLength</li><li>* OEMConvert</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ReadOnly</li><li>* ScrollBars</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li><li>* WantReturns</li><li>* WantTabs</li><li>* WordWrap</li></ul>		<ul style="list-style-type: none"><li>* OnChange</li><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

\$ TMemo

K TMemo; Unit StdCtrls; TCustomMemo

+ 144

# TMemoField

#<sup>\$</sup> <sup>K</sup> TMemoField      (Unit DBTables) Derived from <sup>+</sup> TBlobField

Properties

Methods

Events

-----  
Transliterate

#

<sup>\$</sup> TMemoField

<sup>K</sup> TMemoField; Unit DBTables; TBlobField

<sup>+</sup> 145

# TMemoStrings

**#\$<sup>K</sup> TMemoStrings** (Unit StdCtrls) Derived from <sup>+</sup>TStrings

Properties	Methods	Events
	Clear Delete Insert LoadFromStream SaveToStream	

#

<sup>\$</sup> TMemoStrings

<sup>K</sup> TMemoStrings; Unit StdCtrls; TStrings

<sup>+</sup> 146

<sup>#</sup> TMemoryStream

`#$ ${KTMemoryStream}` (Unit Classes) Derived from <sup>+</sup>TStream

Properties	Methods	Events
Memory	Clear	
Read	LoadFromFile	
Seek	LoadFromStream	
Write	SaveToFile	
	SaveToStream	
	SetSize	

#

<sup>\$</sup>TMemoryStream

<sup>K</sup>TMemoryStream; Unit Classes; TStream

<sup>+</sup> 147

#TMenu

# \$ \$ K TMenu (Unit Menus) Derived from  $^{++}$  TComponent

Properties	Methods	Events
DispatchCommand DispatchPopup FindItem GetHelpContext Handle IsShortCut * Items WindowHandle		

#

\$ TMenu

K TMenu; Unit Menus; TComponent

$^{+}$  148

# TMenuItem

#<sup>\$</sup> <sup>K</sup> TMenuItem

(Unit Menus) Derived from <sup>+</sup> TComponent

Properties	Methods	Events
-----	-----	-----
* Break	Add	* OnClick
* Caption	Click	
* Checked	Delete	
Command	Insert	
Count	Remove	
* Enabled		
* GroupIndex		
Handle		
* HelpContext		
* Hint		
IndexOf		
Items		
Parent		
* ShortCut		
* Visible		

#

<sup>\$</sup> TMenuItem

<sup>K</sup> TMenuItem; Unit Menus; TComponent

<sup>+</sup> 149

# TMetafile

#<sup>\$</sup> <sup>K</sup> TMetafile (Unit Graphics) Derived from <sup>+</sup> TGraphic

Properties	Methods	Events
Handle Inch	Assign LoadFromClipboardFormat LoadFromStream SaveToClipboardFormat SaveToStream	

#

<sup>\$</sup> TMetafile

<sup>K</sup> TMetafile; Unit Graphics; TGraphic

<sup>+</sup> 150

# TMethodProperty

#<sup>\$</sup> <sup>K</sup> TMethodProperty (Unit DsgnIntf) Derived from <sup>+</sup> TPropertyEditor

Properties	Methods	Events
AllEqual GetAttributes GetEditLimit GetValue	Edit GetValues SetValue	

#

<sup>\$</sup> TMethodProperty

<sup>K</sup> TMethodProperty; Unit DsgnIntf; TPropertyEditor

<sup>+</sup> 151

# TModalResultProperty

#<sup>\$</sup> <sup>K</sup> TModalResultProperty (Unit DsgnIntf) Derived from <sup>+</sup> TIntegerProperty

Properties	Methods	Events
GetAttributes GetValue	GetValues SetValue	

#

<sup>\$</sup> TModalResultProperty

<sup>K</sup> TModalResultProperty; Unit DsgnIntf; TIntegerProperty

<sup>+</sup> 152

# TNavBar

#<sup>\$</sup> <sup>K</sup> TNavButton (Unit DBCtrls) Derived from <sup>+</sup> TSpeedButton

Properties

Methods

Events

-----  
Index  
NavStyle

#

<sup>\$</sup> TNavButton

<sup>K</sup> TNavButton; Unit DBCtrls; TSpeedButton

<sup>+</sup> 153

# TNavDataLink

**#<sup>\$</sup> <sup>K</sup> TNavDataLink** (Unit DBCtrls) Derived from <sup>+</sup> TDataLink

Properties

Methods

Events

#

<sup>\$</sup> TNavDataLink

<sup>K</sup> TNavDataLink; Unit DBCtrls; TDataLink

<sup>+</sup> 154

<sup>#</sup> TNotebook

#<sup>\$</sup> <sup>K</sup> TNotebook

(Unit ExtCtrls) Derived from <sup>+</sup> TCustomControl

Properties	Methods	Events
<ul style="list-style-type: none"><li>* ActivePage</li><li>* Align</li><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>*PageIndex</li><li>* Pages</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>		<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li><li>* OnPageChanged</li></ul>

#

<sup>\$</sup> TNotebook

<sup>K</sup> TNotebook; Unit ExtCtrls; TCustomControl

<sup>+</sup> 155

# TNumericField

#<sup>\$</sup> <sup>K</sup> TNumericField (Unit DBTables) Derived from <sup>+</sup> TField

Properties

- 
- \* Alignment
- \* DisplayFormat
- \* EditFormat

Methods

Events

#

<sup>\$</sup> TNumericField

<sup>K</sup> TNumericField; Unit DBTables; TField

<sup>+</sup> 156

# TOleContainer

#<sup>\$</sup> <sup>K</sup> TOleContainer

(Unit ToCtrl) Derived from <sup>+</sup> TCustomControl

Properties	Methods	Events
Active	ActivateObjMenuItem	* OnActivate
* Align	CopyToClipboard	* OnDblClick
* AllowInPlace	DeleteSite	* OnDragDrop
* AutoActivate	DeleteStorage	* OnDragOver
* AutoSize	DoStatusLineMsg	* OnEndDrag
* BorderStyle	LoadFromFile	* OnEnter
* ConvertDlgHelp	LoadFromStream	* OnExit
* Ctl3D	ObjectMenuAction	* OnKeyDown
* DragCursor	SaveToFile	* OnKeyPress
* DragMode	SaveToStream	* OnKeyUp
* Enabled		* OnMouseDown
GetContainer		* OnMouseMove
GetObjectMenuItem		* OnMouseUp
GetObjectMenuItemCount		* OnStatusLineEvent
InActivation		
InPlaceActive		
InitInfo		
Modified		
* ObjClass		
* ObjDoc		
* ObjItem		
OleObjAllocated		
PInitInfo		
* ParentCtl3D		
* ParentShowHint		
Part		
PartRect		
* ShowHint		
Site		
Storage		
* TabOrder		
* TabStop		
* Visible		
* Zoom		

#

<sup>\$</sup> TOleContainer

<sup>K</sup> TOleContainer; Unit ToCtrl; TCustomControl

<sup>+</sup> 157

# TOleDropNotify

#<sup>\$</sup> <sup>K</sup> TOleDropNotify (Unit ToCtrl) Derived from <sup>++</sup> TObject

Properties	Methods	Events
DataFormat DataHandle DropForm DropRect PInitInfo	SetInfo	

#

<sup>\$</sup> TOleDropNotify

<sup>K</sup> TOleDropNotify; Unit ToCtrl; TObject

<sup>+</sup> 158

# TOpenDialog

#<sup>\$</sup> <sup>K</sup> TOpenDialog (Unit Dialogs) Derived from <sup>+</sup> TCommonDialog

Properties	Methods	Events
<ul style="list-style-type: none"><li>* DefaultExt</li><li>  Execute</li><li>* FileEditStyle</li><li>* FileName</li><li>  Files</li><li>* Filter</li><li>* FilterIndex</li><li>* HistoryList</li><li>* InitialDir</li><li>* Options</li><li>* Title</li></ul>		

#

<sup>\$</sup> TOpenDialog

<sup>K</sup> TOpenDialog; Unit Dialogs; TCommonDialog

<sup>+</sup> 159

# TOutline

#<sup>\$</sup> <sup>K</sup> TOutline (Unit Outline) Derived from <sup>+</sup> TCustomOutline

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* BorderStyle</li><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* ItemHeight</li><li>* ItemSeparator</li><li>* Lines</li><li>* Options</li><li>* OutlineStyle</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PictureClosed</li><li>* PictureLeaf</li><li>* PictureMinus</li><li>* PictureOpen</li><li>* PicturePlus</li><li>* PopupMenu</li><li>* ScrollBars</li><li>* ShowHint</li><li>* Style</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>		<ul style="list-style-type: none"><li>* OnClick</li><li>* OnCollapse</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnDrawItem</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnExpand</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

<sup>\$</sup> TOutline

<sup>K</sup> TOutline; Unit Outline; TCustomOutline

<sup>+</sup> 160

# TOutlineNode

#<sup>\$</sup> <sup>K</sup> TOutlineNode (Unit Outline) Derived from <sup>+</sup> TPersistent

Properties	Methods	Events
Data	ChangeLevelBy	
Expanded	Collapse	
FullPath	Expand	
GetDisplayWidth	FullExpand	
GetFirstChild	MoveTo	
GetLastChild		
GetNextChild		
GetPrevChild		
HasItems		
Index		
IsVisible		
Level		
Parent		
Text		
TopItem		

#

<sup>\$</sup> TOutlineNode

<sup>K</sup> TOutlineNode; Unit Outline; TPersistent

<sup>+</sup> 161

# TOutlineStrings

#<sup>\$</sup> <sup>K</sup> TOutlineStrings      (Unit Outline) Derived from <sup>+</sup> TStrings

Properties	Methods	Events
Add GetObject	Clear Delete Insert PutObject	

#

<sup>\$</sup> TOutlineStrings

<sup>K</sup> TOutlineStrings; Unit Outline; TStrings

<sup>+</sup> 162

# TPage

#<sup>\$</sup> <sup>K</sup> TPage

(Unit ExtCtrls) Derived from <sup>+</sup> TCustomControl

Properties

Methods

Events

- 
- \* Caption
- \* Height
- \* TabOrder
- \* Visible
- \* Width

#

<sup>\$</sup> TPage

<sup>K</sup> TPage; Unit ExtCtrls; TCustomControl

<sup>+</sup> 163

# TPageAccess

#<sup>\$</sup> <sup>K</sup> TPageAccess (Unit ExtCtrls) Derived from <sup>+</sup> TString

Properties	Methods	Events
	Clear Delete Insert Move	

#

<sup>\$</sup> TPageAccess

<sup>K</sup> TPageAccess; Unit ExtCtrls; TString

<sup>+</sup> 164

# TPaintBox

#<sup>\$</sup> <sup>K</sup> TPaintBox

(Unit ExtCtrls) Derived from <sup>+</sup> TGraphicControl

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>  Canvas</li><li>* Color</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* ParentColor</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>-----</li></ul>	<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li><li>* OnPaint</li></ul>

#

<sup>\$</sup> TPaintBox

<sup>K</sup> TPaintBox; Unit ExtCtrls; TGraphicControl

<sup>+</sup> 165

# TPanel

# \$ \$ K TPanel

(Unit ExtCtrls) Derived from <sup>++</sup> TCustomPanel

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* Alignment</li><li>* BevelInner</li><li>* BevelOuter</li><li>* BevelWidth</li><li>* BorderStyle</li><li>* BorderWidth</li><li>* Caption</li><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* Locked</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>		<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li><li>* OnResize</li></ul>

#

\$ TPanel

K TPanel; Unit ExtCtrls; TCustomPanel

<sup>+</sup> 166

# TParam

#<sup>\$</sup> <sup>K</sup> TParam (Unit DBTables) Derived from <sup>+</sup> TObject

Properties	Methods	Events
AsBCD	Assign	
AsBoolean	AssignField	
AsCurrency	Clear	
AsDate	GetData	
AsDateTime	SetData	
AsFloat		
AsInteger		
AsSmallInt		
AsString		
AsTime		
AsWord		
Bound		
DataType		
GetDataSize		
IsNull		
Name		
ParamType		
Text		

#

<sup>\$</sup> TParam

<sup>K</sup> TParam; Unit DBTables; TObject

<sup>+</sup> 167

# TParamList

#<sup>\$</sup> <sup>K</sup> TParamList

(Unit DB) Derived from <sup>+</sup> TObject

Properties

-----  
Buffer  
FieldCount  
FieldDescs

Methods

Events

#

<sup>\$</sup> TParamList

<sup>K</sup> TParamList; Unit DB; TObject

<sup>+</sup> 168

# TParams

#<sup>\$</sup> <sup>K</sup> TParams (Unit DBTables) Derived from <sup>+</sup> TPersistent

Properties	Methods	Events
Count	AddParam	
CreateParam	Assign	
Items	AssignValues	
ParamByName	Clear	
	RemoveParam	

#

<sup>\$</sup> TParams

<sup>K</sup> TParams; Unit DBTables; TPersistent

<sup>+</sup> 169

# TParser

# \$ <sup>K</sup> TParser    (Unit Classes) Derived from <sup>+</sup> TObject

Properties	Methods	Events
NextToken	CheckToken	
SourceLine	CheckTokenSymbol	
SourcePos	Error	
Token	ErrorStr	
TokenFloat	HexToBinary	
TokenInt		
TokenString		
TokenSymbolIs		

#

\$ TParser

<sup>K</sup> TParser; Unit Classes; TObject

<sup>+</sup> 170

# TPen

#<sup>\$</sup> <sup>K</sup> TPen

(Unit Graphics) Derived from <sup>+</sup> TGraphicsObject

Properties

- \* Color
- Handle
- \* Mode
- \* Style
- \* Width

Methods

- Assign

Events

#

<sup>\$</sup> TPen

<sup>K</sup> TPen; Unit Graphics; TGraphicsObject

<sup>+</sup> 171

# TPersistent

#<sup>\$</sup> <sup>K</sup> TPersistent      (Unit Classes) Derived from <sup>+</sup> TObject

Properties

Methods

Events

-----  
Assign

#

<sup>\$</sup> TPersistent

<sup>K</sup> TPersistent; Unit Classes; TObject

<sup>+</sup> 172

# TPicture

# \$ <sup>K</sup> TPicture (Unit Graphics) Derived from <sup>+</sup> TPersistent

Properties	Methods	Events
Bitmap	Assign	OnChange
Graphic	LoadFromClipboardFormat	
Height	LoadFromFile	
Icon	SaveToClipboardFormat	
Metafile	SaveToFile	
Width		

#

\$ TPicture

<sup>K</sup> TPicture; Unit Graphics; TPersistent

<sup>+</sup> 173

# TPopupGrid

#<sup>\$</sup> <sup>K</sup> TPopupGrid (Unit DBLookup) Derived from <sup>+</sup> TDBLookupList

Properties

Methods

Events

-----  
RowCount

#

<sup>\$</sup> TPopupGrid

<sup>K</sup> TPopupGrid; Unit DBLookup; TDBLookupList

<sup>+</sup> 174

# TPopupList

#<sup>\$</sup> <sup>K</sup> TPopupMenu

(Unit Menus) Derived from <sup>+</sup> TList

Properties

Methods

Events

-----  
Add  
Remove

#

<sup>\$</sup> TPopupMenu

<sup>K</sup> TPopupMenu; Unit Menus; TList

<sup>+</sup> 175

# TPopupMenu

#<sup>\$</sup> <sup>K</sup> TPopupMenu      (Unit Menus) Derived from <sup>+</sup> TMenu

Properties	Methods	Events
-----	-----	-----
* Alignment	Popup	* OnPopup
* AutoPopup		
* HelpContext		
PopupComponent		

#

<sup>\$</sup> TPopupMenu

<sup>K</sup> TPopupMenu; Unit Menus; TMenu

<sup>+</sup> 176

# TPrintDialog

#<sup>\$</sup> <sup>K</sup> TPrintDialog

(Unit Dialogs) Derived from <sup>+</sup> TPrinterSetupDialog

Properties

- \* Collate
- \* Copies
- Execute
- \* FromPage
- \* MaxPage
- \* MinPage
- \* Options
- \* PrintRange
- \* PrintToFile
- \* ToPage

Methods

Events

#

<sup>\$</sup> TPrintDialog

<sup>K</sup> TPrintDialog; Unit Dialogs; TPrinterSetupDialog

<sup>+</sup> 177

# TPrinter

**#\$<sup>K</sup>TPrinter** (Unit Printers) Derived from <sup>+</sup>TObject

Properties	Methods	Events
Aborted	Abort	
Canvas	BeginDoc	
Fonts	EndDoc	
Handle	GetPrinter	
Orientation	NewPage	
PageHeight	SetPrinter	
PageNumber		
PageWidth		
PrinterIndex		
Printers		
Printing		
Title		

#

<sup>\$</sup> TPrinter

<sup>K</sup> TPrinter; Unit Printers; TObject

<sup>+</sup> 178

# TPrinterSetupDialog

#<sup>\$</sup> <sup>K</sup> TPrinterSetupDialog (Unit Dialogs) Derived from <sup>++</sup> TCommonDialog

Properties

Methods

Events

-----  
Execute

#

<sup>\$</sup> TPrinterSetupDialog

<sup>K</sup> TPrinterSetupDialog; Unit Dialogs; TCommonDialog

<sup>+</sup> 179

# TPropInfoList

#<sup>\$</sup> <sup>K</sup> TPropInfoList (Unit DsgnIntf) Derived from <sup>+-</sup>

Properties	Methods	Events
Contains Count Items	Delete Intersect	

#

<sup>\$</sup> TPropInfoList

<sup>K</sup> TPropInfoList; Unit DsgnIntf; -

<sup>+</sup> 180

# TPropertyEditor

#<sup>\$</sup> <sup>K</sup> TPropertyEditor (Unit DsgnIntf) Derived from <sup>+-</sup>

Properties	Methods	Events
AllEqual	Activate	
Designer	Edit	
GetAttributes	GetProperties	
GetComponent	GetValues	
GetEditLimit	Initialize	
GetName	SetValue	
GetPropType		
GetValue		
PrivateDirectory		
PropCount		
Value		

#

<sup>\$</sup> TPropertyEditor

<sup>K</sup> TPropertyEditor; Unit DsgnIntf; -

<sup>+</sup> 181

# TQuery

#<sup>\$</sup> <sup>K</sup> TQuery (Unit DBTables) Derived from <sup>+</sup><sup>+</sup> TDBDataSet

Properties	Methods	Events
-----	-----	-----
* DataSource	ExecSQL	
Local	Prepare	
ParamByName	UnPrepare	
ParamCount		
* Params		
Prepared		
* RequestLive		
* SQL		
SQLBinary		
StmtHandle		
Text		
* UniDirectional		
* UpdateMode		

#

<sup>\$</sup> TQuery

<sup>K</sup> TQuery; Unit DBTables; TDBDataSet

<sup>+</sup> 182

# TQueryDataLink

#<sup>\$</sup> <sup>K</sup> TQueryDataLink (Unit DBTables) Derived from <sup>+</sup> TDataLink

Properties

Methods

Events

#

<sup>\$</sup> TQueryDataLink

<sup>K</sup> TQueryDataLink; Unit DBTables; TDataLink

<sup>+</sup> 183

# TRadioButton

#<sup>\$</sup> <sup>K</sup> TRadioButton

(Unit StdCtrls) Derived from <sup>+</sup> TButtonControl

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Alignment</li><li>* Caption</li><li>* Checked</li><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>-----</li></ul>	<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnKeyDown</li><li>* OnKeyPress</li><li>* OnKeyUp</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

<sup>\$</sup> TRadioButton

<sup>K</sup> TRadioButton; Unit StdCtrls; TButtonControl

<sup>+</sup> 184

# TRadioGroup

#<sup>\$</sup> <sup>K</sup> TRadioGroup

(Unit ExtCtrls) Derived from <sup>+</sup> TCustomRadioGroup

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* Caption</li><li>* Color</li><li>* Columns</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* ItemIndex</li><li>* Items</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>		<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li></ul>

#

<sup>\$</sup> TRadioGroup

<sup>K</sup> TRadioGroup; Unit ExtCtrls; TCustomRadioGroup

<sup>+</sup> 185

# TReader

# \$ \$ K TReader

(Unit Classes) Derived from <sup>++</sup> TFiler

Properties	Methods	Events
EndOfList	DefineBinaryProperty	OnError
Owner	DefineProperty	OnFindMethod
Parent	Read	OnSetName
ReadBoolean	ReadComponents	
ReadChar	ReadListBegin	
ReadFloat	ReadListEnd	
ReadIdent	ReadSignature	
ReadInteger		
ReadRootComponent		
ReadStr		
ReadString		

#

\$ TReader

K TReader; Unit Classes; TFiler

<sup>+</sup> 186

# TReplaceDialog

#<sup>\$</sup> <sup>K</sup> TReplaceDialog (Unit Dialogs) Derived from <sup>+</sup> TFindDialog

Properties	Methods	Events
Execute Message * ReplaceText		* OnReplace

#

<sup>\$</sup> TReplaceDialog

<sup>K</sup> TReplaceDialog; Unit Dialogs; TFindDialog

<sup>+</sup> 187

# TReport

#<sup>\$</sup> <sup>K</sup> TReport

(Unit Report) Derived from <sup>+</sup> TComponent

Properties	Methods	Events
* AutoUnload Busy CloseApplication CloseReport Connect * EndPage * InitialValues * MaxRecords * Preview Print * PrintCopies RecalcReport * ReportDir ReportHandle * ReportName RunMacro SetVariable SetVariableLines * StartPage VersionMajor VersionMinor	Run	

#

<sup>\$</sup> TReport

<sup>K</sup> TReport; Unit Report; TComponent

<sup>+</sup> 188

# TReportDirProperty

#<sup>\$</sup> <sup>K</sup> TReportDirProperty (Unit Report) Derived from <sup>+</sup> TPropertyEditor

Properties	Methods	Events
GetAttributes GetValue	Edit SetValue	

#

<sup>\$</sup> TReportDirProperty

<sup>K</sup> TReportDirProperty; Unit Report; TPropertyEditor

<sup>+</sup> 189

# TReportNameProperty

#<sup>\$</sup> <sup>K</sup> TReportNameProperty (Unit Report) Derived from <sup>+</sup> TPropertyEditor

Properties	Methods	Events
GetAttributes GetValue	Edit SetValue	

#

<sup>\$</sup> TReportNameProperty

<sup>K</sup> TReportNameProperty; Unit Report; TPropertyEditor

<sup>+</sup> 190

# TScreen

#<sup>\$</sup> <sup>K</sup> TSreen      (Unit Forms) Derived from <sup>+</sup> TComponent

Properties	Methods	Events
ActiveControl		OnActiveFormChange
ActiveForm		OnActiveControlChange
Cursor		
Cursors		
Fonts		
FormCount		
Forms		
Height		
PixelsPerInch		
Width		

#

<sup>\$</sup> TSreen

<sup>K</sup> TSreen; Unit Forms; TComponent

<sup>+</sup> 191

# TScrollBar

#<sup>\$</sup> <sup>K</sup> TScrollBar (Unit StdCtrls) Derived from <sup>++</sup> TWinControl

Properties	Methods	Events
-----	-----	-----
* Ctl3D	SetParams	* OnChange
* DragCursor		* OnDragDrop
* DragMode		* OnDragOver
* Enabled		* OnEndDrag
* Kind		* OnEnter
* LargeChange		* OnExit
* Max		* OnKeyDown
* Min		* OnKeyPress
* ParentCtl3D		* OnKeyUp
* ParentShowHint		* OnScroll
* PopupMenu		
* Position		
* ShowHint		
* SmallChange		
* TabOrder		
* TabStop		
* Visible		

#

<sup>\$</sup> TScrollBar

<sup>K</sup> TScrollBar; Unit StdCtrls; TWinControl

<sup>+</sup> 192

# TScrollBox

#<sup>\$</sup> <sup>K</sup> TScrollBox

(Unit Forms) Derived from <sup>+</sup> TScrollingWinControl

Properties	Methods	Events
<ul style="list-style-type: none"><li>* Align</li><li>* AutoScroll</li><li>* BorderStyle</li><li>* Color</li><li>* Ctl3D</li><li>* DragCursor</li><li>* DragMode</li><li>* Enabled</li><li>* Font</li><li>* ParentColor</li><li>* ParentCtl3D</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* PopupMenu</li><li>* ShowHint</li><li>* TabOrder</li><li>* TabStop</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>-----</li></ul>	<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnDragDrop</li><li>* OnDragOver</li><li>* OnEndDrag</li><li>* OnEnter</li><li>* OnExit</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li><li>* OnResize</li></ul>

#

<sup>\$</sup> TScrollBox

<sup>K</sup> TScrollBox; Unit Forms; TScrollingWinControl

<sup>+</sup> 193

# TScrollingWinControl

#<sup>\$</sup> <sup>K</sup> TScrollingWinControl (Unit Forms) Derived from <sup>+</sup> TWinControl

Properties	Methods	Events
-----	-----	-----
* HorzScrollBar * VertScrollBar	ScrollInView	

#

<sup>\$</sup> TScrollingWinControl

<sup>K</sup> TScrollingWinControl; Unit Forms; TWinControl

<sup>+</sup> 194

# TSelectDirDlg

#<sup>\$</sup> <sup>K</sup> TSelectDirDlg (Unit FileCtrl) Derived from <sup>++</sup> TForm

Properties

AllowCreate  
Directory  
Prompt

Methods

Events

#

<sup>\$</sup> TSelectDirDlg

<sup>K</sup> TSelectDirDlg; Unit FileCtrl; TForm

<sup>+</sup> 195

# TSession

#<sup>\$</sup> <sup>K</sup> TSession (Unit DB) Derived from <sup>+</sup> TComponent

Properties	Methods	Events
DatabaseCount	AddPassword	OnPassword
Databases	CloseDatabase	
FindDatabase	DropConnections	
GetPassword	GetAliasNames	
Handle	GetAliasParams	
KeepConnections	GetDatabaseNames	
Locale	GetDriverNames	
NetFileDir	GetDriverParams	
OpenDatabase	GetStoredProcNames	
PrivateDir	GetTableNames	
	RemoveAllPasswords	
	RemovePassword	

#

<sup>\$</sup> TSession

<sup>K</sup> TSession; Unit DB; TComponent

<sup>+</sup> 196

# TSetElementProperty

#<sup>\$</sup> <sup>K</sup> TSetElementProperty (Unit DsgnIntf) Derived from <sup>+</sup> TPropertyEditor

Properties	Methods	Events
-----	-----	-----
AllEqual	GetValues	
GetAttributes	SetValue	
GetName		
GetValue		

#

<sup>\$</sup> TSetElementProperty

<sup>K</sup> TSetElementProperty; Unit DsgnIntf; TPropertyEditor

<sup>+</sup> 197

# TSetProperty

$\#^{\$} \$^K TSetProperty$  (Unit DsgnIntf) Derived from  $^{+} TOrdinalProperty$

Properties	Methods	Events
GetAttributes GetValue	GetProperties	

#

$\$ TSetProperty$

$K TSetProperty; Unit DsgnIntf; TOrdinalProperty$

$^{+} 198$

$\# TShape$

# \$ \$ K TShape

(Unit ExtCtrls) Derived from <sup>†</sup> + TGraphicControl

Properties	Methods	Events
-----	-----	-----
* Brush	* StyleChanged	* OnDragDrop
* DragCursor		* OnDragOver
* DragMode		* OnEndDrag
* Enabled		* OnMouseDown
* ParentShowHint		* OnMouseMove
* Pen		* OnMouseUp
* Shape		
* ShowHint		
* Visible		

#

\$ TShape

K TShape; Unit ExtCtrls; TGraphicControl

+ 199

# TShortCutProperty

#<sup>\$</sup> <sup>K</sup> TShortCutProperty (Unit DsgnIntf) Derived from <sup>+</sup> TOrdinalProperty

Properties	Methods	Events
GetAttributes GetValue	GetValues SetValue	

#

<sup>\$</sup> TShortCutProperty

<sup>K</sup> TShortCutProperty; Unit DsgnIntf; TOrdinalProperty

<sup>+</sup> 200

# TSmallintField

#<sup>\$</sup> <sup>K</sup> TSmallintField (Unit DBTables) Derived from <sup>+</sup>TIntegerField

Properties

Methods

Events

#

<sup>\$</sup> TSmallintField

<sup>K</sup> TSmallintField; Unit DBTables; TIntegerField

<sup>+</sup> 201

# TSparseList

#<sup>\$</sup> <sup>K</sup> TSparseList

(Unit Grids) Derived from <sup>+</sup> TObject

Properties

Add  
Count  
First  
ForAll  
IndexOf  
Items  
Last  
Remove

Methods

Clear  
Delete  
Exchange  
Insert  
Move  
Pack

Events

#

<sup>\$</sup> TSparseList

<sup>K</sup> TSparseList; Unit Grids; TObject

<sup>+</sup> 202

# TSparsePointerArray

#<sup>\$</sup> <sup>K</sup> TSparsePointerArray (Unit Grids) Derived from <sup>+</sup> TObject

Properties	Methods	Events
ForAll HighBound Items SectionSize	ResetHighBound	

#

<sup>\$</sup> TSparsePointerArray

<sup>K</sup> TSparsePointerArray; Unit Grids; TObject

<sup>+</sup> 203

# TSpeedButton

#<sup>\$</sup> <sup>K</sup> TSpeedButton

(Unit Buttons) Derived from <sup>+</sup> TGraphicControl

Properties	Methods	Events
<ul style="list-style-type: none"><li>* AllowAllUp</li><li>* Caption</li><li>* Down</li><li>* Enabled</li><li>* Font</li><li>* Glyph</li><li>* GroupIndex</li><li>* Layout</li><li>* Margin</li><li>* NumGlyphs</li><li>* ParentFont</li><li>* ParentShowHint</li><li>* ShowHint</li><li>* Spacing</li><li>* Visible</li></ul>	<ul style="list-style-type: none"><li>Click</li></ul>	<ul style="list-style-type: none"><li>* OnClick</li><li>* OnDblClick</li><li>* OnMouseDown</li><li>* OnMouseMove</li><li>* OnMouseUp</li></ul>

#

<sup>\$</sup> TSpeedButton

<sup>K</sup> TSpeedButton; Unit Buttons; TGraphicControl

<sup>+</sup> 204

# TStoredProc

#<sup>\$</sup> <sup>K</sup> TStoredProc (Unit DBTables) Derived from <sup>+</sup> TDBDataSet

Properties	Methods	Events
DescriptionsAvailable	CopyParams	
* Overload	ExecProc	
* ParamBindMode	GetResults	
ParamByName	Prepare	
ParamCount	UnPrepare	
* Params		
Prepared		
StmtHandle		
* StoredProcName		

#

<sup>\$</sup> TStoredProc

<sup>K</sup> TStoredProc; Unit DBTables; TDBDataSet

<sup>+</sup> 205

# TStream

#<sup>\$</sup> <sup>K</sup> TStream

(Unit Classes) Derived from <sup>++</sup> TObject

Properties	Methods	Events
CopyFrom	ReadBuffer	
Position	ReadResHeader	
Read	WriteBuffer	
ReadComponent	WriteComponent	
ReadComponentRes	WriteComponentRes	
Seek		
Size		
Write		

#

<sup>\$</sup> TStream

<sup>K</sup> TStream; Unit Classes; TObject

<sup>+</sup> 206

# TStringField

#<sup>\$</sup> <sup>K</sup> TStringField      (Unit DBTables) Derived from <sup>+</sup> TField

Properties

- 
- \* EditMask
- \* Size
- \* Transliterate
- Value

Methods

Events

#

<sup>\$</sup> TStringField

<sup>K</sup> TStringField; Unit DBTables; TField

<sup>+</sup> 207

# TStringGrid

#<sup>\$</sup> <sup>K</sup> TStringGrid (Unit Grids) Derived from <sup>+</sup> TDrawGrid

**Properties**

Cells  
Cols  
Objects  
Rows

**Methods**

**Events**

#

<sup>\$</sup> TStringGrid

<sup>K</sup> TStringGrid; Unit Grids; TDrawGrid

<sup>+</sup> 208

# TStringGridStrings

#<sup>\$</sup> <sup>K</sup> TStringGridStrings (Unit Grids) Derived from <sup>++</sup> TStrings

Properties

Methods

Events

-----  
Assign

#

<sup>\$</sup> TStringGridStrings

<sup>K</sup> TStringGridStrings; Unit Grids; TStrings

<sup>+</sup> 209

# TStringList

#<sup>\$</sup> <sup>K</sup> TStringList (Unit Classes) Derived from <sup>+</sup> TStrings

Properties	Methods	Events
Add	Clear	OnChange
Duplicates	Delete	OnChanging
Find	Exchange	
IndexOf	Insert	
Sorted	Sort	

#

<sup>\$</sup> TStringList

<sup>K</sup> TStringList; Unit Classes; TStrings

<sup>+</sup> 210

# TStringProperty

#<sup>\$</sup> <sup>K</sup> TStringProperty (Unit DsgnIntf) Derived from <sup>+</sup> TPropertyEditor

Properties	Methods	Events
Allequal	SetValue	
GetEditLimit		
GetValue		

TStringSparseList (Unit Grids) Derived from TString

Properties	Methods	Events
List	Clear	OnChange
	DefineProperties	
	Delete	
	Exchange	
	Insert	
	ReadData	
	WriteData	

#

<sup>\$</sup> TStringProperty

<sup>K</sup> TStringProperty; Unit DsgnIntf; TPropertyEditor

<sup>+</sup> 211

# TString

#<sup>\$</sup> <sup>K</sup> <sup>+</sup> **TStrings** (Unit Classes) Derived from **TPersistent**

Properties	Methods	Events
Add	AddStrings	
AddObject	Assign	
Count	BeginUpdate	
Equals	Clear	
GetText	Delete	
IndexOf	EndUpdate	
IndexOfObject	Exchange	
Objects	Insert	
Strings	InsertObject	
Values	LoadFromFile	
	LoadFromStream	
	Move	
	SaveToFile	
	SaveToStream	
	SetText	

#

<sup>\$</sup> **TStrings**

<sup>K</sup> **TStrings; Unit Classes; TPersistent**

<sup>+</sup> 212

# **TTabOrderProperty**

#<sup>\$</sup> \$<sup>K</sup> TTabOrderProperty (Unit DsgnIntf) Derived from <sup>+</sup>TIntegerProperty

Properties

Methods

Events

-----  
GetAttributes

#

<sup>\$</sup> TTabOrderProperty

<sup>K</sup> TTabOrderProperty; Unit DsgnIntf; TIntegerProperty

<sup>+</sup> 213

# TTable

#<sup>\$</sup> <sup>K</sup> TTable (Unit DBTables) Derived from <sup>+</sup> TDBDataSet

Properties	Methods	Events
BatchMove	AddIndex	
* Exclusive	ApplyRange	
FindKey	CancelRange	
GotoKey	CreateTable	
IndexDefs	DeleteIndex	
IndexFieldCount	DeleteTable	
* IndexFieldNames	EditKey	
IndexFields	EditRangeEnd	
* IndexName	EditRangeStart	
KeyExclusive	EmptyTable	
KeyFieldCount	FindNearest	
* MasterFields	GetIndexNames	
* MasterSource	GotoCurrent	
* ReadOnly	GotoNearest	
* TableName	LockTable	
* TableType	RenameTable	
* UpdateMode	SetKey	
	SetRange	
	SetRangeEnd	
	SetRangeStart	
	UnlockTable	

#

<sup>\$</sup> TTable

<sup>K</sup> TTable; Unit DBTables; TDBDataSet

<sup>+</sup> 214

# TTableDataLink

#<sup>\$</sup> <sup>K</sup> TTableDataLink (Unit DBTables) Derived from <sup>+</sup> TDataLink

Properties

Methods

Events

#

<sup>\$</sup> TTableDataLink

<sup>K</sup> TTableDataLink; Unit DBTables; TDataLink

<sup>+</sup> 215

# TTimeField

#<sup>\$</sup> <sup>K</sup> TTTimeField (Unit DBTables) Derived from <sup>++</sup> TDateTimeField

Properties

Methods

Events

#

<sup>\$</sup> TTTimeField

<sup>K</sup> TTTimeField; Unit DBTables; TDateTimeField

<sup>+</sup> 216

# TTimer

#<sup>\$</sup> <sup>K</sup> TTTimer

(Unit ExtCtrls) Derived from <sup>+</sup> TComponent

Properties

- 
- \* Enabled
- \* Interval

Methods

Events

- 
- \* OnTimer

#

<sup>\$</sup> TTTimer

<sup>K</sup> TTTimer; Unit ExtCtrls; TComponent

<sup>+</sup> 217

# TVarBytesField

#<sup>\$</sup> <sup>K</sup> TVarBytesField      (Unit DBTables) Derived from <sup>+</sup> TField

Properties

Methods

Events

-----  
\* Size

#

<sup>\$</sup> TVarBytesField

<sup>K</sup> TVarBytesField; Unit DBTables; TField

<sup>+</sup> 218

# TVirtualStream

**#** **\$** **K** TVirtualStream (Unit IStreams) Derived from **+** TStream

**Properties**

GetModifyTime  
Read  
Seek  
Write

**Methods**

**Events**

**#**

**\$** TVirtualStream

**K** TVirtualStream; Unit IStreams; TStream

**+** 219

**#** TWinControl

#<sup>\$</sup> <sup>K</sup> TWinControl

(Unit Controls) Derived from <sup>+</sup> TControl

Properties	Methods	Events
Brush	Broadcast	
CanFocus	DisableAlign	
ContainsControl	EnableAlign	
ControlAtPos	GetTabOrderList	
ControlCount	HandleNeeded	
Controls	InsertControl	
Focused	Invalidate	
Handle	Realign	
HandleAllocated	RemoveControl	
* HelpContext	Repaint	
Showing	ScaleBy	
TabOrder	ScrollBy	
TabStop	SetBounds	
	SetFocus	
	Update	
	UpdateControlState	

#

<sup>\$</sup> TWinControl

<sup>K</sup> TWinControl; Unit Controls; TControl

<sup>+</sup> 220

# TWinOleHelper

#<sup>\$</sup> <sup>K</sup> TWinOleHelper (Unit Forms) Derived from <sup>++</sup> TObject

Properties	Methods	Events
OnSetFocus	OnActivate OnClose OnFormMouseDown OnParentNotify OnResize OnSetName OnShowModal	

#

<sup>\$</sup> TWinOleHelper

<sup>K</sup> TWinOleHelper; Unit Forms; TObject

<sup>+</sup> 221

# TWordField

**# \$ \$ K TWordField** (Unit DBTables) Derived from **+ TIntegerField**

**Properties**

**Methods**

**Events**

**\$ TWordField**

**K TWordField; Unit DBTables; TIntegerField**

**+ 222**