

mathieeesingtrans

COLLABORATORS

	TITLE : mathieeesingtrans		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 23, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	mathieeesingtrans	1
1.1	mathieeesingtrans.doc	1
1.2	mathieeesingtrans.library/IEEESPAcos	1
1.3	mathieeesingtrans.library/IEEESPAasin	2
1.4	mathieeesingtrans.library/IEEESPAatan	2
1.5	mathieeesingtrans.library/IEEESPCos	3
1.6	mathieeesingtrans.library/IEEESPCosh	3
1.7	mathieeesingtrans.library/IEEESPExp	4
1.8	mathieeesingtrans.library/IEEESPFieee	4
1.9	mathieeesingtrans.library/IEEESPLog	5
1.10	mathieeesingtrans.library/IEEESPLog10	5
1.11	mathieeesingtrans.library/IEEESPPow	6
1.12	mathieeesingtrans.library/IEEESPSin	6
1.13	mathieeesingtrans.library/IEEESPSincos	7
1.14	mathieeesingtrans.library/IEEESPSinh	7
1.15	mathieeesingtrans.library/IEEESPSqrt	8
1.16	mathieeesingtrans.library/IEEESPTan	8
1.17	mathieeesingtrans.library/IEEESPTanh	9
1.18	mathieeesingtrans.library/IEEESPTieee	9

Chapter 1

mathieeesingtrans

1.1 mathieeesingtrans.doc

```
IEEESPAcos ()
IEEESPAsin ()
IEEESPAtan ()
IEEESPCos ()
IEEESPCosh ()
IEEESPExp ()
IEEESPFieee ()
IEEESPLog ()
IEEESPLog10 ()
IEEESPPow ()
IEEESPSin ()
IEEESPSincos ()
IEEESPSinh ()
IEEESPSqrt ()
IEEESPTan ()
IEEESPTanh ()
IEEESPTieee ()
```

1.2 mathieeesingtrans.library/IEEESPAcos

```
NAME
IEEESPAcos -- compute the arc cosine of a number
```

```
SYNOPSIS
    x      = IEEESPAcos( y );
d0                d0
```

```
float x,y;
```

```
FUNCTION
Compute arc cosine of y in IEEE single precision
```

```
INPUTS
y - IEEE single precision floating point value
```

RESULT
x - IEEE single precision floating point value

BUGS

SEE ALSO
IEEESPCos(), IEEESPAtan(), IEEESPAsin()

1.3 mathieeesingtrans.library/IEEESPAsin

NAME
IEEESPAsin -- compute the arcsine of a number

SYNOPSIS
x = IEEESPAsin(y);
d0 d0

float x,y;

FUNCTION
Compute the arc sine of y in IEEE single precision

INPUTS
y - IEEE single precision floating point value

RESULT
x - IEEE single precision floating point value

BUGS

SEE ALSO
IEEESPSin(), IEEESPAtan(), IEEESPAcos()

1.4 mathieeesingtrans.library/IEEESPAtan

NAME
IEEESPAtan -- compute the arc tangent of number

SYNOPSIS
x = IEEESPAtan(y);
d0 d0

single x,y;

FUNCTION
Compute arctangent of y in IEEE single precision

INPUTS
y - IEEE single precision floating point value

RESULT
x - IEEE single precision floating point value

BUGS

SEE ALSO

1.5 mathieeesingtrans.library/IEEESPCos

NAME

IEEESPCos -- compute the cosine of a floating point number

SYNOPSIS

```
x    = IEEESPCos( y );  
d0    d0
```

```
float x,y;
```

FUNCTION

Compute cosine of y in IEEE single precision

INPUTS

y - IEEE single precision floating point value

RESULT

x - IEEE single precision floating point value

BUGS

SEE ALSO

IEEESPAcos(), IEEESPSin(), IEEESPTan()

1.6 mathieeesingtrans.library/IEEESPCosh

NAME

IEEESPCosh -- compute the hyperbolic cosine of a floating point number

SYNOPSIS

```
x    = IEEESPCosh( y );  
d0    d0
```

```
float x,y;
```

FUNCTION

Compute hyperbolic cosine of y in IEEE single precision

INPUTS

y - IEEE single precision floating point value

RESULT

x - IEEE single precision floating point value

BUGS

SEE ALSO
IEEESPSinh(), IEEESPTanh()

1.7 mathieeesingtrans.library/IEEESPExp

NAME
IEEESPExp -- compute the exponential of e

SYNOPSIS
x = IEEESPExp(y);
d0 d0

float x,y;

FUNCTION
Compute e^y in IEEE single precision

INPUTS
y - IEEE single precision floating point value

RESULT
x - IEEE single precision floating point value

BUGS

SEE ALSO
IEEESPLog()

1.8 mathieeesingtrans.library/IEEESPFieee

NAME
IEEESPFieee -- convert IEEE single to IEEE single

SYNOPSIS
x = IEEESPFieee(y);
d0 d0

float y;
float x;

FUNCTION
Convert IEEE single precision number to IEEE single precision. These are included for completeness although they just return the input parameter. A good way to remember how these functions work is: They convert to and from the local format to Single Precision IEEE. The local format for this library happens to also be Single Precision IEEE.

INPUTS
y - IEEE single precision floating point value

RESULT

x - IEEE single precision floating point value

BUGS

SEE ALSO

IEEEESPtieee()

1.9 mathieeesingtrans.library/IEEESPLog

NAME

IEEESPLog -- compute the natural logarithm of a floating point number

SYNOPSIS

```
x    = IEEESPLog( y );
d0          d0
```

float x,y;

FUNCTION

Compute ln(y) in IEEE single precision

INPUTS

y - IEEE single precision floating point value

RESULT

x - IEEE single precision floating point value

BUGS

SEE ALSO

IEEESPExp()

1.10 mathieeesingtrans.library/IEEESPLog10

NAME

IEEESPLog10 -- compute logarithm base 10 of a number

SYNOPSIS

```
x    = IEEESPLog10( y );
d0          d0
```

float x,y;

FUNCTION

Compute the logarithm base 10 of y in IEEE single precision

INPUTS

y - IEEE single precision floating point value

RESULT

x - IEEE single precision floating point value

BUGS

SEE ALSO

IEEESPLog()

1.11 mathieeesingtrans.library/IEEESPPow

NAME

IEEESPPow -- raise a number to another number power

SYNOPSIS

```
z = IEEESPPow( x , y );  
d0          d1 d0
```

```
float x,y,z;
```

FUNCTION

Compute y^x in IEEE single precision

INPUTS

x - IEEE single precision floating point value
y - IEEE single precision floating point value

RESULT

z - IEEE single precision floating point value

BUGS

SEE ALSO

1.12 mathieeesingtrans.library/IEEESPSin

NAME

IEEESPSin -- compute the sine of a floating point number

SYNOPSIS

```
x = IEEESPSin( y );  
d0          d0
```

```
float x,y;
```

FUNCTION

Compute sine of y in IEEE single precision

INPUTS

y - IEEE single precision floating point value

RESULT

x - IEEE single precision floating point value

BUGS

SEE ALSO
 IEEEPSAsin(), IEEEPSATan(), IEEEPSACos()

1.13 mathieeesingtrans.library/IEEEPSIncS

NAME
 IEEEPSIncS -- compute the arc tangent of a floating point number

SYNOPSIS
 x = IEEEPSIncS(z , y);
 d0 a0 d0

float x,y,*z;

FUNCTION
 Compute sin and cosine of y in IEEE single precision.
 Store the cosine in *z. Return the sine of y.

INPUTS
 y - IEEE single precision floating point value
 z - pointer to IEEE single precision floating point number

RESULT
 x - IEEE single precision floating point value

BUGS

SEE ALSO
 IEEEPSAsin(), IEEEPSACos()

1.14 mathieeesingtrans.library/IEEEPSInh

NAME
 IEEEPSInh -- compute the hyperbolic sine of a floating point number

SYNOPSIS
 x = IEEEPSInh(y);
 d0 d0

float x,y;

FUNCTION
 Compute hyperbolic sine of y in IEEE single precision

INPUTS
 y - IEEE single precision floating point value

RESULT
 x - IEEE single precision floating point value

BUGS

SEE ALSO
IEEESPCosh(), IEEEESPTanh()

1.15 mathieeesingtrans.library/IEEESPSqrt

NAME
IEEESPSqrt -- compute the square root of a number

SYNOPSIS
x = IEEESPSqrt(y);
d0 d0

float x,y;

FUNCTION
Compute square root of y in IEEE single precision

INPUTS
y - IEEE single precision floating point value

RESULT
x - IEEE single precision floating point value

BUGS

SEE ALSO

1.16 mathieeesingtrans.library/IEEEESPTan

NAME
IEEEESPTan -- compute the tangent of a floating point number

SYNOPSIS
x = IEEEESPTan(y);
d0 d0

float x,y;

FUNCTION
Compute tangent of y in IEEE single precision

INPUTS
y - IEEE single precision floating point value

RESULT
x - IEEE single precision floating point value

BUGS

SEE ALSO
IEEEESPTan(), IEEEESPSin(), IEEEESPCos()

1.17 mathieeesingtrans.library/IEEESPTanh

NAME

IEEESPTanh -- compute the hyperbolic tangent of a floating point number

SYNOPSIS

```
x      = IEEESPTanh( y );
d0      d0
```

```
float x,y;
```

FUNCTION

Compute hyperbolic tangent of y in IEEE single precision

INPUTS

y - IEEE single precision floating point value

RESULT

x - IEEE single precision floating point value

BUGS

SEE ALSO

IEEESPSinh(), IEEESPCosh()

1.18 mathieeesingtrans.library/IEEESPTieee

NAME

IEEESPTieee -- convert IEEE single to IEEE single

SYNOPSIS

```
x      = IEEESPTieee( y );
d0      d0
```

```
float y;
```

```
float x;
```

FUNCTION

Convert IEEE single precision number to IEEE single precision. These are included for completeness although they just return the input parameter. A good way to remember how these functions work is: They convert to and from the local format to Single Precision IEEE. The local format for this library happens to also be Single Precision IEEE.

INPUTS

y - IEEE single precision floating point value

RESULT

x - IEEE single precision floating point value

BUGS

SEE ALSO

IEEESPFieee()