

Types and Constants

Defined Types

Access Exceptions

```
typedef enum _DBAccessErrors {
    DB_UnimplementedException = DB_ERROR_BASE,
    DB_CoercionException,
    DB_FormatException,
    DB_CursorException,
    DB_CommitException
} DBExceptions;
```

Failure Codes

```
typedef enum {
    DB_ReasonUnknown = 0,
    DB_RecordBusy,
    DB_RecordStreamNotReady,
    DB_RecordHasChanged,
    DB_RecordLimitReached,
    DB_NoRecordKey,
    DB_RecordKeyNotUnique,
    DB_NoAdaptor,
    DB_AdaptorError,
    DB_TransactionError
} DBFailureCode;
```

Failure Responses

```
typedef enum {
    DB_NotHandled = 0,
    DB_Abort,
    DB_Continue
} DBFailureResponse;
```

Image Style

```
typedef enum {
    DB_ImageNoFrame = 0,
    DB_ImagePhoto,
    DB_ImageGrayBezel,
    DB_ImageGroove
} DBImageStyle;
```

Order of Retrieved Records

```
typedef enum {
```

```
        DB_NoOrder = 0
        DB_AscendingOrder,
        DB_DescendingOrder
    } DBRetrieveOrder;
```

Retrieval Mode of a Record List

```
typedef enum _DBRecordListMode {
    DB_SynchronousStrategy,
    DB_BackgroundStrategy,
    DB_BackgroundNoBlockingStrategy,
} DBRecordListRetrieveMode;
```

Selection Mode in a DBTableView

```
typedef enum {
    DB_RADIOMODE = 0,
    DB_LISTMODE = 2,
    DB_NOSELECT = 5
} DBSelectionMode
```

Status of Record Retrieval

```
typedef enum _DBRecordRetrievalStatus {
    DB_NotReady,
    DB_Ready,
    DB_FetchLimitReached,
    DB_FetchInProgress,
    DB_FetchCompleted
} DBRecordRetrieveStatus;
```

Symbolic Constants

Error Numbers' Base Value

DB_ERROR_BASE	(6000)
---------------	--------

Format Types

DBFormat_EPS	"EPS"
DBFormat_RTF	"RTF"
DBFormat_TIFF	"TIFF"

No Index Indicator

DB_NoIndex	0xffffffff
------------	------------

Null Values

DB_NullDouble	(NAN)
DB_NullFloat	(NAN)
DB_NullInt	((int)0x7fffffff)

Record Limit Default

DB_DEFAULT_RECORD_LIMIT	1000
-------------------------	------