

If \int , then \int^2 , and formulas starting with 124 should be used in place of these.

- 144.
- 145.
- 146.
- 147.
- 148.
- 149.
- 150.

151.
152.
153.
154.
155.

FORMS CONTAINING

156.
157.
158.
159.
160.
161.
162.
163.

INTEGRALS (Continued)

164.
165.
166.
167.
168.
169.
170.
171.
172.
173.
174.
175.
176.
177.

178.
179.
180.
181.
182.
183.
184.
185.
186.
187.
188.
189.
190.
191.

6CRC Standard Mathematical Tables

INTEGRALS (Continued)

192.

193.

194.

195.

196.

197.

198.

199.

FORMS CONTAINING

200.

201.

202.

INTEGRALS (Continued)

203.
204.
205.
206.
207.
208.
209.
210.
211.
212.
213.
214.
215.
216.
217.
218.

INTEGRALS (Continued)

- 219.
- 220.
- 221.
- 222.
- 223.
- 224.
- 225.
- 226.
- 227.
- 228.
- 229.
- 230.
- 231.

232.
233.
234.
235.
236.

FORMS CONTAINING

, , and

If , then

237.
238.
239.
240.
241.

10	<i>CRC Standard Mathematical Tables</i>
	INTEGRALS (Continued)
242.	
243.	
244.	
245.	
246.	
247.	
248.	
249.	
250.	
251.	
252.	
253.	

254.
255.
256.
257.
258.
259.
260.
261.
262.
263.

FORMS INVOLVING

264.
265.

12

CRC Standard Mathematical Tables

INTEGRALS (Continued)

266.

267.

268.

269.

270.

271.

MISCELLANEOUS ALGEBRAIC FORMS

272.

273.

274.

284.	
285.	
286.	
287.	
288.	
289.	
	FORMS INVOLVING TRIGONOMETRIC FUNCTIONS
290.	
291.	
292.	
293.	
294.	
295.	
296.	
297.	
298.	
299.	