

040b73747265616d747970656481a203840163c48403737373810a0a810b  
0b815f5f84012584067f411b312d37OneVision: Introduction to Working ±  
Erratic System Conditions

## Erratic System Conditions

OneVision often exchanges data with other applications by means of the operating system. Unfortunately, not all of these programs are free of bugs, and it is impossible to check all the combinations that are possible. The following section lists all such problems that we're aware of, along with explanations of their causes.

### preview;¬Preview

OneVision exchanges data with the Preview application. If you have created a document whose size differs from the standard formats Preview will only be able to display parts of this document or its pages. To rectify this, you can resize the OneVision document to the nearest standard format in the Page Layout panel before you preview it. This will enable Preview to show the entire page.

Hint: You can use the Register Document  
(;.../PageElement/PageElement.rtf;¬) for previewing free page formats.

### Virtual Memory/Swap File

As you are working with your system, you may notice that virtual memory won't exceed a certain limit. If you need more memory, check whether the file <sup>a</sup>swaptap<sup>o</sup> in the folder <sup>a</sup>/etc<sup>o</sup> contains the entry <sup>a</sup>highwat=???<sup>o</sup>. Change the value (???) and reboot the system.

### Compressed Swapfile

OneVision works with large amounts of data. The memory management techniques used by the operating system may lead to

the continuous growth of the swap file, especially during long working sessions. You can avoid this by changing the line

```
/private/vm/swapfile  lowat=16777216  # 16 Meg low water mark
```

to

```
/private/vm/swapfile  lowat=16777216, compress  #16 Meg low  
water mark
```

in the file `/etc/rc.swaptab`.

Next: `;/../OVFirstAid/OVFirstAid.rtf`; Error Handling

Version 3.03 ± © OneVision GmbH, Regensburg, Germany. All Rights Reserved.