

Class `java.awt.MenuComponent`

```
java.lang.Object
|
+----java.awt.MenuComponent
```

public class **MenuComponent**
extends [Object](#)

The super class of all menu related components.

Version:

1.6, 08/17/95

Author:

Arthur van Hoff

Constructor Index

- o [MenuComponent\(\)](#)

Method Index

- o [getFont\(\)](#)
Gets the font used for this MenuItem.
- o [getParent\(\)](#)
Returns the parent container.
- o [getPeer\(\)](#)
Gets the menucomponent's peer.
- o [paramString\(\)](#)
Returns the String parameter of this MenuComponent.
- o [postEvent\(Event\)](#)
Posts the specified event to the menu.
- o [removeNotify\(\)](#)
Removes the menu component's peer.
- o [setFont\(Font\)](#)
Sets the font to be used for this MenuItem to the specified font.
- o [toString\(\)](#)

Returns the String representation of this MenuComponent's values.

Constructors

o MenuComponent

```
public MenuComponent ()
```

Methods

o getParent

```
public MenuContainer getParent ()
```

Returns the parent container.

o getPeer

```
public MenuComponentPeer getPeer ()
```

Gets the menucomponent's peer. The peer allows us to modify the appearance of the menu component without changing the functionality of the menu component.

o getFont

```
public Font getFont ()
```

Gets the font used for this MenuItem.

Returns:

the font if one is used; null otherwise.

o setFont

```
public void setFont (Font f)
```

Sets the font to be used for this MenuItem to the specified font.

Parameters:

f – the font to be set

o removeNotify

```
public void removeNotify ()
```

Removes the menu component's peer. The peer allows us to modify the appearance of the menu component without changing the functionality of the menu component.

o **postEvent**

```
public void postEvent(Event evt)
```

Posts the specified event to the menu.

Parameters:

evt – the event which is to take place

o **paramString**

```
protected String paramString()
```

Returns the String parameter of this MenuComponent.

o **toString**

```
public String toString()
```

Returns the String representation of this MenuComponent's values.

Overrides:

toString in class Object

[All Packages](#)

[This Package](#)

[Previous](#)

[Next](#)