

The Test panel

Line.tiff ↵

Shows all owners ascertained by the Test command. Selected entries can be marked:

PixelDotted1.tiff ↵

ignore;↵Ignore.tiff ↵

Do nothing. Of course all ignored owner will show up again when you test next time. This is the default mark.

addDaemonStatus;↵Daemonstatus.tiff ↵

Owners with daemon status are excluded from following tests. You can deny daemon status through the "Daemon Owners" preference.

removeFromDatabase;↵Remove.tiff ↵

Delete obsolete owners directly from the defaults database.

680747_PixelDotted1.tiff ↵

ok;↵OK closes the dialog and executes the actions corresponding to the set markers.

cancel;¬**Cancel** closes the dialog without any further action.

PixelRule1.tiff ¬

- <Command> clicking an owner iterates through all markers. The left and right mouse buttons iterate in different directions.
- If all owners are marked with "Ignore" **OK** has the same effect as **Cancel**.
- Pressing <Shift> while clicking **OK** or **Cancel** additionally selects all owners with a "Ignore" mark in the main browser.
- <Alternate>-**OK** redisplay the dialog ± after executing the appropriate actions ± with all "ignored" owners (if there are any).

361197_PixelRule1.tiff ¬

See also

;Objects/Test.cmd.rtf;;¬	Test command
;TheMainBrowser.rtf;;¬	The main browser
;PrefDaemonOwner.rtf;;¬	"Daemon Owner" preference
;AppendixB.rtf;;¬	Appendix B: What are Daemon Owners?