

Index

32-bit versus 16-bit code 44
 32-bit disk access, block I/O subsystem 61

A

Accessibility

- Accessibility status indicator 306
- BounceKeys 309
- controlling accessibility features 305
- design goals for Windows 95 304
- emergency hotkeys 306
- features for users who are hearing-impaired 311
- features for users with low vision 307–310
- guidelines for software developers 312
- high-contrast color schemes 312
- high-contrast mode 307
- improvements over Windows 3.1 304–305
- making keyboard and mouse input easier 308–310
- MouseKeys 309
- mouse pointer 307
- online help 305
- overview 303–304
- RepeatKeys 308
- SerialKeys 311
- ShowSounds 311
- SlowKeys 308
- SoundSentry 311
- StickyKeys 308
- support for MS-DOS – based applications 313
- support for multiple pointing devices 311
- ToggleKeys 310

Application guidelines 327–337

Architecture

- communications architecture 203
- how applications run in the system 47
- kernel improvements supporting better communications 202
- mini-driver model 118
- multimedia architecture 277–289
- ring 0 and ring 3 code 47
- size goals 49
- summary of improvements over Windows 3.1 40

AUTOEXEC.BAT file, not needed in Windows 95 43
 AutoPlay feature for CD-ROM drives 265

B

Backup

- described 320
- server-based network backup 180
- supported tape drives 321

Block I/O subsystem 61–62

Briefcase 228–229

Browsing

- discoverable in Windows 95 13
- not intuitive in Windows 3.1 13

C

Cache *See* VCACHE

CD+ format 268

CDFS *See* CD-ROM File System

CD Player 267

CD-ROM File System 61

CD-ROM AutoPlay feature 265

COMM.DRV 204

Communications

- 16550A UART support 212
- architecture discussion 203
- configuring telephony services 211
- goals in Windows 95 200
- improved device/hardware support 212
- in Windows 3.1 203
- in Windows 95 203
- modem setup and configuration 208
- more comm ports supported 212
- new communications applications 214–215
- Plug and Play support 201, 213
- port drivers 205
- summary of improvements over Windows 3.1 199
- TAPI 204
- universal modem driver 205
- use of TAPI in Windows 95 components 207
- Windows 95 kernel improvements 202

Compatibility of the user interface 37

Compression *See* DriveSpace disk compression

CONFIG.SYS, not needed in Windows 95 43

Control Panel

- access from the Start button 11
- improvements over Windows 3.1 19, 29
- properties for Display 30

Coordinated Universal Time 66

D

Deferred printing support 190
 Desktop Systems Management *See* Systems management
 Device Drivers, mini-driver architecture 118
 Device Manager 115–116
 DHCP *See* TCP/IP
 Dialer 215
 Dial-up networking 220
 Dial-up server 163
 Disk compression *See* DriveSpace disk compression
 Disk defragmenter, described 324
 Disk device support
 ESDI controllers 121
 high-speed floppy disk driver 121
 IDE drives and controllers 120
 logical block addressing 119
 removable media 119
 SCSI devices and controllers 121
 Disk utilities 67, 324–325
 Display adapter support
 driver robustness improvements 124
 Energy Star monitor support 126–127
 image color matching *See* Image color matching
 improved driver stability 123
 improved video display performance 123
 new Control Panel enhancements 125
 summary of improvements over Windows 3.1 122
 support for more adapters than Windows 3.1 124
 Display resolution, switching 31
 DMI 138
 DNS *See* TCP/IP
 Documents, opening from the Start button 11
 DoubleSpace *See* DriveSpace disk compression
 Drag and drop, 28
 Drive mapping made easy in Windows 95 17
 DriveSpace 68–69

E

Edit.Com, MS-DOS – based editor 323
 Energy Star monitor support 126–127
 Enhanced Metafile (EMF) *See* Printing
 ESDI controllers 121

F

Fax services 230, 248–256
 File extensions 65
 File synchronization *See* Mobile computing

File system

32-bit protected mode FAT (VFAT) 59
 additional date/time attributes 66
 architecture discussed 57
 benefits of changes from Windows 3.1 56
 exclusive volume access 67
 installable File System Manager 58
 sample property sheet 66
 support for multiple network redirectors 144
 third-party functionality 59
 File viewers, described 316–317
 Files, quick viewing contents of 35
 Finding files or folders 11, 32
 Folders within folders 14
 Fonts
 32-bit TrueType rasterizer 77
 improved support in Windows 95 77
 integrated with the user interface 34
 Fonts folder, described 34

G

Game support 271
 Graphics Device Interface (GDI), 32-bit code distribution 44

H

Help in Windows 95 20–21
 HyperTerminal 214
 described 214, 321
 supported binary file transfer protocols 322

I

I/O Supervisor (IOS), described 62
 IDE disk drive support 120
 IFS *See* File system
 Image Color Matching (ICM) support 190–191
 INI files
 problems under Windows 3.1 74
 still used by Win16– based applications 76
 system switch simplification 76
 International Language Support
 date and time formats 295
 improvements over Windows 3.1 292–293
 issues for end-users and developers 294–295
 localization of Windows 95 294
 multilingual content support 297–300
 sorting and searching support 296
 support for different national character sets 297
 Win32 NLS APIs 301

- Internet
 - access with Microsoft Network online service 257
 - networking support for connecting to 135
- Interrupt latency 202
- IPX/SPX 155
- J**
- Joystick support 272
- L**
- Linear memory addressing, described 72
- Local reboot
 - improved effectiveness for Win32–based applications 89
 - in Windows 95 80
 - terminating hung applications 80
- Localization of the Windows 95 operating system 294
- Logo program for Windows 95 339–341
- Long filename support
 - in file system 64
 - maximum size of file names 64
 - no reformatting necessary 64
 - on disks 64
 - on networks 158
 - support for 8.3 MS-DOS names 64
 - support for existing disk management utilities 65
- Long filenames
 - documentation for developers 65
 - extensions to the MS-DOS FAT file system 64
 - sample MS-DOS directory listing 65
 - usability benefits 15
- M**
- MAPI 1.0 232, 234–236
- Master key *See* Security
- Memory, zero conventional footprint 92
- Memory model compatible with Windows NT 72
- Messaging API *See* MAPI 1.0
- Microsoft Exchange
 - combination of drivers supported 236
 - components of 234–235
 - described 237
 - drivers for use with Microsoft Mail 244
 - Improvements over Microsoft Mail 238
 - information stores 242
 - Internet Mail drivers 246
 - Microsoft At Work Fax 248–256
 - open architecture 235
 - personal address book 234, 241
 - personal information stores 235, 242
 - remote mail 244
 - third-party MAPI driver vendors 235
- Microsoft Exchange (*continued*)
 - workgroup fax features for MIS 252
 - workgroup post office 246
 - working with 238–244
- Microsoft Network (MSN) online service 257–259
- MIDI 266
- Mini-port driver 63
- Mobile computing 217
 - deferred printing support 231
 - dial-up networking 137, 220
 - docking support 225
 - document viewers 231
 - dynamic networking 224
 - file synchronization 228
 - flexible video resolution support 228
 - local connections 230
 - Messaging API (MAPI) 232
 - Microsoft At Work Fax 230
 - password management 225
 - PCMCIA support 227
 - pointing device support 228
 - power management 227
 - support for deferred printing 190
 - TAPI 223
 - Unimodem 224
 - vision of Windows 95 mobile computing 217
 - Windows 95 framework for 218
- Modem support
 - improvements in Windows 95 208
 - modem configuration in Windows 95 209–211
 - Plug and Play 213
- Mouse, right-clicking 28
- Mouse support 128–129
- MPEG support 270
- MSCDEX, taken over by CDFS driver 61
- MS-DOS
 - 32-bit protect-mode device drivers 93
 - Int 21h 58
- MS-DOS Command Prompt
 - new and enhanced commands 103
 - support for long filenames 103
 - support for UNC pathnames 102
- MS-DOS–based applications
 - better cleanup after termination 83
 - better defaults for running 96
 - ending gracefully 100
 - graphic-intensive applications 95
 - hardware-intensive 94
 - improved compatibility 94
 - improved memory protection 96
 - improved protection for virtual machines 82
 - improvements made to run 94
 - local VM environment settings 101
 - PIF editor in Windows 3.1 97

MS-DOS–based applications (*continued*)

- preemptively multitasked 51
- property sheets for 97
- run in separate VMs 51
- single MS-DOS application mode 95
- summary of improvements over Windows 3.1 for running 92
- support for VGA graphics mode 95
- system protection 52
- toolbar in MS-DOS window 98
- user-scalable MS-DOS window 100

MS-DOS–based Edit.Com 323

MSN *See* Microsoft Network

Multimedia

- 32-bit digital video playback 268
- architecture 277–280
- AutoPlay feature for CD-ROM drives 265
- benefits from multitasking and threads 269
- built-in support for digital video 266
- CD+ format 268
- CD Player 267
- CreateDIBSection 271
- DCI support 276–277
- fast CD-ROMs 270
- fast DIB drawing 271
- game support 271
- growth of PC market in 1993 261
- history and progress 262–263
- joystick support 272
- MIDI 266
- MPEG support 270
- new features 264
- opportunities for IHVs and OEMs 275
- Plug and Play support 265
- polymessage MIDI support 273
- professional quality 274
- recommendations to OEMs 275
- routing data through Windows 279
- sound compression 272
- Video for Windows 262
- WinG 271

Multiple users on the same PC 168

Multitasking 41

Multithreading 41

N

NDIS 3.1 145

NetBEUI 157

NetWatcher 139, 183

Network management

- NetWatcher 183
- server-based backup 180
- tools 182–183

Network Neighborhood

- browsing networks is easy 16
- icon in the Windows 95 user interface 16

Network provider interface *See* Networking

Network redirectors, support for using multiple 58

Network tool in Control Panel 17

Networking

- 32-bit Microsoft client 152
- 32-bit SMB interoperability 152
- compatible with existing networks 154
- consistent browsing across multiple providers 136
- dial-up networking 220
- dynamic networking for mobile computing 224
- ease of use 135
- integration with Novell NetWare *See* Novell NetWare
- interprocess communications interfaces 158
- managing network resources 180
- Microsoft Network integration 152
- Microsoft Network peer Services 153
- mobile computing support 136
- modular, open design 140
- multiple protocol support 140
- NDIS 3.1 145
- Network Neighborhood 136
- network provider interface (NPI) 141
- pass-through security 149
- Plug and Play enabled 141
- printing improvements 196
- protocol support 154–155
- security 159–162
- server-based backup 180
- summary of improvements over Windows 3.1 132
- system login 142
- system management support 137
- well-connected client operating system 134
- Windows 95 networking architecture 140

Novell NetWare

- bindery support 147
- client support 146
- command-line utilities 151
- dial-up networking 163
- file and printer sharing for NetWare 133, 148
- improved performance with Microsoft Client for NetWare Networks 147
- integration in Windows 95 146
- IPX/SPX interoperability 155
- login scripts 147
- Microsoft Client for NetWare Networks 133, 146–147
- Microsoft Print Server for NetWare 151
- NetWare API support 151
- network login 142
- RIPL support 167
- support for diskless workstations 151
- support for long filenames 158

Novell NetWare (*continued*)
 support for NetWare login scripts 133
 support in the Network Neighborhood 136

O

OLE
 drag and drop 330
 features of 329
 more document centric 18
 use in applications for Windows 95 329
 use in Paint 319
 use in WordPad 318
 visual editing 330
 Online service, Microsoft Network 257–259

P

Paint, described 319
 Password control 160, 225
 Peer services 153
 Performance Monitor 139
 Performance monitoring 179
 Plug and Play
 benefits with legacy hardware 111
 benefits with Windows 95 113
 communications support 201
 described 107
 dynamic operating environment 112
 examples of Plug and Play printers 197
 installation and configuration with no user
 intervention 110
 modem devices 209
 networking support 136–137
 new PC features 111
 PCMCIA support 109
 printer detection 192, 197
 problems with PCs today 108
 reduced PC support costs 110
 requirements for mobile computing 109
 solution to PC configuration problems 110
 support for communications devices 213
 support for multimedia devices 265
 support in Setup 284
 Pointing device support 128–129, 228
 Port driver, described 62
 Printers folder, described 33
 Printing
 32-bit preemptive spooler 187
 32-bit print subsystem 186
 configuring a printer 194
 enhanced metafile (EMF) spooling 187
 improvements 186
 managing print jobs 195

Printing (*continued*)
 Microsoft Print Server for NetWare 151
 network printing support 158
 Plug and Play printer detection 192, 197
 Printers folder 192
 support for deferred printing 190
 support for “point and print” network printing 193
 support for printing from MS- DOS– based
 applications 189
 Property sheets, explained 26
 Protocol support 154–157

Q

Quick Viewers 316–317

R

Real-mode mapper (RMM) 63
 Recycle Bin, described 18
 Registry
 DAT files 75
 defined 74
 dynamic keys 168
 Registry Editor 138, 175
 remote access to configuration information 77
 role in Plug and Play support 76
 role in systems management 166–170
 solution to INI file problems 75
 system management support 138
 system policies 172–175
 System Policy Editor 176
 Win32 API support 169
 Remote administration
 managing print jobs 195
 of Windows 95 PC 162
 Remote network access, gateway support 163
 Remote printing management 158
 RMM *See* Real-mode mapper
 Robustness
 better cleanup after virtual machine ends 83
 debugging support in Windows 95 SDK 85
 for MS- DOS– based applications 82
 for Win16– based applications 83
 for Win32– based applications 86
 improvements in Windows 3.1 over Windows 3.0 79
 local reboot *See* Local reboot
 parameter validation for Win16– based applications 85
 per-thread state tracking 81
 summary of improvements in Windows 95 79
 virtual device driver parameter validation 82
 virtual device driver thread cleanup 81

S

- ScanDisk, described 325
- SCSI disk devices and controllers 121
- SCSI support 62, 63, 121
- Security
 - network login 142
 - network security overview 159–162
 - pass-through security 149, 161
 - password control for unified logon 160
 - support for user-level privileges 149
 - user-level security 161
- Settings, accessing from the Start button 11
- Setup
 - batch installation support 289
 - built-in verification of system files 287
 - GUI-based 283
 - improved hardware detection 284
 - modular architecture 282
 - network setup improvements 287–288
 - smart recovery mechanism 286–287
 - summary of improvements over Windows 3.1 282
 - support for common scenarios 284–285
 - upgrading from Windows 3.1 or Windows for Workgroups 3.11 289
- Shortcuts 25–26
- SNMP
 - agent support in Windows 95 137
 - MIB support 137
 - support for network management 182
- Sound compression 272
- Structured exception handling, defined 89
- Swapfile 72–73
- System policies 172–175
- System Policy Editor 138, 176
- System resource limitation 70–71
- Systems management
 - DMI agent 138
 - management tools 138, 178
 - managing user configurations 170
 - registry-based 138, 166–170
 - remote administration 162
 - role of server 176
 - SNMP agent 137
 - SNMP MIB support 137
 - system policies 172–175
 - user profiles 171

T

- TAPI
 - configuring telephony services 211
 - functionality supported 206
 - interfaces layer 205
 - mobile computing 223
 - role in Windows Open Services Architecture (WOSA) 205
 - support for arbitrating access to modem or telephone device 207
 - Task switching 12
 - Taskbar
 - customizing the configuration 12
 - objective of 12
 - task buttons 12
 - task switching 12
 - undoing window operations 28
 - TCP/IP
 - dynamic host configuration protocol (DHCP) 156
 - OSF DCE Domain Naming Service (DNS) 157
 - PPP protocol 163, 220
 - support for Windows Sockets 155
 - utility support in Windows 95 155
 - Windows Internet Naming Service (WINS) 157
 - Windows NT Advanced Server 156
 - Telephony API *See* TAPI
 - Threads
 - available to Win32–based applications 41
 - defined 41
 - example usage of 42
 - TrueType *See* Fonts
- ## U
- UNC pathnames 16
 - Unimodem 201, 224
 - Usability testing 7, 8
 - User interface
 - improving Windows 3.1 7
 - integration of printing functionality 195
 - migrating from Windows 3.1 36
 - objectives for 6
 - Printers folder 192
 - the Start button 10
 - the Taskbar 10
 - transition aids for users of Windows 3.1 36
 - using File Manager from Windows 3.1 38
 - using Program Manager from Windows 3.1 38
 - User profiles 171–172
 - UTC *See* Coordinated Universal Time

V

- VCACHE 60
- VCOMM 203
- VFAT 59–60
- Virtual device drivers
 - benefits under Windows 95 46
 - described 45
 - graceful cleanup from terminated application 81
 - parameter validation 82
 - replacement for real-mode MS-DOS device drivers 46
 - tracking allocated resources 81
- Virtual memory support 72–73
- VxD *See* Virtual device drivers

W

- Win16– based applications
 - compatibility maintained in Windows 95 48
 - compatibility, size, and performance 48
 - impact of running in separate VMs 49
 - not run in separate VMs 48
 - parameter validation 85
 - performance 50
 - resource tracking 84
 - support for running 48
 - system protection 50
- Win32 flat/linear address space 54
- Win32– based applications
 - benefits over Win16– based applications 52
 - better local reboot 89
 - compatibility with Windows NT 54
 - improved robustness 55, 86
 - long filename support 54
 - memory protection 55
 - parameter validation 86
 - per-thread resource tracking 86
 - preemptive multitasking 53
 - private address space 86
 - separate message queues 53, 87
 - structured exception handling 89
 - support for 52
 - termination handling 89
- Windows 95 Logo program 339–341
- Windows Explorer 23–24
- Windows NT compatibility with NDIS miniport drivers 145
- Windows NT Advanced Server
 - domain login 142
 - network integration with 152
 - pass-through security in Windows 95 149
 - support for long filenames 158
 - user-level security privileges 149

- Windows Sockets 155
- Windows 95
 - 32-bit versus 16-bit components 44
 - fully-integrated operating system 40
 - mission of base architecture 39
- WINS *See* TCP/IP
- Wizards
 - different types of Wizards supported in Windows 95 22
 - functionality in Windows 95 22
 - Modem Wizard 210
 - support for installing printers 193
- WordPad, described 318

BLANK PAGE

IMPORTANT: This text will appear on screen, but will not print on a PostScript printer.

This page should be the last one in this file; it was inserted by running the InsertBlankPage macro.

Do not type any additional text on this page!