

## Index

- ; as .INI file comment character, 159
- ! as field delimiter, 128
- \* denoting built-in devices in SYSTEM.INI entries, 100, 193
- ^ in WIN.INI, 171
- .2GR grabber files, 94, 290, 184, 409, 410
- [.3gr] font sections in SETUP.INF, 96
- 32-bit disk access, 193, 245, 520-523
- 386 enhanced mode Windows. See also Standard mode Windows; Windows 3.1 described, 63, 238-239
  - memory
    - expanded memory, 238, 240-243, 249
    - extended memory, 239
    - system requirements, 9, 63, 217, 420
    - virtual memory, 243-247
  - networks, 36, 370-373
  - optimizing, 260, 271
  - removing support for, 502
  - troubleshooting, 34-36, 420-422
  - [386enh] section in SYSTEM.INI, 117, 193-218
  - .3GR grabber files, 94, 184, 290, 409, 410
  - 386MAX memory manager, 34, 93, 154, 243, 247, 373, 421
  - [386 max] section in SETUP.INF, 93
  - 3C505 Network Adapter Card, 375
  - 3Com networks, 102, 143, 374-375
  - 80286 and 80386 machines
    - files installed during Setup, 105-106, memory, 228-229, 234, 247
  - system requirements, 9
  - 8086 and 8088 machines, 229, 231
  - 8514 display, 104-105, 139, 150, 312-314, 411
- A
- A20 handler, 35, 44, 118, 193, 418
- Acer computer, 35, 418
- Adapter card. See Display adapter
- Adapter segment, 231, 240, 241, 447, 455
- Ad Lib, See MIDI
- Administrative Setup (setup /a), 72-74
- Adobe Type Manager (ATM), 28, 32, 44, 315, 336
- Advanced Power Management driver, 140, 150
- All ChargeCard, 375
- ALR computers, troubleshooting, 12
- AMI BIOS, troubleshooting, 12
- Anarkey, 405
- ANSI character set, 76, 188, 310, 315, 317
- API (application programming interface), defined, 447
- Append utility (MS-DOS), 405, 414
- Apple LaserWriter Plus, 333
- Application. See also Non-Windows applications; Windows applications
  - defined, 284, 447
  - files copied during Windows installation, 107-108
  - running at Windows startup, 168
- Windows vs. non-Windows, described, 284
- Application execution error, 39
- Application swap files, 243-244, 290



APP.S.INF  
content summary, 121-125  
customizing, 133  
editing procedure, 87  
format, 88-89  
non-Windows applications with PIF data in, 296-297  
Apricot Laser printer, 325  
ARCNet, 36, 11  
Arial font, 113, 310, 311, 317-320  
Artisoft LANtastic, 31, 113, 102-103, 375-377, 406  
ASCII character set, 310  
ASP Integrity Toolkit, 404  
Aspect ratio, and fonts, 314  
AST computer, troubleshooting, BIOS, 12  
AT computer. See IBM AT  
ATI display adapter, 411  
AT&T computer, 138, 139, 149, 187-188, 418  
Attrib command (MS-DOS), 369  
Audio CD, troubleshooting, 49, 435  
Austin computers, troubleshooting, 12  
Auto-detection for Setup, troubleshooting, 401, 432  
AUTOEXEC.BAT  
editing, with System Editor, 161  
modifying during Setup, 369  
optimizing MS-DOS 5.0 configuration, 248  
running a shared copy of Windows, 368  
troubleshooting, 13-14, 398, 413, 416, 432  
AutoFont Support files, 315  
Automated Setup (setup /h), 75-81  
Award BIOS, troubleshooting, 12  
**B**  
Backfilling and bank switching, 211, 231, 234, 447  
Banyan VINES, 31, 102-103, 143, 150, 377-378  
Batch Mode Setup. See Automated Setup  
Baud rate, 174  
BIOS (basic input/output system)  
EBIOS identified in Setup, 120  
SYSTEM.INI entries, 199  
troubleshooting, 12, 23, 37, 421  
Bitmap files, for wallpaper, 153-154  
Bitstream fonts, 29, 34, 315, 336, 426  
Block devices, 34, 113  
[Blowaway] section in SETUP.INF, 116  
[Blue Max] section in SETUP.INF, 93  
Bold  
document and syntax conventions, 4, 6, 159  
font characteristic, 310, 313  
Boolean, as .INI entry value, 159  
[Boot] section in SYSTEM.INI, 184-186  
[Boot.Description] section in SYSTEM.INI, 187  
Boot disk, creating, 13, 14, 398  
BOOT.SYS, 406  
Break points, 206, 213  
Buffers  
COM port, 196  
data transfer, 209, 372  
defined, 447

DMA, 198, 201, 208, 372

Buffers, continued  
double buffering, defined, 449  
FIFO, 196  
hard disk, 201  
keyboard, 202  
network, 208-209, 218, 372  
non-Windows applications requirements, 190  
permanent swap file, 210  
printing from serial ports, 344  
settings in CONFIG.SYS, 259  
Building-font-database message, 328-329

C

Cannot-find-file error message, 414-415  
Canon Laser Beam printer fonts, 336-337  
Caret (^), and filename extensions, 171  
CD (audio) troubleshooting, 49  
CD-ROM, 21, 119, 435-436  
CEMM.EXE, 243, 247, 448  
CGA display, 145, 147, 149, 150  
Character-based interface, defined, 448  
Character sets, 314  
ANSI, 310, 315, 321  
ASCII, 310  
extended character codes, 321  
matching screen fonts to printer fonts, 316  
OEM, 310, 315, 321  
Windows 3.1, 316, 317  
Characters-per-inch (CPI), 311, 322  
Chips and Technologies, troubleshooting, 12, 410-411  
Chkdsk command (MS-DOS), 260  
Clean-boot floppy, 13, 14, 398  
Client application, defined, 353, 448

Clipboard  
data formats and OLE, 355-356  
non-Windows applications, 291  
Clock speed, 448  
CMOS, 12, 25, 213, 430, 448

Code pages  
defined, 448  
files in Setup, 97, 99  
translation tables, 147, 188  
U.S., 146, 448  
[Codepages] section in SETUP.INF, 99

Code segments, kinds of, 236  
Color, 182, 207, 222  
[Colors] section in WIN.INI, 182  
COMMAND.COM, for troubleshooting, 13-14  
Command environment, 189  
Command prompt, 448  
Comments, in initialization files, 159  
Communications driver, 140, 184  
Compaq, MS-DOS version, 35, 433  
COM port  
in 386 enhanced mode, 206  
buffering, 196  
configuring, 174, 195-197  
driver, 140, 184  
hardware interrupts, 25, 197, 343  
printing from, 343-345  
ROM BIOS address conflicts, 346-348  
troubleshooting, 19, 31, 427-428  
Compound documents  
Clipboard support, 354-356  
described, 352-358, 448  
Compound documents, continued

Edit menu commands supporting, 354, 357-358  
File Manager support, 354-355  
Compressed files, and installing Windows 3.1, 59  
Computers  
compatible with Windows 3.1, 488-494  
identified in Setup, 117-118  
specifying for Automated Setup, 78  
**CONFIG.SYS**  
editing, with System Editor, 161  
network adapter cards in, 371  
optimizing performance, 248, 259  
troubleshooting, 13-14, 398, 413, 432  
Context-sensitive help, 273, 277, 300  
**CONTROL.INF**  
content summary, 126-128  
editing procedure, 87  
format, 88-89  
Windows installation, 77  
**CONTROL.INI**, 161, 222  
Control Panel  
changing values in .INI files, 159  
initialization (.INI) file, 222  
installation information (.INF) file, 126-128  
maintaining Windows with, 82  
multimedia extensions, 46  
supporting files, 151  
**CONTROL.SRC**, 161  
Conventional memory  
described, 228-229  
freeing, 263  
operating problems, 44  
specifying for PIFs, 301  
Windows operating modes, 217, 235, 238  
Copy command (MS-DOS), 59, 73  
Core files (Windows), 136-137, 250-251  
[Country] section in CONTROL.INF, 128  
Courier font, 112, 313, 314, 317, 320, 336  
Courier New font, 318, 320  
CPU (central processing unit), 448  
**CTRL+ALT+DEL**  
defining behavior, in SYSTEM.INI, 204  
when to use, 256, 294-295  
Cursor, WIN.INI entry, 164  
Customizing files  
changing .INF files for  
custom applications, 130  
custom groups to Program Manager, 132  
custom PIF information, 133  
custom Setup, 128  
creating custom installation script, 77-78  
**D**  
Data Physician Plus, 404  
[Data] section in SETUP.INF, 90  
Date, defining formats, 172  
DDE (dynamic data exchange), defined, 439  
Debugging COM ports, 19, 346-347  
DEC Pathworks, 102, 143 150, 381, 379-382  
Default  
in .INI files, 159  
printer, WIN.INI entries, 165-166  
\_DEFAULT.PIF, 285, 289, 294, 300, 305-306  
Deleting files, 155, 500-504  
[DelFiles] section in SETUP.INF, 107-108  
Demand paging, 448, 451  
Desktop, 169-170, 182, 403, 442

[Desktop] section in WIN.INI, 169, 170  
Destination document (OLE), 353  
Device  
defined in WIN.INI, 181  
global, 201  
synonyms in SYSTEM.INI, 183  
Device command (MS-DOS), 264  
Device contention, and non-Windows applications, 291  
Device drivers. See also specific device driver types  
defined, 449  
memory management, 230  
specifying during installation, 77-78  
SYSTEM.INI entries, 187, 204  
troubleshooting, 10, 34, 46, 430  
Devicehigh command (MS-DOS), 248, 264-265, 413  
[Devices] section in WIN.INI, 181  
[Dialog] section in SETUP.INF, 90  
Direct Graphics Interface Standard (DGIS)  
display adapter, 412  
Direct memory access. See DMA  
Discardable code segment (in Windows applications), 236, 449  
Disk cache, 416, 441, 449. See also SMARTDrive  
Disk compacting utility, 245, 260  
Diskless workstation, 74, 259, 262, 369  
Disk partition, troubleshooting, 13-14  
Disk space. See also Swap files  
freeing by deleting files, 155, 500-504  
TrueType requirements, 320  
[Disks] section in SETUP.INF, 91  
Disk swapping. See Swap files  
Display adapters  
compatible with Windows 3.1, 139, 495  
resolutions, supported by Windows 3.1, 144-145  
SYSTEM.INI entries, 194, 198  
troubleshooting, 20, 26, 408-420  
Display driver  
files, 139  
identified in Setup, 94-96  
optimizing performance, 260  
SYSTEM.INI entry, 185  
troubleshooting, 20, 27, 37, 44, 403, 408-412  
[Display] section in SETUP.INF, 95, 129  
DLL (dynamic-link library), 449  
.DLL filename extension, 138  
DMA (direct memory access)  
buffers, 198, 201  
defined, 449  
EISA machines, 199  
Micro Channel machines, 207  
network and paging, 207  
page addresses, 206  
[Dontfind] section in APPS.INF, 121  
DOS. See MS-DOS  
Doscue, 405  
DOS extender. See Extended memory manager  
[Dos mouse.driver] section in SETUP.INF, 101  
DOSX.EXE, 90, 136, 150, 290  
Dot matrix printers, 317, 322, 340  
Double buffering, 70, 201, 255-256, 439  
Double-click, defining, 165  
Doubledisk, 406  
Downloadable soft fonts

changing typeface names for, 337-338  
described, 312, 320-321, 330, 449  
Downloadable soft fonts, continued  
font installers, 140-141, 326-328  
HPPCL, 324-330  
page limit message, 330  
PostScript, 336  
TrueType installation, 320  
DPMI (DOS Protected Mode Interface), 237, 239, 295, 449  
Drivers. See also Display drivers; Keyboard drivers; Memory drivers; Mouse drivers; Multimedia drivers; Printer drivers, Sound drivers; System drivers  
described, 136-137  
identified in Setup, 94-97, 100-101, 113-114, 126  
incompatible drivers, in Setup, 58, 66  
MS-DOS drivers for use with Windows 3.1, 148  
removing files, 500  
requirements in UMBs, 264-266  
switches for MS-DOS system drivers, 258  
SYSTEM.INI entries, 185  
third-party, troubleshooting, 10, 27, 31, 399  
virtual support files, 150  
Windows Driver Library, 443  
[Drivers] section in SYSTEM.INI, 187  
.DRV (printer driver) file, 340  
Dr. Watson, and general protection faults, 37, 434  
DSWAP.EXE file, 150  
DTK BIOS, troubleshooting, 12  
Dynamic data exchange (DDE), defined, 449  
Dynamic-link library (DLL), defined, 449, 452

E  
[Ebios] section in SETUP.INF, 120  
Editing  
.INI and .SRC files, 159-161  
using System Editor, 160-161  
Edit menu commands and OLE, 357-358  
Edit utility (MS-DOS), 160  
EGA display device  
driver and grabber files, 139, 149  
fonts, 104-105, 312-314  
SYSTEM.INI entries, 199  
troubleshooting, 27  
virtual support files, 150  
EGA.SYS, 148  
EISA (Extended Industry Standard Architecture) bus machines, 197, 199, 240, 449  
[Embedding] section in WIN.INI, 178  
EMM. See Expanded memory manager  
EMM386.EXE  
backfilling with, 234  
defined, 230, 449  
deleting file, 155  
driver, 148  
emulating expanded memory, 228, 231, 258, 296  
incompatibility with memory expansion board, 259  
loading in CONFIG.SYS, 259, 264, 371  
network issues, 273, 284  
non-Windows applications, 238, 240, 242, 243, 296  
optimizing performance, 266-268, 268-269  
troubleshooting, 413-417  
EMMExclude=

display driver conflicts, 411  
excluding UMB ranges, 199-200, 204, 212, 215  
troubleshooting UMB conflicts, 416-417, 420-421, 433  
EMS. See Expanded Memory Specification  
EMS memory. See Expanded memory  
Environment variables, 189, 301  
EPT ports, 174, 345-346  
Error 20 message, 330  
ESDI controllers, 421  
Etherlink, identified in Setup, 119  
Ethernet, troubleshooting, 11, 36  
Exec command (MS-DOS), 136  
Expanded memory. See also Expanded memory managers (EMM); Expanded Memory Specification (EMS)  
board or card, 228, 234, 237-238, 242, 296  
described, 228-229, 235, 449  
driver, 209  
LIM 3.2 and 4.0 EMS, 231, illus. 233  
problems with, 235  
upper memory area, illus. 232  
in Windows  
386 enhanced mode, 238, 240-243  
non-Windows applications, 230, 241, 301, 303  
standard mode, 237-238  
SYSTEM.INI entries, 194, 199-200, 209, 213, 214  
troubleshooting, 415-417  
Expanded memory managers (EMM). See also EMM386.EXE  
386 managers, 242-243, 456  
backfilling and bank switching, 234  
emulating expanded memory, 228, 230, 231, 258, 296, 449  
ignoring third-party managers, 201  
QEMM—386, 454, 515-518  
troubleshooting, 23-34  
Expanded Memory Specification (EMS), 230-235, 449, 450  
Expanding files, 61, 152  
Extended memory. See also Extended memory managers  
described, 228-229, 450  
requirements for  
386 enhanced mode, 9, 238-239, 250, 420  
non-Windows applications, 237, 301, 303, 424  
standard mode, 9, 235-237, 418  
Windows, 9, 418, 420  
SYSTEM.INI entries, 194, 213-214  
troubleshooting, 34, 424  
Extended memory managers (XMM). See also HIMEM.SYS  
defined, 450  
drivers, 236, 418-420  
troubleshooting, for standard mode, 418-419  
Windows 3.1, 150, 237, 247-248  
Windows Setup, 90  
Extended Memory Specification (XMS), 230, 450  
[Extensions] section in WIN.INI, 171  
F  
FaceLift. See Bitstream FaceLift  
Fastopen utility (MS-DOS), 406  
File. See also specific types  
copying  
additional files to a user's directory, 130  
from installation disks, 63

files for Windows installation, 105-108  
corruption, 43  
deleted in Setup, 107-108  
deleting to free disk space, 155, 500-504  
expanding, 17  
filenames translated in Setup, 115  
ignored in Setup, 121  
miscellaneous hardware and other support files, 154  
printing to a file, 31, 33  
removing, 500-504  
file= settings in CONFIG.SYS, 259  
FILE:, WIN.INI entry, 174  
File allocation table (FAT), 262  
File handles, 259, 373  
File Manager  
    changing values in .INI files, 159, 223  
    customizing, 278-279  
    initialization (.INI) files, 223  
    new features in Windows 3.1, 277  
    OLE support, 279, 354-355  
Filename extensions  
    associated with filenames, 171  
    defined in WIN.INI, 171  
.PIF, 287  
Filenames  
    translated in Setup, 115  
    working with long filenames, 370  
File Size Information, Windows Resource Kit utility, 441  
FINSTALL.DIR file, 327-328  
Fixed font, 144, 311, 316  
Floppy drive, troubleshooting, 22-23, 25, 202  
Font. See also Downloadable soft fonts; HPPCL printer fonts; PostScript fonts; Printer fonts  
cartridges  
dot-matrix printers, 322  
HP LaserJet-compatible, 323-324  
installing in printers, 316  
Microsoft 1Z font cartridge, 314  
PostScript, 336  
converters, 27, 425  
dot matrix printer fonts, 317, 322, 340  
duplicate font names, 316-317  
files, 104-105, 112, 144-147, 501  
font families in Windows, 310  
font matching in Windows, 316-317  
installing, 315-316  
kinds of  
    printer fonts, 312, 320-337  
    raster fonts, 311, 313-314  
    screen fonts, 175, 312  
    TrueType fonts, 311, 318-320  
    vector fonts, 311, 315, 317, 456  
substituting font names, 175  
Font cache, 318-319  
FontEdit utility, 315  
Font Installer, for HP LaserJet, 315-316, 321, 324-337  
Font mapping table, 316  
Font Metrics dialog box, 338  
[Fonts] section in WIN.INI, 175  
[fontSubstitutes] section in WIN.INI, 117, 175  
.FOT file, 318  
G  
GDI  
.EXE file, 137, 250

heap, 251, 442

General protection (GP) faults, 27, 37-38, 431-434

Grabber

- application execution error, 39
- defined, 94, 408, 450
- files, 148-149, 290, 292
- identified in Setup, 96
- SYSTEM.INI entries, 184
- troubleshooting, 26, 408-410, 423

Graphical user interface (GUI), defined, 450

Graphics adapter. See Display adapter

Graphics utility (MS-DOS), 405

Graphics Viewer, Windows Resource Kit utility, 440

Groups. See Program Manager group

[Group#] sections in SETUP.INF, 110-113, 133

[Groups] section in PROGMAN.INI, 220

.GRP file, 369

GUI (graphical user interface), 450

H

Handshaking, 342, 344

Hard disk

- correcting interleave without reformatting, 258
- ensuring maximum space, 263
- interrupts, 25, 217
- optimizing performance, 258-260
- printing, space requirements, 30, 32

Stacker, 17

troubleshooting, 24, 34

Hardware

- adapters, and problems with expanded memory, 235

compatible with Windows 3.1, 487-498

creating custom Setup, 129

general protection faults, 37

manufacturer support, 482-483

multimedia, 47-51

optimizing performance, 258-259, 271

support files, 154

troubleshooting, 21-26, 35, 44, 430, 442

Headland Technologies display adapter, 410

Help window, WIN.INI entries, 178-179

Helvetica font, 175, 320

Helv font, 107, 314

Hewlett-Packard

- E BIOS for 80386 computer, 120, 150
- Intellifont, disabling, 28
- keyboard driver, 135
- mouse driver, 139, 148
- MS-DOS version, 35
- plotters, 332, 427
- Printer Control Language (HPPCL), 323
- printer drivers, 140
- printer fonts, 323-333
- soft font installer files, 141
- system driver (for HP Vectra), 138
- Type Director, 315
- Vectra, 138, 419
- virtual support files, 150

High area. See High memory area (HMA); Upper memory area

High memory area (HMA)

- defined, 228, 450
- disabling a network's HMA option, 373
- loading MS-DOS 5.0 into, 248, 263-264

troubleshooting, 413-415

## HIMEM.SYS

accessing extended memory, 229, 230, 236, 239

file, 148

loading in CONFIG.SYS, 259

optimizing, 248

troubleshooting, 412, 416, 418

“Hints,” for TrueType, 318

HP DeskJet printer fonts, 331-332

HP PaintJet printer fonts, 332

HPPCL-compatible printers  
driver files, 141  
fonts, 317, 321, 323-331  
setting up unsupported printers in Windows, 340  
types of, 330, 331

HPPCL printer fonts  
described, 323  
downloadable soft fonts  
font summary file, 328-329  
installing, 324  
permanent vs. temporary downloading, 325-326  
recovering fonts after reinstalling Windows, 326-328  
soft font limits, 315, 330  
font cartridges, 323-324  
memory settings for, 323  
HP plotter printer fonts, 332

I

IBM 4019 Laser Printer fonts, 337  
IBM computer  
AT, A20 handler, 419  
DOS LAN requester. See IBM computer, OS/2 LAN Server  
MS-DOS version, 35, 433  
OS/2 LAN Server, 102, 383  
PC LAN Program, 102, 143, 383-384  
PS/2 computer, 24, 25, 150, 204, 412  
IDE drive, troubleshooting, 24, 217  
[incompTSR#] sections in SETUP.INF, 113, 401  
Independent software vendor (ISV), defined, 450  
.INI file, 369

Initialization (.INI) files. See also CONTROL.INI; PROGMAN.INI; SYSTEM.INI; WIN.INI; WINFILE.INI  
content summary, 158-159  
editing procedure, 159-161  
format, 158, 159  
preserving, after reinstalling Windows, 15  
source files, 161  
updated in Setup, 116  
[Ini.upd.\*] sections in SETUP.INF, 116  
[Installable drivers] section in SETUP.INF, 114  
Installation disks, 59  
Installation information (.INF) files. See also APPS.INF; CONTROL.INF; SETUP.INF  
content summary, 86-87  
customizing, 128-133  
editing procedure, 87  
format, 158-159  
Installing Windows 3.1  
Administrative Setup option (setup /a), 72-74  
AUTOEXEC.BAT modifications, 368-369  
Automated Setup (setup /h), 58, 74-81  
changing values in .INI files, 159  
creating system settings scripts for multiple systems, 76-81  
customizing, 60-61, 74, 76-81, 128-134  
Custom Setup, 58, 62, 64-65  
Express Setup, 58, 62, 64  
from floppy disks, 59  
hardware identification, 65-66  
installation information (.INF) file, 88-120  
maintaining Windows with Setup, 82-83  
MS-DOS Mode Setup, 58, 63-68, 401-402  
Network Setup (setup /n), 73-75

new Setup features, 58  
overview, 57-62  
setting up multiple systems  
Installing Windows 3.1, continued  
Automated Setup option (`setup /h`), 72, 75-76  
creating a system settings script, 76-81  
setting up on a network  
Administrative Setup option (`setup /a`), 72-74  
disabling pop-up service to prevent Setup failure, 370  
Network Setup option (`setup /n`), 72, 74-75  
on network server vs. workstations, 74  
overview, 71-72  
shared Windows files, 72-73  
setting up on a single workstation, 71  
specifying the `WINDOWS` directory, 64  
switches for Windows Setup command, 60  
`SYSTEM.INI` settings, 370-371  
technical discussion, 62-71  
troubleshooting, 9-17, 399-403  
upgrading from an earlier version, 64-65  
Windows Mode Setup, 58, 68-71, 402-403  
Insufficient memory, 43  
`INT 13`, 252-253, 520-522  
`INT 21`, 349, 350, 520-522  
Intel, snapin, 24, 386  
Intellifont. See Hewlett-Packard Intellifont  
International support in Windows  
formats defined for Control Panel, 128, 172-173  
support files, 138, 147  
`WIN.INI` entries, 172-173  
Interrupts  
32-bit disk access, 520-522  
COM ports, 19, 196, 197  
defined, 451  
floppy drives, 22  
hard disks, 24, 217  
keyboards, 193, 194, 203  
list of, 25  
memory-resident software, 202, 211  
mouse, 18, 208  
network, 36, 430  
printers, 165, 213  
system timer, 214  
virtual machines, 201  
[Intl] section in `WIN.INI`, 172-173  
Invisible Software\$NET/30 For Windows, 384  
I/O port, troubleshooting, 430  
[IO.\*] sections in `CONTROL.INF`, 126-129  
IPX Upgrade utility from Microsoft, 444  
IRQ. See Interrupts  
ISA computers (adapter locations), 240-241, 372, 433, 441  
ISV (independent software vendor), 450  
Italic  
document and syntax conventions, 4-6  
font characteristic, 310, 313  
J  
Join utility (MS-DOS), 405  
K  
Kernel, 90, 107, 137, 250, 451  
Keyboard  
buffer, 202  
compatible with Windows 3.1, 495  
defining behavior, 166  
drivers, 97, 138, 185, 187, 202

identified in Setup, 97  
interrupts, 25, 203  
Keyboard, continued  
language tables, 138  
password, 204  
reboot, 204, 294-295  
tables, 98, 128, 138  
timeslicing, 202  
troubleshooting, 12, 422  
[Keyboard.drivers] section in SETUP.INF, 97  
[Keyboard] section in SYSTEM.INI, 187-188  
[Keyboard.tables] section in SETUP.INF, 98  
[Keyboard.types] section in SETUP.INF, 97, 129  
Keyname, defined, 87, 158

L

Language  
code page, 188  
defining international usage, 173  
drivers and libraries, 138, 147, 185  
identified in Setup, 120  
supported by Windows 3.1, 147, 458  
used for Windows Setup, 91  
[Language] section in SETUP.INF, 120  
LAN Manager 348, 451, 456. See also specific networks  
LanSight, 405  
LANtastic. See Artisoft LANtastic  
Laser printers, and unsupported printer compatibility, 340  
LaserTools, 406  
LATCP DEFINE SCB command, 380  
Le Menu, 406  
LIM. See Expanded Memory Specification  
(EMS)  
[Lmouse] section in SETUP.INF, 101  
Loadhigh command (MS-DOS)  
optimizing performance with, 248, 264-265  
SYSTEM.INI entries, 204  
troubleshooting, 413, 416  
Local heap, 251, 451  
Lockit utility, 405  
Logitech mouse  
driver, 139, 148, 158  
identified in Setup, 101  
troubleshooting, 18, 407  
virtual support file, 150  
Lotus 1-2-3, troubleshooting, 424-425  
Lotus/Intel/Microsoft (LIM). See Expanded Memory Specification (EMS)  
LPT port  
configuring, in WIN.INI, 174  
default I/O starting locations for, 343  
hardware interrupts, 25, 343  
printing from, 342-343  
troubleshooting, 31, 426-427  
LPTx.DOS  
printing method, 31, 174, 350, 376  
troubleshooting, 427-428  
WIN.INI entry, 174  
LPTx.OS2. See LPTx.DOS  
LRU (Least Recently Used) paging, 205, 246-247

M

[Machine] section in SETUP.INF, 117-118, 129  
MAP ROOT command, 388  
Math coprocessor, interrupts, 25

MCA. See Micro Channel (MCA) computers

MCI (Media Control Interface), 143, 451

[MCI Extensions] section in WIN.INI, 177

[MCI] section in SYSTEM.INI, 189

Measures, defining formats, 172

Media files, 177

Media Player, troubleshooting, 47, 437

Mem command (MS-DOS)

troubleshooting with, 413, 417, 420

viewing system memory, 229-230, 264

Memory. See also 386 enhanced mode memory; Expanded memory; Extended memory; High memory area (HMA); Memory drivers; Standard mode memory; Upper memory area; Virtual memory

conventional memory, 228, 260, 263, 448

DPMI vs. VCPI specification, 247-248

excluding upper memory settings, 372

memory conflicts, 238-239

memory protection, 451

Microsoft Diagnostics utility (MSD.EXE), 229

network memory management with Windows 3.1, 370-372

non-Windows applications and PIF settings, 229, 301-305

optimizing performance, 258-259, 262

out-of-memory errors, 43

overview, 228-229

relative addresses of different kinds of, 229

requirements, 9, 249-250

types of, 228-229

viewing, in your system, 229

Windows system resources, 250-251

Memory drivers, 230

Memory expansion board, 258-259

Memory managers, 229, 230, 373. See also Expanded memory managers; Extended memory managers; Virtual Memory Manager (VMM)

Memory-resident software. See TSRs

Micro Channel (MCA) computers

changing memory settings for network, 372

COM port settings, 197

DMA extensions, 207-208

interrupts, 197, 433

troubleshooting, 12

Microsoft 1Z font cartridge, 314

Microsoft Authorized Training Centers (ATCs), 460-466

Microsoft Certified Professional Program, 459

Microsoft Consultant Relations Program (CRP), 458

Microsoft Consulting Services (MCS), 452, 458

Microsoft Diagnostics utility (MDE.EXE), 229

Microsoft LAN Manager networks

described, 384-386

disabling expanded memory for, 385

disabling pop-up services, 386

driver, 143

identified in Setup, 102

MS-DOS LAN Manager Basic, 384

Microsoft Network

described, 387, 452

driver, 143

equivalent for other networks, 143, 368

identified in Setup, 102

MS-Net Redirector, 247, 348

Microsoft Product Support Download Service, 439

Microsoft University  
authorized training centers, 470-471  
training programs, 468-470  
MIDI, 48, 114, 143, 150, 437  
Mirror utility (MS-DOS), 405  
Mode command (MS-DOS), 348  
Modern font, 315, 317  
Mouse. See also specific types  
compatible with Windows 3.1, 139, 495  
defining behavior, 167, 169  
drivers, 139, 148, 186, 260  
identified in Setup, 100-101  
interrupts, 25, 208  
in non-Windows applications, 26, 190, 208, 296, 424  
serial mouse and COM port problems, 348  
in standard mode, 192  
troubleshooting, 18, 26  
virtual device, 150, 208  
in Windows Setup, 91  
MOUSE.COM and MOUSE.SYS, 148  
Mouse Systems mouse, 139, 150  
Movable code segment (in Windows applications), 236, 452  
MS-DOS  
OEM versions and general protection faults, 433  
optimizing performance, 259-260  
printing to LPT ports through MS-DOS, 345-346, 426  
troubleshooting, 35, 413-414  
unexpected MS-DOS error #11, 423  
version 5.0  
compatibility with Windows 3.1, 248, 249, 269-270  
device drivers for managing memory, 148, 230  
loading in the high memory area, 248-249, 263-264  
Windows 3.0 conflicts, 238  
MS-DOS Extender. See Extended memory managers (XMM)  
MS-DOS Mode Setup. See also Installing Windows 3.1  
configuration identification routines, 65-66  
described, 58, 63-68  
failure, 68  
MS-DOS version check, during Setup, 64  
modifying SYSTEM.INI for system configuration, 66-67  
setting the WINDOWS directory, 64  
troubleshooting, 401-402  
updating the Windows version, 64-65  
MS-DOS Prompt, 198, 287, 373  
MS-DOS system, hardware configuration, 401  
MS-NET. See Microsoft Network  
MS Sans Serif and MS Serif fonts, 112, 311, 313-314, 317  
Multimedia  
capabilities, supported by Windows 3.1, 143  
CD-ROM, 21, 436  
driver files, 114, 143  
SYSTEM.INI entries, 189  
troubleshooting, 46-51, 434, 435-437  
WIN.INI entries, 177, 179  
Multitasking. See also Timeslicing  
defined, 448, 452, 455  
demand paging and virtual memory management, 245-247  
PIF Editor options, 304  
problems running non-Windows applications,

373

vs. task switching, in 386 enhanced mode, 290-291

Windows vs. MS-DOS 5.0 task swappers, 249

Music Box, troubleshooting, 49, 436

N

Named pipes, 218, 448

NEC computer, MS-DOS version, 35

NetBIOS, 190, 208, 209, 381, 452

NetWare. See Novell NetWare

Network; See also Networks and Windows 3.1; specific network types

adapter card, 371

buffers, 208, 209, 218

Network, continued

compatible with Windows 3.1, 143, 401-402, 495

drivers, 143, 186, 209

interrupts, 202

printer redirection, 350

redirector software, and ROM BIOS data segment, 348-349

Token Ring, 214, 454

transport stacks, 371

virtual support files, 150

Network Assistant, Windows Resource Kit utility, 440

Networks and Windows 3.1. See also Network; specific network types

customizing Windows installation

modifying logon procedure to set paths, 369

restricting user actions, 221, 276

user environments, 374

installation information, 101-103

installing a shared copy of Windows

Administrative Setup (setup /a), 73-74

Automated Setup (setup /h), 76-81

copying Windows files to a user's directory, 130

forcing Network Setup option, 75, 130

Network Setup (setup /n), 74-75

procedures, 71-74

restoring previous connections, 177

IPX upgrade utility in Windows Resource Kit, 440

optimizing performance, 262, 370-373

printing, 31, 33

running a shared copy of Windows, 368-370, 443

shells, 431

supported networks

3COM, 102, 374-375

Artisoft LANtastic, 102-103, 376-377

Banyan VINES, 102-103, 377-378

DEC Pathworks, 102-103, 379-382

IBM OS/2 LAN Server, 102-103, 383

IBM PC LAN Program, 102-103, 383-384

Invisible Software\$NET/30 For Windows, 384

Microsoft LAN Manager, 102-103, 384-386

Microsoft Network, 102-103, 215, 387

Novell NetWare, 102-104, 387-391

TCS 10Net, 391

Ungermann-Bass Net/One, 392

swapping pages to a network drive, 247

troubleshooting

386 enhanced mode, 36

operation, 430-431

printing, 31, 33, 428

Setup, 11, 402

virtual support for, 150

[Network] section in SETUP.INF, 101, 129

[Network] section in WIN.INI, 177

[Network\_Specific] section in SETUP.INF, 103

[Network\_Version] section in SETUP.INF, 102

[New.groups] section in SETUP.INF, 109

NewSpace, 405

Nonmaskable interrupts (NMI), 209, 408-409, 421

Nonpreemptive scheduling, 291

Non-Windows applications. See also APPS.INF; PIF Editor option; PIFs (program information files)

- defined, 284, 452
- display updates, 217
- error messages
  - execution error, 39
  - file-change messages, 200
  - incorrect system version, 410
- Non-Windows Applications, continued
  - out-of-memory errors, 43
  - system integrity violation, 40
  - files providing support in Windows, 146, 148-149, 290, 292
  - memory for
    - expanded memory, 231, 237-238, 296
    - extended memory, 236-237, 238, 239-240, 295
  - requirements, 229
  - mouse, 18, 26, 208, 296
  - removing support for, 503
  - running in Windows 3.1, 288-293, 373
  - scrolling, 213
  - setting up, 283-288
- SYSTEM.INI entries for, 293

optimizing performance, 258-262

tips, 294-295

troubleshooting, 30, 409, 423-424

[NonWindowsApp] section in SYSTEM.INI, 189-191

Norton utilities

Stacker and troubleshooting, 17

troubleshooting, 41, 44, 404, 405, 407

Not-enough-memory error message, 294

Novell NetWare

- described, 387-390, 452
- drivers and files, 143, 387, 444
- increasing the file access limit, 389
- NetWare Lite, setting parameters, 391
- preparing to run with Windows, 388
- Printer Assistant, 406
- SETUP.INF information, 102-103, troubleshooting, 31, 33, 349, 431
- updating with Microsoft IPX Upgrade utility, 444

O

Object Linking and Embedding (OLE)

- creating compound documents, 352-356
- support in windows, 354-356, 360

troubleshooting, 45

WIN.INI entries, 178, 360

Object Packager, 355

OEM (original equipment manufacturer)

- character set, 310, 315, 317
- defined, 452
- font, 144, 145

[OEMdisks] section in SETUP.INF, 91

OEMSETUP.INF file, 335

Olivetti computers, 138, 139, 149, 187-188

Online support services  
bulletin board forums, 472-474  
library services, 478  
PC magazine forums, 475-477  
OnTrack Disk Manager (DMDRVR.BIN), 13-14  
Operating modes. See 386 enhanced mode; Standard mode  
Operating system, defined, 453. See also MS-DOS  
Orientation, printing, 322  
Out-of-memory errors, 43, 251, 289, 323, 417  
**P**  
Package, in compound documents, defined, 353, 443  
Page fault, 243, 453  
Page frames. See also Expanded memory  
defined, 447, 453  
memory conflicts in 386 enhanced mode, 235, 239, 240, 242  
specifying range in SYSTEM.INI, 200, 212  
troubleshooting, 417, 425  
Pageswap device, 245  
Page swapping. See Paging; Virtual memory  
Page table, 206, 433  
Paging. See also Virtual memory  
buffers, 210  
described 245-246, 453, 456  
drive, file, and disk space, 207, 210  
maximum size, 206  
Paradise VGA cards, troubleshooting, 410-411  
Parallel port. See LPT port  
Parity, 174  
Password, setting up protection for a workstation, 374  
Path, 13-14, 181, 453  
Pathworks. See DEC Pathworks  
PC-Kwik, 404  
.PCM file, 324  
PC-NET, 453  
PC-NFS and Windows 3.1, 519  
PC Tools,  
Stacker and troubleshooting, 17  
troubleshooting, 17, 22, 42, 44, 404, 407  
Peak/DM BIOS, troubleshooting, 12  
Pen Windows, 506-514  
Permanent swap file, 210, 211, 260, 262  
.PFM file, 325, 326  
Phoenix Cascade BIOS, 12, 419  
PIF Editor options, 301-305  
.PIF filename extension, 287  
PIFs (program information files). See also APPS.INF; Non-Windows applications; PIF Editor options  
changing icons in Program Manager, 287-288  
modifying, 133, 305-306  
overview, 299-300  
setting up PIF  
after Windows installation, 286, 373  
during Windows installation, 121-125, 285-286  
from application manufacturer, 287  
[PIF] section in APPS.INF, 122-125, 133  
Pipe (), in .INI parameters, 159  
Plotters  
fonts, 315, 317, 321, 332  
setting up unsupported printers in Windows, 340  
Plus Hardcard, troubleshooting, 24, 422  
Pointing devices, 129, 139, 485. See also

Mouse  
[Pointing device] section in SETUP.INF, 100, 129  
Point size, font characteristic, 310, 315, 318, 453  
Pop-up messages (network), 73, 370  
Ports, 174, 180. See also COM port; LPT port  
PostScript printers  
cartridges, 336  
described, 335-336  
drivers, 141-142  
fonts, 317, 333, 335-336  
printing error information, 336  
specifying virtual memory, 334  
troubleshooting, 30, 426-427, 429  
TrueType, 333-334, 335  
unsupported printers in Windows, 340  
Preemptive scheduling, 291  
Printer. See also Printer fonts; specific printers  
compatible with Windows 3.1, 140-142, 496-498  
drivers, 27, 126-128, 140-142, 500-501  
interrupts, 213  
specifying during Setup, 80  
troubleshooting, 30-33, 427-429  
TrueType compatibility, 27, 318, 425  
Printer cartridge metrics (.PCM) file, 324  
Printer fonts. See also specific printers and printer types  
character sets for, 321  
defined, 312, 320  
dot matrix printers, 322  
HP-compatible printers, 323-333  
PostScript printers, 333-336  
printable screen fonts, 312, 320, 322, 453  
Printer ports. See also COM port; LPT port  
port entries in the ROM BIOS data segment, 346-348  
troubleshooting, LPTx.DOS method, 345-346  
.WIN.INI entries, 180, 181  
[PrinterPorts] section in WIN.INI, 180  
Printer Setup, 159, 315, 321  
Printing  
determining Windows printing method, 349  
network, 177, 350  
setting up unsupported printers, 340-341  
technical issues related to, 339-349  
troubleshooting, 30-33, 426-429  
Print Manager, 168  
[Progman.groups] section in SETUP.INF, 110, 132  
PROGMAN.INI  
contents, 219-221  
modifying for custom user environments on networks, 374  
preserving, after reinstalling Windows, 15  
Program information files (PIFs). See PIFs  
Program Manager. See also Program Manager groups  
changing values in .INI files, 159  
customizing, 132, 272-274, 276  
initialization (.INI) file, 219-221  
maintaining Windows with, 83  
restricting user action, 221  
Program Manager groups  
created during Setup, 109-111  
customized, 132, 220, 273-274  
setting up shared groups, on networks, 274-275, 374

[Programs] section in WIN.INI, 181  
Protected mode, 150, 239-240, 454  
Pyro!, 407  
**Q**  
QEMM—386 expanded memory manager  
386 enhanced mode support, 243, 247  
described, 454, 515-518  
networks, 373  
troubleshooting, 34, 421, 517-518  
Quadtel BIOS, troubleshooting, 12  
**R**  
RAM drive,  
creating a RAM disk, 230  
during Setup, 70  
optimizing performance, 259  
swap files with, 245  
TEMP variable on diskless workstations, 262, 369  
troubleshooting, 418-419  
RAMDRIVE.SYS, 148, 259, 265  
Random access memory (RAM), described, 228  
Raster fonts, 145, 311, 313-315, 317, 454  
README files  
choosing not to install, 79  
compound documents, 353  
files for, 154, 443  
Read-only files on network, 73, 369  
Real mode, and Windows 3.1, 9  
Rebooting  
CTRL+ALT+DEL use, 204, 256, 294-295, 432  
defining behavior, in SYSTEM.INI, 204  
from a batch file, 256,  
nonmaskable interrupts, 209  
non-Windows applications, 294-295  
Windows, after installation, 71, 77, 80-81  
Reference materials, 483-486  
REG.DAT file, 359, 454  
REGEDIT.EXE, 360-365  
Registration database, 454  
described, 359  
installing or modifying file types, 361-363  
restoring a deleted or corrupted registration database, 363  
Registration Info Editor  
described, 360  
filename extensions defined, 171  
installing a .REG file, 361  
modifying .REG file types, 363  
restoring the registration database, 363  
supporting files, 151  
WIN.INI entries, 178  
Reinstalling Windows, 15  
Resolution  
display, 144-145  
printer, 314, 318, 322  
Restricting user actions, in Program Manager, 221  
[Restrictions] section in PROGMAN.INI, 221  
RIPLMEM.EXE program, 379  
Roman font, 315, 317  
ROM BIOS  
debugging a COM port, 347-349  
INT 17, 349  
shadowing, 267  
use of upper memory area, 212-213, 216, 231, illus. 232  
[Run] section in SETUP.INF, 90

## S

Screen fonts, 144-146, 175, 312  
Screen savers, 154, 168, 374  
Script font, 315, 317  
SCSI  
    adapter card (ADAptec 1540B), 380  
    drive, 24, 421, 520  
SDK (Windows Software Development Kit), 454  
Segmentation, for Windows code, 256, 456  
Semicolon, as comment character, 159  
Serial communications port. See COM port  
Server  
    database, 448  
    file, 450  
    network, 177, 454  
    print, 453  
    Server applications (OLE), 353, 454-455  
    [Settings] section in PROGMAN.INI, 219  
Setup. See Installing Windows 3.1; Windows Resource Kit disk setup; Windows Setup  
SETUP.EXE file, and installing Windows on a local drive, 66  
SETUP.INF  
    checking during Setup, 64  
    content summary, 88-89  
    customizing, 128-133  
    editing procedure, 87  
    format, 88-89  
SETUP.INF, continued  
sections  
copy-files sections for applications, 107-108  
copy-files sections for Windows, 105-106  
display driver, 94  
fonts, 112  
general installation, 89  
incompatible driver, 113  
keyboard and code pages, 97  
mouse driver, 100  
network installation, 101-103  
Program Manager groups, 109-111  
system configuration, 117  
system fonts, 104  
Windows installation, 64, 77  
[Setup] section in SETUP.INF, 89  
SETUP.SHH file, 76-77  
Setup switches  
setup /a, 73-74  
setup /h, 75-76  
setup /i, 65, 401  
setup /n, 11, 74-75  
setup /t, 400  
summary, 60  
Shadow RAM, 250  
Shadow ROM, 420, 430, 455  
Share command (MS-DOS), 368  
Shared memory, troubleshooting, 430  
Shared resources, 304, 455  
Shell command (MS-DOS), 260  
[Shell] section in SETUP.INF, 94  
Shortcut keys, defined in PIFs, 302-303  
SideKick, 407  
Small Font, 112, 310, 314, 317  
SMARTDrive 3.x, illus. 252  
SMARTDrive 4.0  
described, 252-256, 439  
double buffering, illus. 253, 255-256

installation of, 70  
optimizing Windows performance, 230, 259  
Stacker, 17, 256  
troubleshooting, 416, 421-422  
viewing switches, 258  
SMARTDrive Monitor, Windows Resource Kit utility, 441  
SMARTDRV.EXE, 148  
SoftCraft WYSIFonts, 315  
Soft fonts. See Downloadable soft fonts  
SoftIce Debugger, 404  
Sound  
drivers on Windows Resource Kit, 443  
files, 154  
troubleshooting, 48-51  
WIN.INI entries, 179  
SoundBlaster, files identified in Setup, 114  
Sound Recorder, troubleshooting, 51, 436  
[Sound] section in WIN.INI, 179  
Source document, for OLE, 355  
[Special\_adapter] section in SETUP.INF, 119  
Speedfxr, 407  
Speedstor, troubleshooting, 13-14  
Spooler, 168, 455  
SQL (Structured Query Language), 455  
Stacker, 13-14, 17, 66, 244, 256  
Stack overflow error, 422  
Stacks, in CONFIG.SYS, 422  
Standard mode Windows. See also 386 enhanced mode Windows; Windows 3.1 described, 63, 235  
memory  
conventional memory, 235  
expanded memory, 236-238  
extended memory, 235-237  
system requirements, 9, 63, 410  
optimizing performance, 260  
removing support for, 502  
troubleshooting, 44, 418-419, 423  
[Standard] section in SYSTEM.INI, 191-192  
Startup directory, specifying in PIF Editor, 301  
Startup group, 58, 220  
Startup requirements, for Windows, 249-250  
Stop-bits, 174  
Subst command (MS-DOS), 390, 407  
SuperPrint, troubleshooting, 32  
SuperVGA, troubleshooting, 20, 411, 421  
Swap disk, for non-Windows applications, 191  
Swapdisk memory manager, 230  
SWAPFILE.EXE, file deleted in Setup, 107  
Swap files  
changing size and location of, 244  
creating, for virtual memory, 238, 244  
non-Windows applications using, 290, 521-522  
permanent, 210, 211, 244-245, 260, 262  
temporary, 207, 210, 244  
Virtual Memory Manager, 243-244  
Swappable code segment (in Windows applications), 236  
Swapsize, defined, 236  
Switches, command-line  
Mem command (MS-DOS), 229-230  
MS-DOS system drivers, 258  
PIF Editor options, 301  
Setup, 60  
Windows, 249  
Symbol font, 112, 314, 317, 318, 333

System  
configuration specified in Setup, 117-120, 401-402  
modifying settings during Setup, 65-66  
requirements, 9, 418, 420  
System Editor, 160-161  
System events, WIN.INI entries, 179  
System font, 104, 144-145, 312-315  
SYSTEM.INI  
contents, 183-218  
content summary, 183  
entries for  
386 enhanced mode performance, 271  
conventional memory, 238, 250  
disabling expanded memory, 241  
hardware configurations, 66-67, 271  
network performance, 272, 370-371  
standard mode performance, 238  
virtual memory, 246  
preserving entries, after reinstalling Windows, 15  
source file (SYSTEM.SRC), 66, 161  
updates defined in Setup, 116  
Windows 3.1 changes, 162-163  
Windows installation changes, 66, 77  
System integrity violation, 40  
System Information screen, illus. 66, 77  
System memory, displaying current use, 442  
System Resource Monitor, Windows Resource Kit utility, 442  
System resources, 250-251, 442  
System screen fonts. See System font  
[System] section in SETUP.INF, 117-120, 129  
System settings script, 75-81  
SYSTEM.SRC, 77, 161  
SYSTEM subdirectory  
defined, 58  
files defined for Setup, 93, 127  
T  
Tandon, troubleshooting, 12  
Task Manager  
defined, 290, 373  
specifying, 186  
SYSTEM.INI entry, 186  
vs. Windows Task List, 248, 249  
WIN.INI entry, 164  
TCS 10Net, 102, 391  
TEMP directory, 369  
TEMP environmental variable  
“clean boot” disk, 398  
optimizing performance, 262-263  
printing requirements, 427  
setting RAM drive as, 259  
troubleshooting, 13-14, 427  
Windows on a network, 369, 427  
Temporary swap file  
described, 243-244  
optimizing performance on a network, 260, 262  
SYSTEM.INI entries, 207, 210  
Terminal font, 144, 313, 317  
Texas Instruments Graphics Architecture (TIGA) display adapter, 412  
Third-party  
memory managers, 269-270  
soft fonts, 316  
task manager, 272  
Thunder Board (Media Vision), files identified in Setup, 114

TIGA display driver, 139, 150, 412

Time

- defining formats, 172
- interrupts, 25, 214, 215, 373
- synchronizing with CMOS clock, 213

Time-out settings, for printer ports, 180

Timer (MCI driver), 114, 143

Timer interrupts, 214, 215, 373

Timeslicing

- between Windows and non-Windows applications, 291-292
- defined, 455
- keyboard, 422
- PIF Editor options, 304
- virtual machines, 207

Windows applications, 217-218

Times New Roman font, 113, 310-311, 317-318, 320

Tms Rmm font, 107, 314

Token Ring networks, 214

TopDesk, Windows Resource Kit utility, 442

Toshiba computer, 12, 412, 419

Training, 466-467, 468-471. See also Microsoft Authorized Training Centers (ATCs); Microsoft Certified Professional Program; Microsoft University

[Translate] section in SETUP.INF, 115

Translation buffers, 239

- controlling mapping in upper memory, 239, 241, 242
- freeing conventional memory, 268-269

Transmission retries, 169

Transport stack, 371

Trantor (TSCSI.SYS), 407

Troubleshooting

- 386 enhanced mode, 420-422
- creating a “clean boot” disk, 398
- desktop configuration, 403
- display problems, 408
- EMS memory problems, 235, 237, 415-417
- fonts, 425
- general protection faults, 431-433
- MS-DOS configuration problems, 413-414
- multimedia, 434
- networks, 430-431
- non-Windows applications, 423-425
- printing, 426-429
- Setup, 399-403
- standard mode, 418-419
- strategy, 396-398
- TSRs, 400, 404-407
- UMB conflicts, 237
- TrueType
- benefits, 318
- Canon printers, 337
- changing typeface names, 337-338
- described, 311, 318-320
- disk space, memory, and speed, 319-320
- files, 113, 146, 318
- HPPCL printers, 323
- IBM 4019 laser printers, 337
- installing more fonts, 315
- number of fonts on a system, 320
- PostScript printers, 333-335
- printer support, 316, 317, 319
- troubleshooting, 27, 425-426
- using in Windows applications, 319, 320
- WIN.INI entries, 176

[TrueType] section in WIN.INI, 176  
Tseng Labs display adapter, 410  
TSRs (terminate-and-stay resident software)  
described, 239, 294, 455  
optimizing performance, 259, 261  
identified in Setup, 113, 401, 404  
SYSTEM.INI entries, 202, 211, 214  
troubleshooting  
general protection faults, 37, 432  
in Setup, 10, 13-14, 66, 400-401, 404  
in Windows, 404-407, 414  
.TTF file, 318  
Typeface, defined, 310

**U**

Underscore (\_), as indicator of compressed files, 59  
Ungermann-Bass  
network card, 392  
XNS transport stack, 384  
Universal printer driver, 318, 321-322, 330  
Unrecoverable application error (UAE), local reboot, 204  
[Update.files] section in SETUP.INF, 115  
Upper memory area. See also Upper memory blocks (UMBs)  
conflicting uses of, in 386 enhanced mode, 242  
described, 228-233, 237-238  
illus., 229, 232, 233  
placing translation buffers in, 241  
troubleshooting, 414, 415-417  
Upper memory blocks (UMBs)  
controlling, in 386 enhanced mode, 242  
defined, 237, 455  
dual display adapters, 198  
excluding ranges, 199-200, 204, 212, 215, 416-417  
illus., 415  
mapping, 242  
optimizing use of, 263-266, 266-268  
troubleshooting for  
386 enhanced mode, 420-421  
general protection faults, 433  
networks, 430  
non-Windows applications, 425

**USER**

.EXE file, 137, 250  
heap, 250-251, 442  
User groups, listed by location, 479-481  
User interface, defined, 450  
User name, specifying in Windows Setup, 77, 79  
[User] section in SETUP.INF, 92  
.USP file, 325

**V**

Vaccine, 404  
VAR (value-added reseller), defined, 456  
VCPI (Virtual Control Program Interface), 237, 247, 295, 456  
VDefend, 404  
VDNET.386 virtual device driver, 381  
Vector fonts, 145, 311, 315, 317, 456

**VGA**

driver and grabber files, 139, 149  
font files, 104-106, 312-314  
memory addresses, 216  
troubleshooting, 20, 26, 409-412, 424  
virtual support file, 150

**Video memory**

SYSTEM.INI entries, 212, 216  
troubleshooting, 424, 425  
Video Seven VGA  
driver and grabber files, 139, 149  
troubleshooting, 403, 410, 412  
virtual support file, 150  
Viralert, 404  
Virex-PC, 404  
Virtual COM Driver, 196  
Virtual device, 150, 456  
Virtual Display Driver (VDD), 94, 102, 408, 410  
Virtual DMA Services, 255-256  
Virtual Hard Disk (VHD), 34, 422  
Virtual Keyboard Device (VKD), 204  
Virtual machine (VM)  
addresses for applications, 215, 453  
COM port interrupt processing, 196  
described, 239  
device drivers in, 204  
idle interrupts, 201  
memory  
allocation, 211, 213-214  
expanded memory, 213-214  
extended memory, 213-214, 239  
printer interrupts, 213  
read-write requests, 209  
SYSTEM.INI entries, 193, 196, 205, 207, 213-214  
timeslicing, 207, 291  
Virtual memory  
32-bit disk access, 520-523  
386 enhanced mode, 243-247  
creating swap files for, 244-245  
defined, 453, 456  
demand paging, 245-247, 448  
management of, 243, 245-247  
optimizing, 245, 520-523  
pages, page swapping, and page table, 230, 245, 245-246  
PostScript printer requirements, 334  
swapping pages to network drive not recommended, 247  
Virtual Memory Manager (VMM), 206, 230, 243, 245-246  
Virtual Mouse Device (VMD), 100  
ViruSafe, 404  
VMM. See Virtual Memory Manager (VMM)  
VT320 terminal emulator application, 380  
W  
Wallpaper, 153, 154, 170  
Wave audio, 114, 154, 437  
Western Digital  
32-bit disk access and 1003 controller standard, 520, 523  
Ethercard Plus, 388  
troubleshooting, 11, 34, 36  
WIN386.EXE file, 136, 150, 245  
WIN.COM, 11, 68, 136-137, 152  
[Win.\*] copy-file sections in SETUP.INF, 108-109, 130-131  
Win command switches, 249  
Window (on screen)  
running non-Windows applications in a, 292-293  
WIN.INI entries, 164-169, 178-179  
Windows 2.x, troubleshooting, 432  
Windows 3.1. See also 386 enhanced mode  
Windows; Standard mode Windows; Windows applications; Windows Setup

compatibility with MS-DOS 5.0, 269-270  
configuration, troubleshooting, 403-417  
foreign language versions, 458  
maintaining Windows  
on a network, 369-370  
using Setup, 82  
minimum installation, 504  
MS-DOS 5.0 configuration for, 248-249, 261  
new features in  
32-bit disk access, 520-523  
Character Map, 321  
File Manager features, 277  
icons, 288  
multimedia, 135  
network features, 368  
Object Linking and Embedding, 352  
PIFs, 285  
printing, 278  
Program Manager features, 273  
Setup, 58  
SMARTDrive 4.0, 252-256  
swap file features, 244  
system registration database, 359-363  
TrueType fonts, 311, 318-320  
universal printer driver, 318, 321-322  
upper memory management, 243

Windwos 3.1, continued  
optimizing performance  
adjusting UMBs, 263-266, 266-269  
hardware, 258-260  
MS-DOS, 259-260  
network, 262  
Windows configuration, 260  
Windows applications  
custom installation, 130  
defined, 284, 456  
files, 151-152  
removing, 500  
troubleshooting, 43  
WINDOWS directory  
defined, 58  
files copied to by Setup, 92, 130  
installing Windows in, during Setup, 77-78  
personal vs. shared, 368  
setting during installation, 64  
Windows Driver Library, 478  
Windows files  
core files, 136, 137  
deleting, 155, 500-504  
driver files, 136-143  
font files, 144-146  
MS-DOS support files, 148-150  
overview, 135-136  
Windows applications and related files, 151-155  
Windows for Pens, 506-514  
Windows help files, 152, 503  
[Windows Help] section in WIN.INI, 178-179  
Windows Mode Setup  
checking for SMARTDrive, 70  
completing Setup, 71  
custom application installation, 69-70  
first stages of, 58, 68  
system files update, 70  
troubleshooting, 402-403  
updating from earlier Windows version, 71  
Windows Resource Directory  
hardware support, 482-483  
online services, 472-478  
reference materials, 483-486  
training services, 458-471  
user groups, 479-481  
Windows Resource Kit disk  
downloading, 439  
installing a sound driver file, 444  
Microsoft IPX upgrade utility, 444  
README files, 443  
setup, 444  
utilities described, 440-442  
Windows Driver Library, 443, 444  
[Windows] section in SETUP.INF, 93  
[Windows] section in WIN.INI, 164-169

Windows Setup. See also Installing Windows 3.1

Administrative Setup option (*setup /a*), 72-74

Automated Setup (*setup /h*), 58, 75-81

Custom Setup, 58, 64-65

Express Setup, 58, 64

MS-DOS Mode Setup, 58, 63-68, 401-402

Network Setup (*setup /n*), 73-75

    overview, 58-63

    setup-related files, 152-153

    shell, 94

    switches for Windows Setup command, 60

    technical discussion, 62-71

    troubleshooting, 9-17, 399-403

Windows Mode Setup, 58, 68-71, 402-403

Windows shell, 272-276, 277-279

[Windows.system \*] sections in SETUP.INF, 93

Windows Technical Support Library, 478

[Winexec] section in SETUP.INF, 90

WINFILE.INI, 223

Wingding (TrueType font), 146

WIN.INI

    changes in the system registration database, 354

    content, 163-182

    content summary, 163

    preserving, after reinstalling Windows, 15

    size, 163

    source file (WIN.SRC), 16, 77, 161

    substituting screen fonts in, 335

Windows 3.1 changes, 116, 161-162

Windows installation changes, 77

WinOldApp file, 148, 290, 292, 423

WIN.SRC, 16, 77, 161

WINSTART.BAT file, 261

Workstations, network, 71, 75, 456

.WPD (Windows PostScript Definition) file, 335

Wyse computer, 12, 419

X

X.25 network communications protocol, defined, 456

XGA display driver, 139, 150, 380

XGAAIDOS.SYS, 406

XMM. See Extended memory managers (XMM)

XMS. See Extended Memory Specification

XMS memory. See Extended memory

Z

Zenith, troubleshooting, 12, 35