FileTypes.plugin Documentation

David Rydh

	COLLABORATORS								
		TITLE :							
L		FileTypes.plugin Docum	nentation						
	ACTION	NAME	DATE	SIGNATURE					
	WRITTEN BY	David Rydh	October 9, 2022						

REVISION HISTORY							
NUMBER	DATE	DESCRIPTION	NAME				

Contents

1	FileTypes.plugin Documentation			
	1.1	FileTypes.plugin 1.2beta Documentation	1	
	1.2	Introduction	2	
	1.3	System Requirements	2	
	1.4	Installation	2	
	1.5	The Menus	2	
	1.6	File types	2	
	1.7	CreateDefaultIcon	3	
	1.8	DoCommand	3	
	1.9	CreateDefaultIcon	4	
	1.10	History	4	
	1.11	Author	5	
	1.12	Legal	5	
	1.13	Acknowledgements	5	
	1 14	Futura	6	

Chapter 1

FileTypes.plugin Documentation

1.1 FileTypes.plugin 1.2beta Documentation

```
FileTypes.plugin 1.2beta
    Copyright © 1998 David Rydh
General
What is FileTypes.plugin?
System Requirements
 How to install
               The Prefs GUI
The menus
File types
              Included Tools
 DoCommand
 CreateDefaultIcon
               Misc
Those who made it possible
Copyrights, Distribution
History
Author
Future
```

1.2 Introduction

Introduction ~~~~~

1.3 System Requirements

```
System Requirements

An Amiga with AmigaOS 2.1+
Scalos V39.156+
MUI 3.3+(?)
Listtree.mcc, (BetterString.mcc)
```

No pref-file or icons exists in this archive. I suggest you download NewIcons or a similar package which contains icons.

The FileTypes-prefs can also import DefIcons-brainfiles (included in the NewIcons distribution).

1.4 Installation

1.5 The Menus

Menus

1.6 File types

```
File types
```

1.7 CreateDefaultIcon

CreateDefaultIcon

CreateDefaultIcons is a replacement for the tool with the same name in the newicons-package. It gives files/drawers/devices, which lacks an icon, a real icon. That is, copies the icon that's given to it by filetypes.plugin.

The usage is simple. Just select CreateDefaultIcon and then those files that you want to give a real icon and doubleclick on the last file.

Since it will ask filetypes.plugin to recognize the filetype of the files, Scalos and filetypes.plugin have to be running.

1.8 DoCommand

DoCommand

~~~~~~~

DoCommand is a small program that enhances the Standard Tool for project icons. All these things you didn't thought was possible for Project files is now reality. How about unpacking a LhA-archive only by doubleclicking it... And you can even make it popup a file requester!

It works for any project file but is made especially for the Scalos filetypes.  $\leftarrow$  plugin.

When DoCommand is executed for a file which lacks an icon, the filetypes.plugin  $\ensuremath{\hookleftarrow}$  will

look up it's deficon and use its tooltypes.

It is used through tooltypes and certain special %-codes:

COMMAND This tooltype must be available. The following string

will be executed like an DOS-call but....

If there is any %-codes in the string, DoCommand will replace them with the following:

%pf = the file chosen by the user from a file requester will be inserted.

%pd = the drawer chosen from a file requester
 will be inserted.

For a LhA archive you can for example use this string: COMMAND=LhA x %f %pd  $\,$ 

FILE This tooltypes handles the input/output file that

will be used by the COMMAND.

For a window this tooltype could be: FILE=CON:0/0/640/100/LhA/CLOSE/WAIT/

ASKCOM This tooltype is used to ask the user which action he

wants to take. It should be a string with button-labels separeted with "|". DoCommand will always add a "Cancel" button to the right.

The first command will use COMMAND/FILE the second COMMAND2/FILE2, the third COMMAND3/FILE3 etc. (there is a maximum of 9 commands.

For a LhA archive this could be:
 ASKCOM=Extract|List|Test

#### 1.9 CreateDefaultIcon

CreateDefaultIcon

CreateDefaultIcon is used to give files/drawers without icons which lacks one. It takes the same icon which is used as a fake icon and saves it.

CreateDefaultIcon works nearly the same as the CreateDefaultIcon-tool distributed in the NewIcon-archive. (first click on CreateDefaultIcon then shift-click on all files/drawers that you want to create an icon for and double-click on the last icon)

There are however some exceptions.

- \* CreateDefaultIcon uses FileTypes.plugin to get the Default Icon.
- \* CreateDefaultIcon uses iconobject.library. (allow CreateDefaultIcon to copy standard Icons, NewIcons and future formats)
- \* CreateDefaultIcon also requires Scalos to be running and that the FileTypes.plugin is loaded.

## 1.10 History

FileTypes.plugin

-----
1.2beta First Beta Release

FileTypesPrefs

----
1.0beta First Beta Release

CreateDefaultIcon

~~~~~~~~~~~~~~~~~

1.0 First Release

DoCommand

- 1.0 Internal beta
- 1.1 Added ASKCOM-tooltype.

DoCommand now uses SystemTagList instead of Execute (gives the possibilty to run scripts etc).

1.11 Author

If you've encountered any bug, if you have some ideas how to improve FileTypes, or if you've have created a pref-file containing lots of filetypes don't hesitate to send me a mail.

David Rydh Åsgatan 5 SE-666 31 Bengtsfors Sweden

E-Mail: dary@lindesign.se Fidonet: 2:203/638.2

1.12 Legal

I TAKE NO RESPONSIBILITY FOR ANY DAMAGES CAUSED BY FILETYPES ITSELF OR ANY WRONG USAGE OF FILETYPES. FILETYPES IS PROVIDED TO YOU 'AS IS' AND YOU USE IT AT YOUR OWN RISK.

FILETYPES IS FREEWARE AND NOBODY MAY CHARGE MORE THAN A REASONABLE AMOUT OF MONEY FOR DISTRIBUTING FILETYPES. YOU MAY COPY FILETYPES FREELY AS LONG AS ANY FILES INCLUDED REMAIN UNALTERED. ALL RIGHTS RESERVED.

1.13 Acknowledgements

Acknowledgements

I'll like to thank the following people, who has done a great job.

Stefan Sommerfeld for the superb Scalos.

Stefan Stuntz for MUI.

Eric Sauvageau for the great Newlcons-package and as beta-tester.

1.14 Future

FileTypes ~~~~~

- * More file-recognition stuff.
- * Specify devices for which FileType-recognition will be inhibited. (perhaps this should be implemented in Scalos instead?)

FileTypesPrefs

~~~~~~~~~~~~

- $\star$  A button to open the icon-information window.
- \* Edit DoCommand-tooltypes(?)

#### DoCommand

~~~~~~~

* More %-codes perhaps.