

*---A macro to CALCULATE the @ABS of all values in a 3-D range
 *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
 range names in this column (starts with the \Z macro name)
 *---Hold the <MACRO> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
 IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

!

```
\Z          {BREAKON}
@ABSRANG   {windowsoff} {paneloff} /rncwhich range ?~/rndwhich range ?~/Rn
cont422    {let hereabs422,@cellpointer("address")}~{LET counter1422,0}
!          {FOR counter1422,0,@cols(Which range ?)-1,1,labels1422}
!          {let rel422,@INFO("RELEASE")}~{IF @LEFT(REL422,1)<>"@"}
!          {goto}which range ?~/rndWhich range ?~
!
counter1422          4
counter1a422        6
labels1422          {RIGHT} {LET here422,@CELLPOINTER("ADDRESS")}~{LEFT
!
here422             $E$34
!
labels1a422         {IF @CELLPOINTER("TYPE")="v"} {rnd422}
!                  {DOWN}
!
rnd422              {IF @CELLPOINTER("TYPE")="v"} {edit} {home} @ABS({END
!
counterb422         1
hereabs422         $A$34
!
rel422
```

∩C{windowson}{panelon}Which range ?~{bs}{bs}{?}~{windowsoff}{GOTO}Which range

{goto}{hereabs422}~{let counterb422,counterb422+1}~{if counterb422<@sheets(which ra

∩}{FOR counter1a422,0,@ROWS(WhICH RANGE ?)-1,1,labels1a422}~{if counter1422<@

}

?~{let counterb422,0}~

nge ?)} {NS} {GOTO} {HEREABS422}~{branch cont422}

cols(which range ?)-1} {GOTO} {here422}~{LET counter1a422,0}~