

*---A macro to CALCULATE the @EXP of all values in a 3-D or 2-D range
 *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
 range names in this column (starts with the \Z macro name)
 *---Hold the <MACRO> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
 IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

!

\Z {BREAKON}

@EXPRANG {windowsoff} {paneloff}/rncwhich range ?~/rndwhich range ?~/RNC {windowsoff} {paneloff} {let hereabs427,@cellpointer("address")}~{LET counter1427,0}

! {FOR counter1427,0,@cols(Which range ?)-1,1,labels1427}

! {let rel427,@INFO("RELEASE")}~{IF @LEFT(REL427,1)<"@"} {goto} {here

! {goto} which range ?~/rndWhich range ?~

!

counter1427 2

counter1a427 5

labels1427 {RIGHT} {LET here427,@CELLPOINTER("ADDRESS")}~{LEFT} {FOR coun

!

here427 \$\$S1

!

labels1a427 {IF @CELLPOINTER("TYPE")="v"} {rnd427}

! {DOWN}

!

rnd427 {IF @CELLPOINTER("TYPE")="v"} {edit}}{home}@EXP({END}

!

counterb427 4

hereabs427 \$\$A\$1

!

rel427

n} {panelon} Which range ?~{bs} {bs} {?}~{windowsoff} {GOTO} Which range ?~{let counte

abs427}~{let counterb427,counterb427+1}~{if counterb427<@sheets(which range ?)} {NS}·

ter1a427,0,@ROWS(WhICH RANGE ?)-1,1,labels1a427}~{if counter1427<@cols(which ra

rb427,0}~

{GOTO} {HEREABS427}~{branch cont427}

nge ?)-1} {GOTO} {here427}~{LET counter1a427,0}~