

- *---A macro to @ROUND all values in a 3-D or 2-D range
- *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- *---Hold the <MACRO> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

!

```

\Z                {BREAKON}
@ROUNDRG         {windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/R
!               {let hereabs435,@cellpointer("address")}{LET counter1435,0}
!               {getlabel "How many places: ",places435}~
cont435         {FOR counter1435,0,@cols(Which range ?)-1,1,labels1435}
!               {let rel435,@INFO("RELEASE")}{IF @LEFT(REL435,1)<"@"
!               {goto}which range ?~/rvwhich range ?~/rndWhich range ?~
!
counter1435      2
counter1a435     5
labels1435      {RIGHT}{LET here435,@CELLPOINTER("ADDRESS")}{LEFT
!
here435         $$C$1
!
labels1a435     {IF @CELLPOINTER("TYPE")="v"}{rnd435}
!               {DOWN}
!
rnd435         {IF @CELLPOINTER("TYPE")="v"}{edit}{home}@round(@valu
!
PLACES435      2
!
counterb435     4
hereabs435     $$A$1
!
rel435

```

∩C{windowson}{panelon}Which range ?~{bs}{bs}{?}~{WINDOWSOFF}{GOTO}Which r

{goto}{hereabs435}~{let counterb435,counterb435+1}~{if counterb435<@sheets(which ra

∩}{FOR counter1a435,0,@ROWS(WhICH RANGE ?)-1,1,labels1a435}~{if counter1435<@

ie({end}},{PLACES435})

range ?~{LET COUNTERB435,0}~

range ?)} {NS} {GOTO} {HEREABS435}~{branch cont435}

cols(which range ?)-1} {GOTO} {here435}~{LET counter1a435,0}~