

*---A macro to CALCULATE the @SQRT of all values in a 3-D or 2-D range
 *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
 range names in this column (starts with the \Z macro name)
 *---Hold the <MACRO> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
 IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

!

\Z {BREAKON}

@SQRTRNG {windowsoff} {paneloff}/rncwhich range ?~/rndwhich range ?~/RNC {windowsoff} {cont432} {let hereabs432,@cellpointer("address")}~{LET counter1432,0}

! {FOR counter1432,0,@cols(Which range ?)-1,1,labels1432}

! {let rel432,@INFO("RELEASE")}~{IF @LEFT(REL432,1)<"@"} {goto} {here

! {goto} which range ?~/rndWhich range ?~

!

counter1432 5

counter1a432 4

labels1432 {RIGHT} {LET here432,@CELLPOINTER("ADDRESS")}~{LEFT} {FOR coun

!

here432 \$\$S1

!

labels1a432 {IF @CELLPOINTER("TYPE")="v"} {rnd432}

! {DOWN}

!

rnd432 {IF @CELLPOINTER("TYPE")="v"} {edit}}{home}@SQRT({END}

!

counterb432 4

hereabs432 \$\$A\$1

!

rel432

n} {panelon} Which range ?~{bs} {bs} {?}~{windowsoff} {GOTO} Which range ?~{let counte

abs432}~{let counterb432,counterb432+1}~{if counterb432<@sheets(which range ?)} {NS}·

ter1a432,0,@ROWS(WhICH RANGE ?)-1,1,labels1a432}~{if counter1432<@cols(which ra

rb432,0}~

{GOTO} {HEREABS432}~{branch cont432}

nge ?)-1} {GOTO} {here432}~{LET counter1a432,0}~