

\*---A macro to turn a 3-D OR 2-D range of DATE LABELS into DATE VALUES.

This macro creates format 4 dates (mm/dd/yy), to change to other formats change to /RFD<Format Mo.> in the second line of labels1a402 .

\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

\*---Hold the <ALT> key and press <Z> to activate the macro

\*---In release 3 and up the date label can be any of the 5 dates formats

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE

IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

```
\Z                {BREAKON}
DATELABEL        {windowsoff} {paneloff}/rncwhich range ?~/rndwhich range ?~/RN
cont402          {let hereabs402,@cellpointer("address")}~{LET counter1402,0}
!                {FOR counter1402,0,@cols(Which range ?)-1,1,labels1402}
!                {let rel402,@INFO("RELEASE")}~{IF @LEFT(REL402,1)<"@"
!                {goto}which range ?~/rndWhich range ?~
!
counter1402      5
counter1a402     0
labels1402       {RIGHT} {LET here402,@CELLPOINTER("ADDRESS")}~{LEFT
!
here402          $$F$1
!
labels1a402      {if @CELLPOINTER("TYPE")="I"} {EDIT} {HOME} {DEL}
!                {if @CELLPOINTER("TYPE")="I"} @DATEVALUE("{END}")~/
!                {DOWN}
!
ret402
!
counterb402      4
hereabs402       $$A$1
!
rel402
```

∩C{windowson}{panelon}Which range ?~{bs}{bs}{?}~{windowsoff}{GOTO}Which range

}{goto}{hereabs402}~{let counterb402,counterb402+1}~{if counterb402<@sheets(which ra

] {FOR counter1a402,0,@ROWS(WhICH RANGE ?)-1,1,labels1a402}~{if counter1402<@

RFD4~/RV~~

?~{let counterb402,0}~

nge ?)} {NS} {GOTO} {HEREABS402}~{branch cont402}

cols(which range ?)-1} {GOTO} {here402}~{LET counter1a402,0}~