

*---A macro to turn a 3-D or 2-D range of DATE VALUES into DATE LABELS.

This macro accepts and creates format 4 dates (mm/dd/yy).

*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

```
\Z          {BREAKON}
DATEVAL    {windowsoff} {paneloff}/rncwhich range ?~/rndwhich range ?~/RN
cont404    {let hereabs404,@cellpointer("address")}~{LET counter404,0}
!          {FOR counter404,0,@cols(Which range ?)-1,1,labels404}
!          {let rel404,@INFO("RELEASE")}~{IF @LEFT(REL404,1)<>"@"}
!          {goto}which range ?~/rndWhich range ?~
!
counter404          1
countera404        10
labels404          {RIGHT} {LET here404,@CELLPOINTER("ADDRESS")}~{LEFT
!
here404            $Y$1
!
labels404          {recalc day404} {recalc month404} {recalc year404} {recalc string40
!          {IF @CELLPOINTER("TYPE")="v"} {string404} {EDIT} {HOME}
!          {DOWN}
!
day404            #NAME?
month404          #NAME?
year404           #NAME?
string404         #NAME?
!
counterb404       0
hereabs404       $X$1
!
rel404           @INFO("RELEASE")
```

NC {windowson} {panelon} Which range ?~{bs} {bs} {?}~{windowsoff} {GOTO} Which range

{goto} {hereabs404}~{let counterb404,counterb404+1}~{if counterb404<@sheets(which ra

] {FOR countera404,0,@ROWS(WhICH RANGE ?)-1,1,labels404}~{if counter404<@cols

4}
,

?~{let counterb404,0}~

nge ?)} {NS} {GOTO} {HEREABS404}~{branch cont404}

.(which range ?)-1} {GOTO} {here404}~{LET countera404,0}~