

\*---A macro to ERASE all NUMBERS in a 3-D or 2-D range  
 \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
 range names in this column (starts with the \Z macro name)  
 \*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
 IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

!

\Z {BREAKON}

DELNUMBR {windowsoff} {paneloff}/rncwhich range ?~/rndwhich range ?~/RNC {panelon}^

cont403 {let hereabs403,@cellpointer("address")}~{LET counter403,0}

! {FOR counter403,0,@cols(Which range ?)-1,1,labels403}

! {let rel403,@INFO("RELEASE")}~{IF @LEFT(REL403,1)<"@"} {goto} {here

! {goto} which range ?~/rndWhich range ?~

!

counter403 3

countera403 5

labels403 {RIGHT} {LET here403,@CELLPOINTER("ADDRESS")}~{LEFT} {FOR coun

!

here403 \$D\$1

!

labels403 {PANELON} {IF @CELLPOINTER("TYPE")<"v"} {down} {return}

! /re~{DOWN}

!

counterb403 4

hereabs403 \$A\$1

!

rel403

Which range ?~{windowson} {bs} {bs} {?}~{windowsoff} {GOTO} Which range ?~{let counte

abs403}~{let counterb403,counterb403+1}~{if counterb403<@sheets(which range ?)} {NS}·

tera403,0,@ROWS(WhICH RANGE ?)-1,1,labelsa403}~{if counter403<@cols(which range

rb403,0}~

{GOTO} {HEREABS403}~{branch cont403}

?-1} {GOTO} {here403}~{LET counter403,0}~