

*---A macro to ERASE all ZEROS in a 3-D or 2-D range
 *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
 range names in this column (starts with the \Z macro name)
 *---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
 IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

!

```

\Z          {BREAKON}
DELZEROS    {windowsoff} {paneloff}/rncwhich range ?~/rndwhich range ?~/R
cont406     {let hereabs406,@cellpointer("address")}~{LET counter406,0}
!           {FOR counter406,0,@cols(Which range ?)-1,1,labels406}
!           {let rel406,@INFO("RELEASE")}~{IF @LEFT(REL406,1)<"@"
!           {goto}which range ?~/rndWhich range ?~
!
counter406          3
countera406        5
labels406          {RIGHT} {LET here406,@CELLPOINTER("ADDRESS")}~{LEFT
!
here406            $D$1
!
labels406          {PANELON} {IF @CELLPOINTER("CONTENTS")=0#AND#@C
!                 {DOWN}
!
counterb406        4
hereabs406        $A$1
!
rel406            3.00.00
  
```

∩C{windowson} {panelon} Which range ?~{bs} {bs} {?}~{windowsoff} {GOTO} Which range

} {goto} {hereabs406}~{let counterb406,counterb406+1}~{if counterb406<@sheets(which ra

] {FOR counter406,0,@ROWS(WhICH RANGE ?)-1,1,labels406}~{if counter406<@cols

ELLPOINTER("TYPE")<>"I"} {PANELOFF}/RE~

?~{let counterb406,0}~

nge ?)} {NS} {GOTO} {HEREABS406}~{branch cont406}

.(which range ?)-1} {GOTO} {here406}~{LET countera406,0}~