

- \*---A macro to turn all formulas and/or numbers in a 3-D or 2-D range into labels, labels and blank cells will not be changed.
- \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- \*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

```

\Z          {BREAKON}
DO_LABEL    {windowsoff} {paneloff} /rncwhich range ?~/rndwhich range ?~/RN
cont407     {let hereabs407,@cellpointer("address")}~{LET counter407,0}
!           {FOR counter407,0,@cols(Which range ?)-1,1,labels407}
!           {let rel407,@INFO("RELEASE")}~{IF @LEFT(REL407,1)="3"} {;
!           {goto}which range ?~/rndWhich range ?~
!
counter407          7
countera407        18
labels407          {RIGHT} {LET here407,@CELLPOINTER("ADDRESS")}~{LEFT
!
here407            $AM$1
!
labels407          {if @CELLPOINTER("prefix")="\">#OR#@CELLPOINTER("type"
!                 {if @CELLPOINTER("type")="v"} {edit} {home}'{DOWN}
!
counterb407        0
hereabs407        $AF$1
!
rel407            @INFO("RELEASE")
!
ret407

```

∩C{windowson}{panelon}Which range ?~{bs}{bs}{?}~{windowsoff}{GOTO}Which range

goto}{hereabs407}~{let counterb407,counterb407+1}~{if counterb407<@sheets(which rang

∩}{FOR counter407,0,@ROWS(WhICH RANGE ?)-1,1,labels407}~{if counter407<@cols

)="I"#OR#@CELLPOINTER("type")="b"}{down}{branch ret407}

?~{let counterb407,0}~

e ?)} {NS} {GOTO} {HEREABS407}~{branch cont407}

.(which range ?)-1} {GOTO} {here407}~{LET countera407,0}~